Journal of Applied Polymer Science

Author Index to Volume 100

Aal, S. E. A. See El-Nahas, H. H., 4491
Abad, C. See Soria, V., 900
Abbasi, F. See Shojaei, A., 9
Abbasian, M. See Tizpar, S., 2619
Abdel-Rahman, A. See Hebeish, A., 2697
Abe, S. See Yamanaka, A., 2196; Yamanaka, A., 5007
Abedi, S.
—; Hosseinzadeh, M.; Kazemzadeh, M. A.; Daftari-Besheli, M.: Effect of Polymerization Time on the Molecular Weight and Molecular Weight Distribution of Polypropylene, 368
Abhishek, S. See Jain, A., 4910
Abiola, O. K. See Ebenso, E. E., 2889
Abraham, B. T. See Cherian, A. B., 449
Abubakar, A. See Kumar, R. N., 1048
Acierno, D. See Frigione, M., 748
Acosta, J. L. See Linares, A., 3474
Adoor, S. G.
—; Manjeshwar, L. S.; Rao, K. S. V. K.; Naidu, B. V. K.; Aminabhavi, T. M.: Solution and Solid-State Blend Compatibility of Poly(vinyl alcohol) and Poly(methyl methacrylate), 2415
Agag, T.
—; Preparation and Properties of Some Thermosets Derived from Allyl-Functional Naphthoxazines, 3769
Agari, Y. See Arakawa, M., 4273
Agarwal, U. S. See Wanrooij, P. H. P., 1024
Aghanajafi, C. See Sadooghi, P., 4181
Agnihotri, S. A. See Soppimath, K. S., 486
Aguilar, M.-R. See Plieva, F. M., 1057
Ahamad, R. T. See Nishat, N., 928
Ahmad, M. H. See Sharif, J., 353
Ahmad, S. See Ashraf, S. M., 3094; Nishat, N., 928
—; Ashraf, S. M.; Sharmin, E.; Mohomad, A.; Alam, M.: Synthesis, Formulation, and Characterization of Siloxane-Modified Epoxy-Based Anticorrosive Paints, 4981
Ahmadjo, S. See Zohuri, G. H., 2220
Ahn, N. See Park, D. K., 5119
Aht-Ong, D. See Ratanakamnuan, U., 2717; Ratanakamnuan, U., 2725
Ahzi, S. See Makradi, A., 2259
Aitken, E. A.
—; Analysis of the Epoxy Polymerization Process with Piperidine as the Initiator, 5066
Ajji, A. See Bobovitch, A. L., 3545
Akarsu, M. See Uyanik, M., 2386
Akgöl, S.
—; Kuşvuran, E.; Kara, A.; Şenel, S.; Denizli, A.: Porous Dye Affinity Beads for Nickel Adsorption from Aqueous Solutions: A Kinetic Study, 5056
Akiba, C.
—; Watanabe, K.; Nagai, K.; Hirata, Y.; Nguyen, Q. T.: Preparation and Solubility of Water–Methanol Mixtures in Sulfonated Poly(etherketone) Containing a Cardo-Ring Structure, 1113
Akyüz, A.
—; Paril, A.; Giz, A.: Reactivity Ratios of Acrylamide–Vinyl Pyrrolidone Copolymerization System Obtained by Sequential Sampling, 3822
Alam, M. See Ahmad, S., 4981
Alam, S. See Srivastava, J., 4832
Alberola, N. D. See Vouyovitch, L., 3454
Albertsson, A.-C. See Hartman, J., 2985
Alexy, P. See Kukolikova, L., 1413
Ali, A. E.-H. See Shawky, H. A., 3966
Alimi, K. See Ayachi, S., 57
Alkan, C.
—; Dumanlı, A. G.; Aras, L.: Sulfonation Degree Determination of Polystyrene Ionomers by Using Adiabatic Bomb Calorimeter, 4684
Allen, D. J. See Lee, Y.-H., 2443
Alt, H. G.
—; Reb, A.; Welch, M. B.; Jurkiewicz, A.: Self-Induced Short Chain Branching in Homopolymers and 1-Hexene Copolymers of Ethylene Produced with Amido Functionalized ansa Half-Sandwich Complexes as Catalysts, 734
Alvila, L. See Heikkinen, S., 937
Ambrogi, V. See Frigione, M., 748
Amesöder, S. See Nagel, J., 2992
Aminabhavi, T. M. See Adoor, S. G., 2415; Narayan, R., 2422; Raghu, A. V., 576; Soppimath, K. S., 486
An, S. See Ding, Y., 3355
An, S.-K. See Im, J.-S., 2053
Andrade, C. T. See Thiré, R. M. S. M., 4338
Andrews, G. T. See Laity, P. R., 779
Andričić, B.
—; Kovačić, T.; Klarić, I.: Miscibility and Thermooxidative Degradation of Poly(vinyl chloride)/Biodegradable Aliphatic–Aromatic Copolyester Blends, 2158
Anjum, N. See Gupta, B., 1239
—; Moreau, O.; Riquet, A. M.: Surface Designing of Polypropylene by Critical Monitoring of the Grafting Conditions, 546
Ansems, P. See Stephens, C. H., 1651
Antonakakis, J. N.
—; Bhargava, P.; Chuang, K. C.; Zehnder, A. T.: Linear Viscoelastic Properties of HFPE-II-52 Polyimide, 3255
Ao, N.-J. See Chen, M., 3809
Arakawa, M.
—; Sukata, K.; Shimada, M.; Agari, Y.: Organic–Inorganic Hybrid Materials. II. Preparation and Properties of Higher Silica Containing Polycarbonate–Silica Hybrid Materials, 4273
Aranguren, M. I. See Schroeder, W. F., 4539
Aras, L. See Alkan, C., 4684
Arayapranee, W.
—; Prasassarakich, P.; Rempel, G. L.: Factorial Experimental Design for Graft Copolymerization of Styrene and Methyl Methacrylate onto Styrene–Butadiene Rubber, 2867
Argyropoulos, D. S. See Ban, W., 2542
Arpaç, E. See Uyanik, M., 2386
Asano, M. See Chen, J., 4565
Ashraf, S. M. See Ahmad, S., 4981
—; Ahmad, S.; Riaz, U.; Sharma, H. O.: Studies on Miscibility of Dehydrated Castor Oil Epoxy

Blend with Poly(methyl methacrylate), 3094
Asman, G.
—; Şanlı, O.: Separation Characteristics of Acetic Acid–Water Mixtures by Using Poly(vinyl alcohol-*g*-4-vinyl pyridine) Membranes by Pervaporation and Temperature Difference Evapomeation Techniques, 2030
—; Şanlı, O.: Separation Characteristics of Acetic Acid–Water Mixtures Using Poly(vinyl alcohol-*g*-4-vinyl pyridine) Membranes by Pervaporation and Temperature Difference Evapomeation Techniques, 1385
Asmatulu, R. See Gupta, P., 4935
Assaad, F. F. See Sadek, O. M., 1705; Sadek, O. M., 1712
Attané, P. See Pérez-Lepe, A., 260
Atthoff, B. See Gupta, B., 1239
Auhl, D. See Krause, B., 2770
Awasthi, R. See Setua, D. K., 677
Ayachi, S.
—; Bouzakraoui, S.; Hamidi, M.; Bouachrine, M.; Molinié, P.; Alimi, K.: Prediction of Electropolymerization Mechanisms of Two Substituted Phenylene: Poly-3-methoxy-toluenes ($P3mt_1$ and $P3mt_2$), 57
Aydin, E. See Özgür, E. E., 2942
—; Özgür, E. E.; Özbey, T.; İrkeç, M.; Bozkurt, B.; Kaptan, H. Y.: Investigation of Oxygen Diffusion into Contact Lenses Using Electron Spin Resonance Spectroscopy, 2937

Baba, S. See Ogawa, T., 3405
Babu, N. S. See Devasia, R., 3055
Badri, K. H.
—; Ujar, A. H.; Othman, Z.; Sahaldin, F. H.: Shear Strength of Wood to Wood Adhesive Based on Palm Kernel Oil, 1759
Badura, W. See Zhang, W., 1176
Bae, S. J. See Joo, S.-H., 299
Baer, E. See Stephens, C. H., 1651
Bai, F. See Feng, L., 923
—; Yang, X.; Huang, W.: Narrow-Disperse or Monodisperse Crosslinked and Functional Core–Shell Polymer Particles Prepared by Two-Stage Precipitation Polymerization, 1776
Bai, L. See Liu, Y., 1312; Liu, Y., 4247
Bajpai, A. K. See Mishra, S., 2402
—; Sharma, M.: Preparation and Characterization of Novel pH-Sensitive Binary Grafted Polymeric Blends of Gelatin and Poly(vinyl alcohol): Water Sorption and Blood Compatibility Study, 599
Bajpai, R. See Mishra, S., 2402
Bajpai, S. K.
—; Johnson, S.: Poly(acrylamide-*co*-maleic acid) Hydrogels for Removal of Cr(VI) from Aqueous Solutions, Part 1: Synthesis and Swelling Characterization, 2759
—; Saxena, S.: Flow Through Diffusion Cell Method: A Novel Approach to Study *In Vitro* Enzymatic Degradation of a Starch-Based Ternary Semi-Interpenetrating Network for Gastrointestinal Drug Delivery, 2975
Bakare, I. O.
—; Pavithran, C.; Okieimen, F. E.; Pillai, C. K. S.: Polyesters from Renewable Resources: Preparation and Characterization, 3748
Bakass, M.
—; Bellat, J. P.; Mokhlisse, A.; Bertrand, G.: The Adsorption of Water Vapor on Super Absorbent Product at Low Temperatures and Low Mass, 1450
Bakos, D. See Kukolikova, L., 1413
Balamurli, M. M. See Brar, A. S., 372
Balasubramanian, S. See Mylswamy, S., 3174
Baldi, F.
—; Bignotti, F.; Ricco, L.; Monticelli, O.; Riccò, T.: Mechanical and Structural Characterization of POSS-Modified Polyamide 6, 3411
Baltá-Calleja, F. J. See Bayer, R. K., 3832
Ban, W.
—; JianguoSong; Argyropoulos, D. S.; Lucia, L. A.: Improving the Physical and Chemical Functionality of Starch-Derived Films with Biopolymers, 2542
Banach, T. E. See Chisholm, B. J., 4762
Banaszak, B. J. See Novak, A., 1124
Banerjee, J.
—; Kumar, R.; Srivastava, A.; Behari, K.: Graft Copolymerization of 2-Acrylamido-2-methyl-1-propanesulphonic Acid onto Carboxymethylcellulose (Sodium Salt) Using Bromate/Thiourea Redox Pair, 26
Banerji, M. S. See Chowdhury, R., 1008
Bao, J. See Zhao, H., 1294
Bao, X. See Zhang, Q., 2497
Bao, Y.-J. See Gu, Z., 2930
Bao, Y.-Z., 1594, Huang, J.
Baoxiu, Z. See Jing, S., 2244
Bar-Chaput, S.
—; Carrot, C.: Interactions of Active Carbon with Low- and High-Molecular Weight Polyethylene Glycol and Polyethylene Oxide, 3490
Barone, J. R.
—; Schmidt, W. F.; Gregoire, N. T.: Extrusion of Feather Keratin, 1432
Barsbay, M.
—; Güner, A.: Miscibility of Dextran and Poly(ethylene glycol) in Dilute Aqueous Solutions. II. Effect of Temperature and Composition, 4587
Baruah, S. R.
—; Kakati, D. K.: Photopolymerization of Methyl Methacrylate by 2,2′-Dithiodiethanol: Effect of Reaction Conditions, 1601
Basaez, L. See Rivas, B. L., 2380
Bawa, A. S. See Ravikumar, H. B., 740
Bayer, R. K. See Ueberschaer, A., 4893
—; Baltá-Calleja, F. J.: Nanostructure Development in Wet Amorphous Amylopectin as Revealed by In Situ X-Ray Scattering Methods, 3832
Beatty, C. See Oh, T.-k., 3465
Bechtold, T. See Manian, A. P., 3596; Zhang, W., 1176
Behari, K. See Banerjee, J., 26; Srivastava, A., 2480
—; Pandy, P. K.: Graft Copolymerization of 2-Acrylamido-2-methyl-1-propanesulfonic acid onto Carboxymethylcellulose (Sodium Salt) by H_2O_2/Fe^{+2} Redox Pair, 4819
Behniafar, H.
—; Jafari, A.: Thermally Stable and Organosoluble Cardo Binaphthylene Based Poly(amide imide)s and Poly(ester imide)s, 3203
Belbachir, M. See Yahiaoui, A., 1681
Belgacem, M. N. See Freire, C. S. R., 1093

Bellat, J. P. See Bakass, M., 1450
Belouettar, S. See Makradi, A., 2259
Bendoraitiene, J.
—; Mazoniene, E.; Zemaitaitiene, R. J.; Zemaitaitis, A.: Interaction of Polydiallyldimethylammonium Salts with Iodine, 2710
Bernardes, M. S. See Neves-Junior, W. F. P., 702
Bernreitner, K. See Gahleitner, M., 283
Bertrand, G. See Bakass, M., 1450
Bessede, J.-L. See Vouyovitch, L., 3454
Bhagawan, S. S. See Moly, K. A., 4526
Bhanu, V. A. See Sankir, M., 4595
Bhargava, P. See Antonakakis, J. N., 3255
Bhattacharya, S. N. See Tillekeratne, M., 2652
Bhowmick, A. K. See Ganguly, A., 2040; Vijayabaskar, V., 2227
Bi, J. See Lu, J., 4265
Bieliński, D. M.
—; Kaczmarek, Ł.: Surface Segregation of Polyethylene in Low-Density Polyethylene/Ethylene–Propylene–Diene Rubber Blends: Aspects of Component Structure, 625
Bignotti, F. See Baldi, F., 3411
Bikiaris, D. N.
—; Papageorgiou, G. Z.; Pavlidou, E.; Vouroutzis, N.; Palatzoglou, P.; Karayannidis, G. P.: Preparation by Melt Mixing and Characterization of Isotactic Polypropylene/SiO_2 Nanocomposites Containing Untreated and Surface-Treated Nanoparticles, 2684
Bingöl, B.
—; Camurlu, P.; Toppare, L.: Synthesis and Characterization of Poly(thiophen-3-yl acetic acid 4-pyrrol-1-yl phenyl ester-co-*N*-methylpyrrole) and Its Application in an Electrochromic Device, 1988
Biswas, M. See Maity, A., 819
Blanco, I.
—; Cicala, G.; Costa, M.; Recca, A.: Development of an Epoxy System Characterized by Low Water Absorption and High Thermomechanical Performances, 4880
Blanco, J. See Fraga, F., 3297
Blazewicz, M. See 2881; Mikołajczyk, T.
Blokhus, A. M. See Hellebust, S., 1728
Bobak, M. See Novak, A., 1124
Bobovitch, A. L.
—; Tkach, R.; Ajji, A.; Elkoun, S.; Nir, Y.; Unigovski, Y.; Gutman, E. M.: Mechanical Properties, Stress-Relaxation, and Orientation of Double Bubble Biaxially Oriented Polyethylene Films, 3545
Boeman, R. G. See Jacob, G. C., 695
Bogdal, D. See Brzozowski, Z. K., 3850
Boguń, M. See 2881; Mikołajczyk, T.
Bolayır, G. See Boztuğ, A., 363
Bondzic, S.
—; Hodgkin, J.; Krstina, J.; Mardel, J.: Chemistry of Thermal Ageing in Aerospace Epoxy Composites, 2210
Boopalan, U. V. K.
—; Das, R. M. B. N.; Sastry, T. P.: Studies on Chemically Modified Hen Egg White and Gelatin Composites, 318
Bordado, J. C. See Duarte, A. P., 4052
Borodulina, T. A. See Feldstein, M. M., 522
Borrajo, J. See Schroeder, W. F., 4539; Soulé, E. R., 1742
Bose, P. P. See Das, A., 3981
Bose, S.
—; Raghu, H.; Mahanwar, P. A.: Mica Reinforced Nylon-6: Effect of Coupling Agents on Mechanical, Thermal, and Dielectric Properties, 4074
Bouachrine, M. See Ayachi, S., 57
Bourmaud, A. See Feller, J. F., 3280
Bouzakraoui, S. See Ayachi, S., 57
Bozkurt, B. See Aydin, E., 2937; Özgür, E. E., 2942
Boztuğ, A.
—; Coşkun, A.; Bolayır, G.; Zengin, H. B.; Özdemir, A. K.: Preparation of Compatible Blends of Poly(methyl methacrylate) Used in Dentistry with a Reactive Terpolymer Containing Maleic Anhydride and Their Thermomechanical Characterization, 363
Brackhagen, M. See Koschella, A., 2142
Bradtke, G. R. See Chisholm, B. J., 4762
Braganza, S. N. See Ramelow, U. S., 5087
Brar, A. S. See Singh, P. K., 2667
—; Kaur, M.; Balamurli, M. M.; Dogra, S. K.: Photophysical Studies of Copolymers of *N*-Vinylcarbazole, 372
Bräuer, M. See Nagel, J., 2992; Pompe, G., 4297
Brink, A. E. See Sankir, M., 4595
Brink, M. H. See Sankir, M., 4595
Brito, H. F. See Parra, D. F., 406
Brnardic, I.
—; Ivankovic, M.; Ivankovic, H.; Mencer, H. J.: Isothermal and Nonisothermal Cure Kinetics of an Epoxy/Poly(oxypropylene)-diamine/Octadecylammonium Modified Montmorillonite System, 1765
Brook, M. A. See Liang, L., 2075
Brovelli, F. See Rivas, B. L., 2380
Bryant, G. See Wu, S., 4348
Brzozowski, Z. K.
—; Staszczak, S. K.; Hadam, L. K.; Rupinski, S.; Bogdal, D.; Gorczyk, J.: Synthesis of Solid Epoxy Resins Base on BPC II and Bisphenol A Using Conventional Heating Equipment and Microwave, 3850
Bui, T. X. See Yudin, V. E., 478
Bunel, C. See Poussard, L., 3314
Burdurlu, E.
—; Kiliç, Y.; Eli'bol, G. C.; Kiliç, M.: Shear Strength of Calabrian Pine (*Pinus brutia* Ten.) Bonded with Polyurethane and Polyvinyl Acetate Adhesives, 4856
Burel, F. See Poussard, L., 3314
Burya, A. I. See Kozlov, G. V., 2817; Kozlov, G. V., 2821; Kozlov, G. V., 3828

Cable, M. See Laity, P. R., 779
Cadenato, A.
—; Ramis, X.; Salla, J. M.; Morancho, J. M.; Contat-Rodrigo, L.; Vallés-Lluch, A.; Ribes-Greus, A.: Calorimetric Studies of PP/Mater-Bi Blends Aged in Soil, 3446
Cagiao, M. E. See Ueberschaer, A., 4893
Cai, J.
—; Li, T.; Han, Y.; Zhuang, Y.; Zhang, X.: Nonisothermal Crystallization Kinetics and Morphology of Self-Seeded Syndiotactic 1,2-Polybutadiene, 1479
Cai, Y. See Li, Q., 3348
Caldwell, G.
—; Meirim, M. G.; N'Da, D. D.; Neuse, E. W.: Carrier-Bound Methotrexate. II. Water-Soluble Polyaspartamide Methotrexate Conjugates with Amide Links in Polymer–Drug Spacer, 3415

Calleja, F. J. B. See Orench, I. P., 1659; Ueberschaer, A., 4893
Calò, E. See Frigione, M., 748
Cameron, R. E. See Laity, P. R., 779
Campos, A. See Soria, V., 900
Camurlu, P. See Bingöl, B., 1988
Can, H. K. See Denizli, B. K., 2455; Kavlak, S., 3926
—; Doğan, A. L.; Rzaev, Z. M. O.; Uner, A. H.; Güner, A.: Synthesis, Characterization, and Antitumor Activity of Poly(maleic anhydride-*co*-vinyl acetate-*co*-acrylic acid), 3425
Canva, M. See Guerrouache, M., 2362
Cao, K. See Liu, H.-Y., 2744
Cao, X. See Qu, J., 3860
Cao, Y. See Shibata, S., 911; Zhang, H., 3634
Cardona, F. See Kaba, M., 3579
Carfagna, C. See Frigione, M., 748
Carrasco, F.
—; Dionisi, D.; Martinelli, A.; Majone, M.: Thermal Stability of Polyhydroxyalkanoates, 2111
Carrot, C. See Bar-Chaput, S., 3490
Castro-Díaz, C. See Fraga, F., 3297
Caudill, S. E.
—; Grubbs, W. T.: Interferometric Measurements of Refractive Index Dispersion in Polymers over the Visible and Near-Infrared Spectral Range, 65
Cavalier, K. See Cayer-Barrioz, J., 989
Cayer-Barrioz, J.
—; Ferry, L.; Frihi, D.; Cavalier, K.; Séguéla, R.; Vigier, G.: Microstructure and Mechanical Behavior of Polyamide 66-Precipitated Calcium Carbonate Composites: Influence of the Particle Surface Treatment, 989
Çaylı, G.
—; Küsefoğlu, S.: Thermal and Mechanical Behavior of Unsaturated Polyesters Filled with Phase Change Material, 832
Cha, G. C.
—; Lee, S.; Song, J. S.; Kim, J. K.; Kim, K. H.; Mun, M. S.; Youn, H. S.; Pyun, D. G.; Choi, Y. S.: Preparation and Properties of New Polurethane Gels with a Stress-Distributing Function for Medical Applications, 2750
Cha, S.-W. See Kim, C.-G., 307
Chae, H. G.
—; Kumar, S.: Rigid-Rod Polymeric Fibers, 791
Chakrabarti, P. P. See Vijayabaskar, V., 2227
Chakraborty, D. See Das, M., 238
Chand, N.
—; Jain, D.: Effect of Temperature on Electrical Behavior of Flyash-Filled Epoxy Gradient Composites, 1269
Chanda, M.
—; Sarkar, S. A. P. A.; Modak, J. M.: A Novel Fiber-Coated Strong Base-Type Anion Exchanger with Superfast Kinetics. Removal and Recovery of Silver Thiosulfate from Aqueous Solutions, 2604
Chang, F.-C. See Kuo, S.-W., 1146
Chang, J.-H.
—; Mun, M. K.: Synthesis and Characterization of Poly(butylene terephthalate) Nanocomposite Fibers: Thermo-Mechanical Properties and Morphology, 1247
Chang, P. See Wang, L., 4672
Chang, T.-C. See Huang, C.-J., 1457
Chang, Y. S. See Huang, K. S., 2164
Channasanon, S. See Tanodekaew, S., 1914
Chao, C.-I. See Lee, R. H., 133
Chao, D. See Lu, X., 2356
Chao, Y.-C. See Huang, P.-Y., 4711
Charmondusit, K. See Hinchiranan, N., 4219
Chatterjee, A.
—; Deopura, B. L.: Thermal Stability of Polypropylene/Carbon Nanofiber Composite, 3574
Chattopadhyay, D. K. See Narayan, R., 2422; Sreedhar, B., 2393
Chaudhary, R. N. P. See Sridhar, V., 3161
Chaudhary, V. See Jain, R., 3919
Chauhan, G. S. See Kanwar, S. S., 1420; Kanwar, S. S., 4252; Kanwar, S. S., 4636
—; Singh, B.; Chauhan, S.; Dhiman, S. K.; Kumar, D.: A Study of the Synthesis, Kinetics, and Characterization of Reactive Graft Copolymers of Poly(vinyl imidazole) and Cellulose for Use as Supports in Enzyme Immobilization and Metal Ion Uptake, 1522
Chauhan, S. See Chauhan, G. S., 1522; Kanwar, S. S., 1420
Cheah, K. See Forsythe, J. S., 3646
Chee, S. Y.
—; Gan, S. N.: Ultraviolet Curable Dry Polymer Films from Emulsion Polymers, 2317
Chen, C.-C. See Suen, M.-C., 191
Chen, C.-H.
—; Chen, M.-H.: Synthesis, Thermal Properties, and Morphology of Blocked Polyurethane/Epoxy Full-Interpenetrating Polymer Network, 323
Chen, D. See Fan, J., 1214
Chen, G. See Wei, G., 1511
Chen, G.-F. See Tsai, P.-F., 1
Chen, H. See Liu, J. S., 253
Chen, J. See Lu, X., 2356; Nien, Y.-H., 3727; Yu, X., 399
—; Asano, M.; Yamaki, T.; Yoshida, M.: Effect of Crosslinkers on the Preparation and Properties of ETFE-Based Radiation-Grafted Polymer Electrolyte Membranes, 4565
Chen, K.-N. See Huang, C.-T., 1919; Huang, C.-T., 3741
Chen, K.-S.
—; Ku, Y.-A.; Lin, H.-R.; Yan, T.-R.; Sheu, D.-C.; Chen, T.-M.: Surface Grafting Polymerization of *N*-Vinyl-2-pyrrolidone onto a Poly(ethylene terephthalate) Nonwoven by Plasma Pretreatment and Its Antibacterial Activities, 803
Chen, L. See Xiao, Y., 4835
Chen, M. See Zhang, B.-L., 4114
—; Ao, N.-J.; Liao, Y.-Y.; Chen, Y.; Zhou, H.-L.: Thermooxidative Degradation of Natural Rubber/Clay Composite, 3809
—; Tian, G.; Zhang, Y.; Wan, C.; Zhang, Y.: Effect of Silicon Dioxide on Crystallization and Melting Behavior of Polypropylene, 1889
Chen, M.-H. See Chen, C.-H., 323
Chen, Q. See Dai, Z., 2126
—; Xu, R.; Yu, D.: Preparation of Nanocomposites of Thermosetting Resin from Benzoxazine and Bisoxazoline with Montmorillonite, 4741
Chen, T. See Wang, J.-J., 473
Chen, T.-M. See Chen, K.-S., 803
Chen, T.-W. See Lai, S.-M., 1364
Chen, X. See Guo, T., 1824; Wu, G., 2336
Chen, Y. See Chen, M., 3809; Wang, J.-J., 473; Wang, P.-Y., 1277; Yu, X., 399
—; Li, H.: Effect of Ultrasound on the Viscoelasticity and Rheology of Polystyrene Extruded Through a Slit Die, 2907
Chen, Y.-J. See Ma, C. M., 508
Chen, Y.-P. See Liang, W.-J., 1000
Chen, Y.-W. See Lin, D.-S., 4023
Chen, Z. See Feng, L., 923
Cheng, B. See Wang, B., 758; Wang, B., 4795
Cheng, C.-L. See Wang, L., 4672

Cheng, G. See Kuang, Q., 4120; Lu, S., 684; Sun, C., 4581
—; Wang, T.; Zhao, Q.; Ma, X.; Zhang, L.: Preparation of Cellulose Acetate Butyrate and Poly(ethylene glycol) Copolymer to Blend with Poly(3-hydroxybutyrate), 1471
Cheng, R. See Xie, H., 295
Cheng, Y. See Wochnowski, C., 1229
Cheng, Y. F. See Li, Y., 268
Cheng, Z. See Cong, Y., 2737; Zhang, Z., 1137
Chengguo, W. See Chuansheng, C., 4645
Cheon, C. H. See Kim, C.-G., 307
Cherian, A. B.
—; Abraham, B. T.; Thachil, E. T.: Modification of Unsaturated Polyester Resin by Polyurethane Prepolymers, 449
—; Thachil, E. T.: Epoxidized Phenolic Novolac: A Novel Modifier for Unsaturated Polyester Resin, 457
Chern, C.-S.
—; Yu, T.-C.; Hu, L.-L.: Effects of Short Chain Alcohols on the Styrene Emulsion Polymerization, 4406
Chimni, S. S. See Kanwar, S. S., 1420; Kanwar, S. S., 4252; Kanwar, S. S., 4636
Chiriac, A. P. See Nita, L. E., 3554; Nita, L. E., 4133
Chisholm, B. J.
—; Richards, W. D.; Banach, T. E.; Soloveichik, S.; Kelley, J. F.; Bradtke, G. R.; Dhawan, S.: Structure–Property Relationships for Sulfonated Poly(butylene terephthalate), 4762
Chiu, H.-J.
—; Miscibility and Crystallization Behavior of Poly(3-hydroxybutyrate-*co*-3-hydroxyvalerate)/Poly(vinyl acetate) Blends, 980
Chiu, S.-G. See Dong, J.-P., 967
Chiu, W.-Y. See Lin, C.-L., 3987; Wang, P.-C., 4925
Chmela, Š. See Kósa, C., 4420
Chmiel-Szukiewicz, E.
—; Hydroxyalkylation of 6-Aminouracil, 715
—; Lubczak, J.: Reactions of Trithiocyanuric Acid with Oxiranes. IV. Analysis of the Initial Stages of the Synthesis of Polyetherols, 4917
Cho, D. See Han, S. O., 4972
Cho, S.-H. See Jun, J.-B., 3801
Cho, S. K. See Lee, S. B., 4439
Choi, S.-H. See Kang, Y.-O., 1809
Choi, S. M.
—; Kwon, S.-H.; Yi, M. H.: Synthesis and Characterization of Negative-Type Polyamic Acid Ester with 1-Methacryloyloxy-2-Propanoate Group, 2252
Choi, W. J.
—; Kim, H.-J.; Yoon, K. H.; Kwon, O. H.; Hwang, C. I.: Preparation and Barrier Property of Poly(ethylene terephthalate)/Clay Nanocomposite Using Clay-Supported Catalyst, 4875
Choi, Y.-I. See Kim, M.-R., 4811
Choi, Y. S. See Cha, G. C., 2750
Chou, C.-T. See Lin, D.-S., 4023
Chough, S.-H. See Yoon, S.-D., 2554
Chowdhury, R.
—; Banerji, M. S.; Shivakumar, K.: Development of Acrylonitrile-Butadiene (NBR)/Polyamide Thermoplastic Elastomeric Compositions: Effect of Carboxylation in the NBR Phase, 1008
Christjanson, P.
—; Pehk, T.; Siimer, K.: Hydroxymethylation and Polycondensation Reactions in Urea–Formaldehyde Resin Synthesis, 1673
Chuang, K. C. See Antonakakis, J. N., 3255
Chuansheng, C.
—; Chengguo, W.; Yaqi, Z.: Monomer Reactivity Ratios for Acrylonitrile/Ammonium Itaconate during Aqueous-Deposited Copolymerization Initiated by Ammonium Persulfate, 4645
Chuayjuljit, S.
—; Yaowsang, C.; Na-Ranong, N.; Potiyaraj, P.: Oil Resistance and Physical Properties of In Situ Epoxidized Natural Rubber from High Ammonia Concentrated Latex, 3948
Chum, S. P. See Stephens, C. H., 1651
Chung, I. J. See Joo, S.-H., 299
Cicala, G. See Blanco, I., 4880
Cidade, M. T. See Duarte, A. P., 4052
Ciolacu, D.
—; Popa, V. I.; Ritter, H.: Cellulose Derivatives with Adamantoyl Groups, 105
Cireli, A.
—; Yurdakul, B.: Application of Cyclodextrin to the Textile Dyeing and Washing Processes, 208
Claus, R. See Gupta, P., 4935
Çolak, S. See Eren, T., 2947
Colombo, S. See Guibal, E., 3034
Cong, Y.
—; Fu, J.; Zhang, Z.; Cheng. Z.; Xing, R.; Li, J.; Han, Y.: Fabrication of Arrays of Silver Nanoparticle Aggregates by Microcontact Printing and Block Copolymer Nanoreactors, 2737
Contat-Rodrigo, L. See Cadenato, A., 3446
Coşkun, A. See Boztuğ, A., 363
Costa, M. See Blanco, I., 4880
Cough, S.-H. See Yoon, S.-D., 3733
Coutinho-Netto, J. See Neves-Junior, W. F. P., 702
Couvercelle, J.-P. See Poussard, L., 3314
Cox, C. L. See Makradi, A., 2259
Creton, C. See Feldstein, M. M., 522
Cser, F. See Tillekeratne, M., 2652
Csomorová, K. See Šimkovic, I., 1318
Cuenca, F. G. See Rabecki, F., 4723
Cui, N.
—; Ke, Y.; Lu, Z.; Wu, C.; Hu, Y.: Structure and Properties of Polypropylene Alloy In Situ Blends, 4804
Cui, Y. See Wang, B., 758; Wang, B., 4795
Curteanu, S.
—; Leon, F.; Gâlea, D.: Alternatives for Multiobjective Optimization of a Polymerization Process, 3680
Czigany, T. See Lim, K. L. K., 3931
Czupryński, B.
—; Paciorek-Sadowska, J.; Liszkowska, J.: Modifications of the Rigid Polyurethane–Polyisocyanurate Foams, 2020

Daftari-Besheli, M. See Abedi, S., 368
Dahlan, K. H. See Sharif, J., 353
Dai, S.
—; Ye, L.; Huang, R.: A Study on the Solution Behavior of IPBC-Hydrophobically-Modified Hydroxyethyl Cellulose, 2824
Dai, Z.
—; Chen, Q.; Ni, L.; Song, N.; Zhang, W.: Curing Kinetics and Structural Changes of a Di[(*N*-*m*-acetenylphenyl) phthalimide] Ether/[(Methyl) diphenylacetylene] Silane Copolymer, 2126
Daniels, E. S. See Ding, T., 2267; Ding, T., 4550

Danno, T.
—; Kobayashi, K.; Tanioka, A.: Fluorescence Quantum Yield of Poly(3-octylthiophene) upon Electrochemical Doping, 3111
D'Antone, S. See Sartore, L., 4654
Daoust, D. See Iguerb, O., 1184
Darbeau, R. W. See Ramelow, U. S., 5087
Das, A.
—; Naskar, N.; Datta, R. N.; Bose, P. P.; Debnath, S. C.: Naturally Occurring Amino Acid: Novel Curatives for Chloroprene Rubber, 3981
Das, C. K. See Kumar, E. S., 3904
Das, M.
—; Pal, A.; Chakraborty, D.: Effects of Mercerization of Bamboo Strips on Mechanical Properties of Unidirectional Bamboo–Novolac Composites, 238
Das, R. M. B. N. See Boopalan, U. V. K., 318
Datta, R. N. See Das, A., 3981; Huntink, N. M., 853
Day, T.-C. See Su, F.-K., 3784
Deanin, R. D. See Huang, J.-C., 2002
Debnath, S. C. See Das, A., 3981
del C. Pizarro, G.
—; Marambio, O. G.; Jeria O, M.; Huerta, M.; Rivas, B. L.: Nonionic Water-Soluble Polymer: Preparation, Characterization, and Application of Poly(1-vinyl-2-pyrrolidone-*co*-hydroxyethylmethacrylate) as a Polychelatogen, 178
Deligöz, H.
—; Yalcinyuva, T.; Özgümüs, S.; Yildirim, S.: Electrical Properties of Conventional Polyimide Films: Effects of Chemical Structure and Water Uptake, 810
Demoustier-Champagne, S. See Iguerb, O., 1184
Denecker, C.
—; Liggat, J. J.; Snape, C. E.: Relationship Between the Thermal Degradation Chemistry and Flammability of Commercial Flexible Polyurethane Foams, 3024
Deng, K. See Liu, Y., 1312
Deng, W.-Y. See Zhang, B.-L., 4114
Deng, Y. See Yoon, S.-Y., 1032
Denizli, A. See Akgöl, S., 5056; Şenel, S., 1222
Denizli, B. K.
—; Can, H. K.; Rzaev, Z. M. O.; Güner, A.: Synthesis of Copolymers of *tert*-Butyl Vinyl Ether with Maleic and Citraconic Anhydrides, 2455
de O. Graeff, C. F. See Neves-Junior, W. F. P., 702
Deopura, B. L. See Chatterjee, A., 3574
de Pablo, J. J. See Novak, A., 1124
de Paula, R. C. M. See Silva, J. B. A. Jr., 4082
De Sarkar, M. See Ganguly, A., 2040
DesLauriers, P. J. See Yu, Y., 4992
de Souza Filho, F. J. See Silva, J. B. A. Jr., 4082
Despres, A. See Lei, H., 3075; Lei, H., 4842
—; Pizzi, A.: Colloidal Aggregation of Aminoplastic Polycondensation Resins: Urea–Formaldehyde Versus Melamine–Formaldehyde and Melamine–Urea–Formaldehyde Resins, 1406
Dessouki, A. M. See El-Nahas, H. H., 4491
de Valle, L. F. R. See López-Quintanilla, M. L., 4748
Devasia, R.
—; Nair, C. P. R.; Sadhana, R.; Babu, N. S.; Ninan, K. N.: Fourier Transform Infrared and Wide-Angle X-Ray Diffraction Studies of the Thermal Cyclization Reactions of High-Molar-Mass Poly(acrylonitrile-*co*-itaconic acid), 3055
Devaux, J. See Iguerb, O., 1184
Dhawan, S. See Chisholm, B. J., 4762
Dhiman, S. K. See Chauhan, G. S., 1522
Dickson, J. M. See Liang, L., 2075
Di Lorenzo, M. L.
—; Calorimetric Analysis of the Multiple Melting Behavior of Poly(L-lactic acid), 3145
Dimos, V.
—; Sanopoulou, M.: Determination of Sorption Kinetic Parameters Using the Relaxation-Dependent Solubility Model in the Methanol Vapor—Poly(methyl methacrylate) System, 2278
Ding, H. See Tian, Y., 1013
Ding, S. See Zhang, X., 2705
Ding, T.
—; Daniels, E. S.; El-Aasser, M. S.; Klein, A.: Film Formation from Pigmented Latex Systems: Drying Kinetics and Bulk Morphologies of Ground Calcium Carbonate/Functionalized Poly(*n*-butyl methacrylate-*co*-*n*-butyl acrylate) Blend Films, 2267
—; Daniels, E. S.; El-Aasser, M. S.; Klein, A.: Film Formation from Pigmented Latex Systems: Mechanical and Surface Properties of Ground Calcium Carbonate/Functionalized Poly(*n*-butyl methacrylate-*co*-butyl acrylate) Latex Blend Films, 4550
Ding, Y.
—; Xiao, C.; An, S.; Jia, G.: Water-Absorptive Blend Fibers of Copoly(acrylic acid–acrylamide) and Poly(vinyl alcohol), 3355
Diniz, T. M. F. F.
—; Tavares, M. I. B.: A High-Resolution Solid-State NMR Investigation of Molecular Mobility of Poly(methyl methacrylate)/Poly(vinyl pyrrolidone)/Poly(ethylene oxide) Ternary Blends, 1492
Dionisi, D. See Carrasco, F., 2111
Doane, W. M. See Lawton, J. W., 3334
Doğan, A. L. See Can, H. K., 3425
Dogra, S. K. See Brar, A. S., 372
Dolbin, I. V. See Kozlov, G. V., 3765; Kozlov, G. V., 3828
Dolia, M. B. See Patel, J. N., 439
Dolui, S. K. See Dutta, N., 516
Dolvin, I. V. See Kozlov, G. V., 3761
Don, T.-M. See Lai, S.-M., 2371; Lin, C.-L., 3987
Dong, J. See Liu, Z., 1378
—; Liu, Z.; Feng, Y.; Zheng, C.: Preparation, Morphology, and Mechanical Properties of Elastomers Based on α,ω-Dihydroxy-polydimethylsiloxane/Poly(methyl methacrylate) Blends, 1547
Dong, J.-P.
—; Chiu, S.-G.; Hsu, M.-W.; Huang, Y.-J.: Effects of Reactive Low-profile Additives on the Volume Shrinkage and Internal Pigmentability for Low-temperature Cure of Unsaturated Polyester, 967
—; Lee, J.-H.; Lai, D.-H.; Huang, Y.-J.: Effects of Reactive Low-Profile Additives on the Properties of Cured Unsaturated Polyester Resins. II. Glass-Transition Temperature and Mechanical Properties, 867
Dong, W. See Lu, J., 4265

Dong, Y.
—; Jin, Y.; Wei, D. Q.: Synthesis and Solution Properties of Novel Nonionic Functional Polyurethane Surfactants, 2956
Dong, Z.-Q. See Li, X-G., 3562
Donovan, A. R. See Forsythe, J. S., 3646
Dopico-García, M. S.
—; López-Vilariño, J. M.; González-Rodríguez, M. V.: Effect of Temperature and Type of Food Simulant on Antioxidant Stability, 656
DoSuh, K. See Jun, J.-B., 3801
Dou, A. See Shi, X., 4614
Du, B.-G. See Hu, J.-S., 4234
Du, G. See Lei, H., 3075; Lei, H., 4842
Du, L. See Shi, X., 4614
Du, Y. See He, W., 1932; Shi, X., 4689
Duan, Y.
—; Nie, Y.; Gong, T.; Wang, Q.; Zhang, Z.: Evaluation of Blood Compatibility of MeO-PEG-poly (D,L-lactic-*co*-glycolic acid)-PEG-OMe Triblock Copolymer, 1019
Duarte, A. P.
—; Cidade, M. T.; Bordado, J. C.: Cellulose Acetate Reverse Osmosis Membranes: Optimization of the Composition, 4052
Duarte, D. G. See Parra, D. F., 406
Dumanlı, A. G. See Alkan, C., 4684
Durand, R. See Sutton, D., 89
Dutta, N.
—; Karak, N.; Dolui, S. K.: Alkyd–Epoxy Blends as Multipurpose Coatings, 516

Ebenso, E. E.
—; Ekpe, U. J.; Umoren, S. A.; Jackson, E.; Abiola, O. K.; Oforka, N. C.: Synergistic Effect of Halide Ions on the Corrosion Inhibition of Aluminum in Acidic Medium by Some Polymers, 2889
Echeverria, J. M. See Peña, C., 4412
Ekpe, U. J. See Ebenso, E. E., 2889
El-Aasser, M. S. See Ding, T., 2267; Ding, T., 4550
Elango, S. See Malshe, V. C., 2649
El-Gammal, B.
—; Ibrahim, G.; El-Nahas, H.: Thermodynamic and Sorption Behavior of U(VI) and Th(IV) on Unsaturated Polyester–Styrene Polymeric Beads, 4098
El-Hilw, Z. H. See Hebeish, A., 2697
Eli'bol, G. C. See Burdurlu, E., 4856
Elkoun, S. See Bobovitch, A. L., 3545
Ellis, T. S. See Zhang, Y., 4782
El-Nahas, H. See El-Gammal, B., 4098
El-Nahas, H. H.
—; Aal, S. E. A.; Taher, N. H.; Gad, Y. H.; Dessouki, A. M.: The Use of Gamma Irradiation to Prepare Ureaformaldehyde/Acrylic Acid Copolymer Gypsum Composites for Use in Construction Applications, 4491
El-Sakhawy, M. See Kamel, S., 329
El-Sayed, M. H. See Shawky, H. A., 3966
El-Shall, H. See Oh, T.-k., 3465
El-Tahlawy, K.
—; Hudson, S. M.: Chitosan: Aspects of Fiber Spinnability, 1162
El-Tonsy, M. M.
—; Meikhail, M. S.; Felfel, R. M.: Automatic Measurement of the Absolute CTE of Thin Polymer Samples. II. Effect of Chain Orientation on Thermal Expansion of Drawn Polymer Films, 4452
El-Zawawy, W. K.
—; Blended Graft Copolymer of Carboxymethyl Cellulose and Poly(vinyl alcohol) with Banana Fiber, 1842
Ema, K. See Yamanaka, A., 2196; Yamanaka, A., 5007
Emekalam, A. See Gu, X., 726
Emik, S.
—; Gürdağ, G.: Synthesis and Swelling Behavior of Thermosensitive Poly(*N*-isopropyl acrylamide-*co*-sodium-2-acrylamido-2-methyl propane sulfonate) and Poly(*N*-isopropyl acrylamide-*co*-sodium-2-acrylamido-2-methyl propane sulfonate-*co*-glycidyl methacrylate) Hydrogels, 428
Endo, T. See Yamashita, Y., 1816
Entezami, A. A. See Tizpar, S., 2619
Eren, T.
—; Çolak, S.; Küsefoglu, S. H.: Simultaneous Interpenetrating Polymer Networks Based on Bromoacrylated Castor Oil Polyurethane, 2947
Erol, I.
—; Copolymerization of Two New Kinds of Methacrylate Monomers and Determination of Monomer Reactivity Ratios, 1864
Erturan, S. See Öksüz, M., 3609
Essamri, A. See Kaba, M., 3579
Evrensel, C. See Hu, B., 2464
Extrand, C. W.
—; Monson, L.: Gas Permeation Resistance of a Perfluoroalkoxy-Tetrafluoroethylene Copolymer, 2122

Falo, M. See Soria, V., 900
Fan, B. See Wu, G., 2336
Fan, H. See Hou, Z., 4280
Fan, J.
—; Jiang, H. L.; Chen, D.; Zhu, K. J.: The Effect of Substitution Levels on the Luminescent and Degradation Properties of Fluorescent Poly(ester-anhydride)s, 1214
Fan, L. See He, W., 1932
Fan, L. Z. See Zhang, H., 3634
Fan, X. See Xie, Y., 4004
Fang, M. H. See Xiang, X. J., 4333
Fang, X. See Sun, C., 4581
Fang, Z. See Wang, J., 97
Farouqui, F. I. See Mondal, M. I. H., 4393
Farriol, X. See Ye, D., 1785
Favis, B. D. See Sarazin, P., 1039
Fei, G. See Li, X., 40
Fei, W. See Ying, L., 4447; Ying, L., 4649
Feitosa, J. P. A. See Silva, J. B. A. Jr., 4082
Feldstein, M. M.
—; Kulichikhin, V. G.; Kotomin, S. V.; Borodulina, T. A.; Novikov, M. B.; Roos, A.; Creton, C.: Rheology of Poly(*N*-vinyl pyrrolidone)–Poly(ethylene glycol) Adhesive Blends under Shear Flow, 522
Felfel, R. M. See El-Tonsy, M. M., 4452
Felisberti, M. I. See Quental, A. C., 1255
Feller, J. F.
—; Roth, S.; Bourmaud, A.: Conductive Polymer Composites: Electrical, Thermal, and Rheological Study of Injected Isotactic Poly(propylene)/Long Stainless-Steel Fibers for Electromagnetic Interferences Shielding, 3280
Fellers, J. F. See Jacob, G. C., 695
Feng, G. See Rong, L., 3302
Feng, L. See Li, Y., 593
—; Zhang, C.; Chen, Z.; Qin, A.; Yuan, M.; Bai, F.: Synthesis and Characterization of Photoluminescent Conjugated Polymer Containing *N*-(α-Naphthyl)- Carbazole Unit, 923
Feng, S. See Zhao, S., 1772
Feng, X. See Zhang, X., 2705
Feng, Y. See Dong, J., 1547; Lu, H., 4429; Qu, J., 3860

Ferguson, A. See Guibal, E., 3034
Fernando, G. F. See Moniruzzaman, M., 1103
Ferreira, M. See Neves-Junior, W. F. P., 702
Ferry, L. See Cayer-Barrioz, J., 989
Filho, R. M. See Marín, F. L. M., 2572
Fine, T. See Soulé, E. R., 1742
Flandin, L. See Vouyovitch, L., 3454
Forbes, E. See McCubbin, P. J., 381; McCubbin, P. J., 538
Forsythe, J. S.
—; Cheah, K.; Nisbet, D. R.; Gupta, R. K.; Lau, A.; Donovan, A. R.; O'Shea, M. S.; Moad, G.: Rheological Properties of High Melt Strength Poly(ethylene terephthalate) Formed by Reactive Extrusion, 3646
Fortelný, I.
—; Šlouf, M.; Sikora, A.; Hlavatá, D.; Hašová, V.; Mikešová, J.; Jacob, C.: The Effect of the Architecture and Concentration of Styrene–Butadiene Compatibilizers on the Morphology of Polystyrene/Low-Density Polyethylene Blends, 2803
Fraga, F.
—; Blanco, J.; Luzardo, A.; Leira, L.; Rodríguez-Núñez, E.; Martínez-Ageitos, J. M.; Castro-Díaz, C.: Calorimetric Study of the System Clorhydrate of Chitosan/Glutaraldehyde(1,5-pentanedial), 3297
Francis, B. See Saxena, A., 3536
Freire, C. S. R.
—; Silvestre, A. J. D.; Neto, C. P.; Belgacem, M. N.; Gandini, A.: Controlled Heterogeneous Modification of Cellulose Fibers with Fatty Acids: Effect of Reaction Conditions on the Extent of Esterification and Fiber Properties, 1093
Friedrich, K. See Rosso, P., 1849
Frigione, M.
—; Calò, E.; Maffezzoli, A.; Acierno, D.; Carfagna, C.; Ambrogi, V.: Preformed Microspherical Inclusions for Rheological Control and Physical Property Modification of Epoxy Resins, 748
Frihi, D. See Cayer-Barrioz, J., 989
Fu, J. See Cong, Y., 2737
Fuad, A. M. Y. See Lim, K. L. K., 3931
Fuchs, A. See Hu, B., 2464
Fujii, Y. See Ogawa, T., 3405
Fujishiro, H. See Yamanaka, A., 2196; Yamanaka, A., 5007
Fukumoto, I. See Shibata, S., 911
Furukawa, T. See Ishizu, K., 772; Ishizu, K., 3342
Furukuwa, R. See Sawada, H., 1328
Fuse, T. See Kawabata, N., 1618

Gabilondo, N. See Peña, C., 4412
Gad, Y. H. See El-Nahas, H. H., 4491
Gadaginamath, G. S. See Raghu, A. V., 576
Gädda, T.
—; Kylmä, J.; Tuominen, J.; Mikkonen, H.; Laine, A.; Peltonen, S.; Seppälä, J.: Poly(ε-caprolactone)-Grafted Acetylated Anhydroglucose Oligomer by Ring-opening Polymerization–Synthesis and Characterization, 1633
Gahleitner, M.
—; Kretzschmar, B.; Pospiech, D.; Ingolic, E.; Reichelt, N.; Bernreitner, K.: Morphology and Mechanical Properties of Polypropylene/Polyamide 6 Nanocomposites Prepared by a Two-Step Melt-Compounding Process, 283
Gaillet, C. See Guerrouache, M., 2362
Galaev, I. Y. See Plieva, F. M., 1057
Gâlea, D. See Curteanu, S., 3680
Gallegos, C. See Pérez-Lepe, A., 260
Gallot-lavallée, O.
—; Teyssedre, G.; Laurent, C.; Robiani, S.; Rowe, S.: Curing and Post-Curing Luminescence in an Epoxy Resin, 1899
Gan, L. H. See Xiong, X. Y., 4163
Gan, S. N. See Chee, S. Y., 2317
Gandini, A. See Freire, C. S. R., 1093
Ganguly, A.
—; De Sarkar, M.; Bhowmick, A. K.: Thermoplastic Elastomeric Nanocomposites from Poly-[styrene–(ethylene-*co*-butylene)–styrene] Triblock Copolymer and Clay: Preparation and Characterization, 2040
Gao, B.
—; He, S.; Guo, J.; Wang, R.: Antibacterial Property and Mechanism of Copolymer of Acrylamide and Quaternary Salt of 4-Vinyl Pyridine, 1531
Gao, C. See Zhao, H., 1294
Gao, J. See Lei, J., 2549; Sutton, D., 89
Gao, L. See Lü, C., 124
Garcia, F. G. See Moreira, V. X., 4059
Garcia-Rubio, L. H. See Shastry, V., 2847; Shastry, V., 2858
Geckeler, K. E. See Jeria-Orell, M., 1735
George, G. A. See Kaba, M., 3579
George, J.
—; Neelakantan, N. R.; Varughese, K. T.; Thomas, S.: Failure Properties of Thermoplastic Elastomers from Polyethylene/Nitrile Rubber Blends: Effect of Blend Ratio, Dynamic Vulcanization, and Filler Incorporation, 2912
Ghaemy, M.
—; Sadjady, S.: Kinetic Analysis of Curing Behavior of Diglycidyl Ether of Bisphenol A with Imidazoles Using Differential Scanning Calorimetry Techniques, 2634
Ghaffar, A. M. A. See Sokker, H. H., 3589
Ghassemi, H. See Sankir, M., 4595
Gholami, M. R. See Vezvaie, M., 4369
Gholamian, Mahmood. See Pourhossaini, M. R., 3101
Gholamian, Maryam. See Pourhossaini, M. R., 3101
Giz, A. See Akyüz, A., 3822
Glass, T. E. See Sankir, M., 4595
Głowacz-Czerwonka, D.
—; Kucharski, M.: New Melamine–Formaldehyde–Ketone Polymers. IV. Dissolution of Melamine in Reactive Solvents Prepared from Methyl Ethyl Ketone, 1496
Gogesashvili, N. See Mukbaniani, O., 2511
Goje, A. S.
—; Shinde, P. H.; Mishra, S.: Production of Agrochemical from Waste Polyesters, 2504
Goldman, A. Y. See Solovyov, S. E., 1940; Solovyov, S. E., 1952; Solovyov, S. E., 1966
Gomez, C. M. See Soria, V., 900
Gomez, D. See Plieva, F. M., 1057
Gong, J. See Zhang, J., 3855
Gong, T. See Duan, Y., 1019
González-Rodríguez, M. V. See Dopico-García, M. S., 656
Gopalan, A. See Kang, Y.-O., 1809
Gorczyk, J. See Brzozowski, Z. K., 3850
Gordaninejad, F. See Hu, B., 2464
Gorham, S. D. See McCubbin, P. J., 381; McCubbin, P. J., 538
Gow, M. M. See McCubbin, P. J., 381; McCubbin, P. J., 538
Goyal, R. K.
—; Negi, Y. S.; Tiwari, A. N.: High Performance Polymer

Composites on PEEK Reinforced with Aluminum Oxide, 4623
Gregoire, N. T. See Barone, J. R., 1432
Gregorio, R.
—; Determination of the α, β, and γ Crystalline Phases of Poly(vinylidene fluoride) Films Prepared at Different Conditions, 3272
Gregor-Svetec, D.
—; High Modulus Polypropylene Fibers. II. Influence of Fiber Preparation upon Structure and Morphology, 1067
Grellmann, W. See Kotter, I., 3366
Grigsby, W. See Wieland, S., 1624
Groeninckx, G. See Moly, K. A., 4526
Grubbs, W. T. See Caudill, S. E., 65
Gryshchuk, O. See Karger-Kocsis, J., 4012
Gu, A. See Wang, J., 97
Gu, L. See Wei, G., 1511
Gu, X.
—; Raghavan, D.; Emekalam, A.: Combination of Atomic Force Microscopy and Chemical Hydrolysis to Characterize Degradable Regions in Polymer Blends, 726
Gu, Z. See Zhang, J., 3855
—; Shen, Q.-D.; Zhang, J.; Yang, C.-Z.; Bao, Y.-J.: Dual Electroluminescence from a Single-Component Light-Emitting Electrochemical Cell, Based on Water-Soluble Conjugated Polymer, 2930
Guerrouache, M.
—; Karakasyan, C.; Gaillet, C.; Canva, M.; Millot, M. C.: Immobilization of a Functionalized Poly(ethylene glycol) onto β-Cyclodextrin-coated Surfaces by Formation of Inclusion Complexes: Application to the Coupling of Proteins, 2362
Guibal, E.
—; Vincent, T.; Touraud, E.; Colombo, S.; Ferguson, A.: Oxidation of Hydroquinone to *p*-Benzoquinone Catalyzed by Cu(II) Supported on Chitosan Flakes, 3034
Güner, A. See Barsbay, M., 4587; Can, H. K., 3425; Denizli, B. K., 2455; Kavlak, S., 1554; Kavlak, S., 3926
Güngör, A. See Kahraman, M. V., 4757
Guo, B. See Liu, L., 1905
Guo, J. See Gao, B., 1531
Guo, J. T.
—; Li, L.; Li, X. Y.; Zhu, J. L.: Preparation and Characterization of Novel Cationic Copolymer Hydrogels with pH Sensitivity and Thermosensitivity, 3602
Guo, M. See Wright, N. C., 3519
Guo, S. See Li, J., 1856
Guo, T.
—; Chen, X.; Song, M.; Zhang, B.: Preparation and Properties of Core [Poly(styrene-*n*-butyl acrylate)]–Shell [Poly(styrene–methyl methacrylate–vinyl triethoxide silane)] Structured Latex Particles with Self-Crosslinking Characteristics, 1824
Guo, W. See Han, J., 3707
Guo, X.-L. See Li, B.-Y., 3974
Guo, Z. L. See Liu, J. S., 253
Guoquan, W. See Wenyi, W., 2875
Gupta, B.
—; Revagade, N.; Anjum, N.; Atthoff, B.; Hilborn, J.: Preparation of Poly(lactic acid) Fiber by Dry-Jet-Wet-Spinning. I. Influence of Draw Ratio on Fiber Properties, 1239
Gupta, P.
—; Asmatulu, R.; Claus, R.; Wilkes, G.: Superparamagnetic Flexible Substrates Based on Submicron Electrospun Estate® Fibers Containing MnZnFe–Ni Nanoparticles, 4935
Gupta, R. See Kanwar, S. S., 4636; Vijayabaskar, V., 2227
Gupta, R. K. See Forsythe, J. S., 3646
Gupta, Y. N. See Setua, D. K., 677
Gürdağ, G. See Emik, S., 428
Gurgel-Filho, E. D. See Silva, J. B. A. Jr., 4082
Guruprasad, K. H. See Siddaramaiah, 2781
Guštin, A.
—; Zupančič, A.; Mitsoulis, E.: Pressure Drop Estimation for Polyamide 6 Flow through Spinnerets and Filters, 1577
Gutman, E. M. See Bobovitch, A. L., 3545

Habicher, W. D. See Kósa, C., 4420
Hadam, L. K. See Brzozowski, Z. K., 3850
Hakkarainen, M. See Lindström, A., 2180
Hamazaki, K. See Sawada, H., 1328
Hamidi, M. See Ayachi, S., 57
Hamidinia, E. See Najafi, S. K., 3641
Han, H. See Park, M.-H., 113
Han, J.
—; Zhang, X.; Guo, W.; Wu, C.: Effect of Modified Carbon Black on the Filler–Elastomer Interaction and Dynamic Mechanical Properties of SBR Vulcanizates, 3707
Han, K.
—; Yu, M.: Study of the Preparation and Properties of UV-Blocking Fabrics of a PET/TiO_2 Nanocomposite Prepared by In Situ Polycondensation, 1588
Han, N. See Liu, Z., 1378
Han, S. O.
—; Lee, S. M.; Park, W. H.; Cho, D.: Mechanical and Thermal Properties of Waste Silk Fiber-Reinforced Poly(butylene succinate) Biocomposites, 4972
Han, Y. See Cai, J., 1479; Cong, Y., 2737; Wu, Y., 3187
Handa, Y. See Wochnowski, C., 1229
Hanzelova, S. See Kukolikova, L., 1413
Harad, A. M. See Shukla, S. R., 186
Haraguchi, M. See Mori, T., 3913
Harnsiri, W. See Supaphol, P., 4515
Harrison, W. L. See Sankir, M., 4595
Hartman, J.
—; Albertsson, A.-C.; Lindblad, M. S.; Sjöberg, J.: Oxygen Barrier Materials from Renewable Sources: Material Properties of Softwood Hemicellulose-Based Films, 2985
Hasegawa, T. See Ye, J., 1306
Hashem, M. See Hebeish, A., 2697
Hashim, A. S. See Teh, P. L., 1083
Hašová, V. See Fortelný, I., 2803
Hassan, E. M. See Kamel, S., 329
Hassan, M. See Khan, M. A., 4142; Khan, M. A., 4361; Oh, T.-k., 3465
Häußler, L. See Krause, B., 634, 2770
Häussler, L. See Khonakdar, H. A., 3264
He, H. See Qu, J., 3860
He, J. See Li, G., 4575
He, P. See Xiao, Y., 4835
He, S. See Gao, B., 1531; Li, J., 671
He, W.
—; Du, Y.; Fan, L.: Study on Volume Ratio and Plasticizer Screening of Free Coating Membranes Composed of Ethyl Cellulose and Chitosan, 1932
He, X. See Wang, B., 3794
Hebeish, A.
—; Hashem, M.; Abdel-Rahman, A.; El-Hilw, Z. H.: Improving Easy Care Nonformaldehyde Finishing Performance Using Polycarboxylic Acids via Precationization of Cotton Fabric, 2697
Hee, S. S. Q. See Zainal, H., 18

Heikkinen, S.
—; Alvila, L.; Pakkanen, T. T.; Saari, T.; Pakarinen, P.: NMR Imaging and Differential Scanning Calorimetry Study on Drying of Pine, Birch, and Reed Pulps and Their Mixtures, 937
Heinze, T. See Koschella, A., 2142
Hellebust, S.
—; Blokhus, A. M.; Nilsson, S.: Partitioning of Anionic/Nonionic Polysaccharides in a Segregative System of Anionic Polyelectrolyte Mixtures in Aqueous Solution: Effects of Polymer Charge Density and Ionic Strength of Solution, 1728
Henning, S. See Ueberschaer, A., 4893
Henrist, M. See Rabecki, F., 4723
Hermansson, A.
—; Hjertberg, T.; Sultan, B.-Å.: Distribution of Calcium Carbonate and Silicone Elastomer in a Flame Retardent System Based on Ethylene–Acrylate Copolymer, Chalk and Silicone Elastomer and Its Effect on Flame Retardant Properties, 2085
Hernández-Valdez, J. S. See Ramírez-Vargas, E., 3696
Higashida, N. See Hirano, T., 664
Hilborn, J. See Gupta, B., 1239
Hill, S. See Wieland, S., 1624
Hiltner, A. See Stephens, C. H., 1651
Hinchiranan, N.
—; Charmondusit, K.; Prasassarakich, P.; Rempel, G. L.: Hydrogenation of Synthetic *cis*-1,4-Polyisoprene and Natural Rubber Catalyzed by $[Ir(COD)py(PCy_3)]PF_6$, 4219
—; Prasassarakich, P.; Rempel, G. L.: Hydrogenation of Natural Rubber in the Presence of $OsHCl(CO)(O_2)(PCy_3)_2$: Kinetics and Mechanism, 4499
Hine, P. J. See Orench, I. P., 1659
Hirano, T.
—; Higashida, N.; Wang, H.; Sato, M. S. T.: Synthesis and Characterization of Soluble Hyperbranched Polymer via Initiator-Fragment Incorporation Radical Polymerization of Divinylbenzene with Dimethyl 2,2′-Azobisisobutyrate, 664
Hirata, Y. See Akiba, C., 1113
Hjertberg, T. See Hermansson, A., 2085
Hlavatá, D. See Fortelný, I., 2803
Ho, C.-Y.
—; Lee, J.-Y.: Synthetic Preparations and Physical and Electrical Properties of Main Chain Type Thermotropic Liquid Crystalline Polyimide/SiO_2 Nanocomposites, 1688
Hoa, S. V. See Wang, H., 4286
Hodgkin, J. See Bondzic, S., 2210
Hong, J.-L. See Su, F.-K., 3784
Hong, K. H.
—; Kang, T. J.: Hydraulic Permeabilities of PET and Nylon 6 Electrospun Fiber Webs, 167
Hong, P.-D. See Yen, M.-S., 2963
Hong, S. M.
—; Hwang, S. S.: A Nanofoaming Process and Dielectric Properties of Polymethylphenylsilsesquioxane-Based Nanofoams, 4964
Hosseinzadeh, M. See Abedi, S., 368
Hou, A. See Xie, K., 720; Xie, K., 4388
Hou, C. See Ying, L., 4447; Ying, L., 4649
—; Liu, J.; Ji, C.; Wang, C.: Determination of the Degradation Apparent Activation Energy of Acrylonitrile/Acrylic Acid Copolymers, 4668
—; Liu, J.; Ying, L.: Kinetic Study of Copolymerization of Acrylonitrile with Ammonium Acrylate, 4679
—; Qu, R.; Liu, J.; Ying, L.; Wang, C.: High-Molecular-Weight Polyacrylonitrile by Atom Transfer Radical Polymerization, 3374
—; Ying, L.: Stability of Acrylonitrile/Methyl Vinyl Ketone Copolymer Solutions, 3379
Hou, L.
—; Yang, G.: Morphology and Thermal Behavior of MCPA6/SAN Blends Prepared by Anionic Ring-Opening Polymerization of ε-Caprolactam, 1357
Hou, T. H.
—; Processing Robustness for a Phenylethynyl-Terminated Polyimide Composite, 3212
Hou, Y. See Wu, G., 4127
Hou, Z. See Xu, Q., 2901
—; Xu, Q.; Peng, Q.; Li, J.; Fan, H.; Zheng, S.: Different Factors in the Supercritical CO_2-Assisted Grafting of Poly(acrylic acid) to Polypropylene, 4280
Hourston, D. J. See Zhang, Q., 2497
Hrdlovič, P. See Kósa, C., 4420
Hromádková, J. See Kelnar, I., 1571
Hsieh, S.-H.
—; Zhang, F.-R.; Li, H.-S.: Anti-Ultraviolet and Physical Properties of Woolen Fabrics Cured with Citric Acid and TiO_2/Chitosan, 4311
Hsieh, W.-P. See Huang, C.-J., 1457
Hsu, K.-C. See Ye, Y.-S., 2490; Ying, K.-L., 886
Hsu, M.-W. See Dong, J.-P., 967
Hsu, W.-P.
—; Miscibility Enhancement on the Immiscible Poly (vinyl pyrrolidone) and Poly (ethyl methacrylate) with Poly (vinyl phenol), 1205
Hu, B.
—; Fuchs, A.; Huseyin, S.; Gordaninejad, F.; Evrensel, C.: Supramolecular Magnetorheological Polymer Gels, 2464
Hu, F. See Pan, Y., 1506
Hu, G.-H. See Liu, H.-Y., 2744
Hu, J. See Zhao, H., 1294
Hu, J. L. See Zhu, Y., 4603
Hu, J.-S.
—; Zhang, B.-Y.; Zhou, A.-J.; Du, B.-G.; Yang, L.-Q.: Synthesis and Mesomorphic Properties of a New Side-Chain, Chiral Smectic, Liquid-Crystalline Elastomer, 4234
Hu, J. Y. See Li, Y., 268
Hu, L.-L. See Chern, C.-S., 4406
Hu, W. See Tian, D., 1323
Hu, X.-C. See Li, X-G., 3562
Hu, Y. See Cui, N., 4804; Lu, J., 4265; Lu, Z., 1395
Hu, Y. C. See Liu, J. S., 253
Huang, A. See Yu, H., 1561
—; Xia, C.; Xiao, C.; Zhuang, L.: Composite Anion Exchange Membrane for Alkaline Direct Methanol Fuel Cell: Structural And Electrochemical Characterization, 2248
Huang, B. See Lu, J., 4265
Huang, C.-C.
—; Tang, T.-T.: Optimizing Multiple Qualities in As-Spun Polypropylene Yarn by Neural Networks and Genetic Algorithms, 2532
—; Tang, T.-T.: Spinline Tension Control in Melt Spinning by Discrete Adaptive Sliding-Mode Controllers, 3816
Huang, C.-F. See Kuo, S.-W., 1146
Huang, C.-J.
—; Shieu, F.-S.; Hsieh, W.-P.; Chang, T.-C.: Acidic Hydrolysis of a

Poly(vinyl acetate) Matrix by the Catalytic Effect of Ag Nanoparticles and the Micellization of Ag-Metal-Containing Polymer, 1457
Huang, C. K. See Yang, S. Y., 892
Huang, C.-T.
—; Chen, K.-N.: Self-Curable Aqueous Polymeric Dyes for Printing and Dyeing Applications, 1919
—; Chen, K.-N.: Single-Pack, Self-Curable, Aqueous-Based Polyurethane Dispersion Containing a Disperse Dye, 3741
Huang, H.
—; Tian, M.; Liu, L.; Liang, W.; Zhang, L.: Effect of Particle Size on Flame Retardancy of $Mg(OH)_2$-Filled Ethylene Vinyl Acetate Copolymer Composites, 4461
Huang, H.-L. See Ye, Y.-S., 2490
Huang, H.-X. See Yang, K. K., 2331
Huang, J. See Huang, J., 2203; Jia, Z., 3713
—; Huang, Z.-M.; Bao, Y.-Z.; Weng, Z.-X.: Synthesis and Characterization of Reinforced Acrylic-Based Superabsorbents Crosslinked with Divinylbenzene, 1594
—; Wan, D.; Huang, J.: Polymerization of Ethyl Acrylate Using Hyperbranched Polyglycerol with Multi-RAFT Groups as Chain Transfer Agent, 2203
Huang, J.-C.
—; Lin, K.-T.; Deanin, R. D.: Three-Dimensional Solubility Parameters of Poly(*ε*-Caprolactone), 2002
Huang, J.-W.
—; Hung, H.-C.; Tseng, K.-S.; Kang, C.-C.: Nonisothermal Crystallization of Poly(ethylene-*co*-glycidyl methacrylate)/Clay Nanocomposites, 1335
Huang, K.
—; Meng, X.-H.; Wan, M.: Polyaniline Hollow Microspheres Constructed with Their Own Self-Assembled Nanofibers, 3050
Huang, K. S.
—; Lee, E. C.; Chang, Y. S.: Synthesis and Characterization of Soluble Hybrids of Poly(vinyl pyrrolidone) or Its Copolymer, 2164
Huang, M.-R. See Li, X-G., 3562
Huang, P.-Y.
—; Chao, Y.-C.; Liao, Y.-T.: Enhancement of Hydrostatic Pressure for Water Repellent Treated Fabrics, 4711
Huang, R. See Dai, S., 2824; Li, Q., 3348
Huang, S.
—; Jin, Y.; TianzhengDeng; Wu, H.: Wound Dressings Containing bFGF-Impregnated Microspheres: Preparation, Characterization, *In Vitro* and *In Vivo* Studies, 4772
Huang, W. See Bai, F., 1776
Huang, X. See Zhang, H., 3634
Huang, Y. See Liu, H.-Y., 2744
Huang, Y.-C. See Lai, S.-M., 2371
Huang, Y.-J. See Dong, J.-P., 867; Dong, J.-P., 967
Huang, Z. See Lu, H., 4429
Huang, Z.-M., 1594, Huang, J.
Hudson, S. See El-Tahlawy, K., 1162; Shin, Y., 4306
Huerta, M. See del C. Pizarro, G., 178; Jeria-Orell, M., 1735
Huneault, M. A. See Mighri, F., 2582
Hung, H.-C. See Huang, J.-W., 1335
Huntink, N. M.
—; Datta, R. N.; Talma, A.; Noordermeer, J. W. M.: Ozonolysis of Model Olefins—Efficiency of Antiozonants, 853
Hupfer, B. See Nagel, J., 2992; Pompe, G., 4297
Huseyin, S. See Hu, B., 2464
Hussein, I. A. See Islam, A., 5019
Hwang, C. I. See Choi, W. J., 4875
Hwang, G.-L. See Su, F.-K., 3784
Hwang, M. O. See Kim, H. S., 466
Hwang, S. S. See Hong, S. M., 4964

Ibrahim, G. See El-Gammal, B., 4098
Idage, B. B. See Waghmare, P. B., 3222
Idage, S. B. See Waghmare, P. B., 3222
Iguerb, O.
—; Demoustier-Champagne, S.; Marchand-Brynaert, J.; Daoust, D.; Sclavons, M.; Devaux, J.: Modification of Polyolefin Films Surface with Sodium Hypochlorite, 1184
Iji, M. See Serizawa, S., 618
Ikeuchi, H. See Kawabata, N., 554
Im, J.-S.
—; Lee, J.-H.; An, S.-K.; Song, K.-W.; Jo, N.-J.; Lee, J.-O.; Yoshinaga, K.: Preparation and Properties of Polyimide/Silica Hybrid Composites Based on Polymer-Modified Colloidal Silica, 2053
Imanah, J. E. See Okieimen, F. E., 2561
Ingolic, E. See Gahleitner, M., 283
Inoue, G. See Lee, M., 1344
Inoue, K. See Serizawa, S., 618
Iridag, Y.
—; Kazanci, M.: Preparation and Characterization of *Bombyx mori* Silk Fibroin and Wool Keratin, 4260
İrkeç, M. See Aydin, E., 2937; Özgür, E. E., 2942
Isakoca, C. See Pulat, M., 2343
Isasi, J. R. See Romo, A., 3395
Ishak, Z. A. M. See Lim, K. L. K., 3931; Teh, P. L., 1083
Ishiaku, U. S. See Lim, K. L. K., 3931; Teh, P. L., 1083
Ishida, H. See Lee, Y.-H., 2443
Ishida, S. See Lee, M., 1344
Ishii, H. See Jin, X., 4240
Ishikawa, M. See Kada, M., 4212
Ishizu, K.
—; Ochi, K.; Furukawa, T.: Nano-Scaled Ordering of Hyperbranched and Star-Hyperbranched Polymers, 3342
—; Yamada, H.; Toyoda, K.; Furukawa, T.: Synthesis of Polyethylene Oxide End-Capped with Perfluoroalkyl Groups/Polystyrene Prototype Brushes, 772
Islam, A.
—; Hussein, I. A.: Influence of Branch Content, Comonomer Type, and Crosshead Speed on the Mechanical Properties of Metallocene Linear Low-Density Polyethylenes, 5019
Ismail, J. See Issam, A. M., 1198
Issam, A. M.
—; Ismail, J.: Improvement of Thermal Stability of New Heteroaromatic Poly(azomethine urethane)s, 1198
Itazu, T. See Lee, M., 1344
Ivankovic, H. See Brnardic, I., 1765
Ivankovic, M. See Brnardic, I., 1765
Iwatsubo, T.
—; Kusumocahyo, S. P.; Kanamori, T.; Shinbo, T.: Mineralization of Hydroxyapatite on a Polymer Substrate in a Solution Supersaturated by Polyelectrolyte, 1465
Izumi, Y. See Yamanaka, A., 2196; Yamanaka, A., 5007

Jackson, E. See Ebenso, E. E., 2889
Jacob, C. See Fortelný, I., 2803

Jacob, G. C.
—; Starbuck, J. M.; Fellers, J. F.; Simunovic, S.; Boeman, R. G.: Fracture Toughness in Random-Chopped Fiber-Reinforced Composites and their Strain Rate Dependence, 695
Jafari, A. See Behniafar, H., 3203
Jafari, S. H. See Khonakdar, H. A., 3264
Jagannath, J. H. See Ravikumar, H. B., 740
Jain, A.
—; Abhishek, S.; Sangappa; Mahesh, S. S.; Somashekar, R.: Crystallite Size and Shape in Twaron Fibers Heat Treated at Different Temperatures Using WAXS, 4910
Jain, D. See Chand, N., 1269
Jain, R.
—; Kukreja, P.; Narula, A. K.; Chaudhary, V.: Studies of the Curing Kinetics and Thermal Stability of Epoxy Resins Using a Mixture of Amines and Anhydrides, 3919
Jamjah, R. See Zohuri, G. H., 2220
Janata, M. See Masař, B., 3662
Jang, H. See Park, D. K., 5119
Jang, W. See Park, M.-H., 113
Jawalkar, S. S. See Narayan, R., 2422
Jehnichen, D. See Khonakdar, H. A., 3264
Jeong, M.-Y. See Joo, S.-H., 299; Kim, C.-G., 307
Jeria O, M. See del C. Pizarro, G., 178
Jeria-Orell, M.
—; Pizarro, G. d. C.; Marambio, O. G.; Huerta, M.; Geckeler, K. E.: Synthesis of *N*-Hydroxymethyl Acrylamide with β-Methyl Hydrogen Itaconate and Itaconic Acid Hydrogels: Effects of the pH, Composition, and Ionic Strength on the Swelling Behavior, 1735
Ji, C. See Hou, C., 4668; Sun, C., 4581
—; Qu, R.; Sun, C.; Wang, C.; Sun, Y.; Zhao, N.; Xie, H.: Preparation and Adsorption Selectivity for Hg(II) and Ag(I) of Chelating Resin Immobilizing Benzothiazolyl Group on Crosslinked Polystyrene via Hydrophilic Sulfur-Containing PEG Spacer, 5034
Ji, D. S. See Son, J. S., 2677
Ji, J. See Yan, L., 3718
Jia, D. See Liu, L., 1905
Jia, G. See Ding, Y., 3355
Jia, Z.
—; Huang, J.: Multicarboxylic Aromatic Acid Core Initiator for the Synthesis of Star-Shaped Poly(ε-caprolactone) with Carboxyl End Groups, 3713
Jiaming, Z. See Jianying, H., 3531
Jianfeng, C. See Wenyi, W., 2875
Jiang, B.
—; Zu, X.; Tang, F.; Wu, Z.; Lu, J.; Wei, Q.; Zhang, X.: Surface Modification on Nanoscale Titanium Dioxide by Radiation: Preparation and Characterization, 3510
Jiang, H. L. See Fan, J., 1214
Jiang, J. See Liang, L., 2075
Jiang, L. See Lei, J., 2549; Lu, J., 4265
Jiang, S. Q.
—; Newton, E.; Yuen, C. W. M.; Kan, C. W.: Chemical Silver Plating on Polyester/Cotton Blended Fabric, 4383
Jiang, W.-C.
—; Meng, W.-D.; Qing, F.-L.: A Novel Perfluorooctylated Triazine Pyridine Quaternary Ammonium Salt: Synthesis and Its Application on Cotton Fabrics Finishing, 4561
JianguoSong. See Ban, W., 2542
Jianying, H.
—; Jiayan, C.; Jiaming, Z.; Yihong, C.; Lizong, D.; Yousi, Z.: Some Monomer Reactivity Ratios of Styrene and (Meth)Acrylates in the Presence of TEMPO, 3531
Jiao, Q. See Tian, Y., 1013
Jiayan, C. See Jianying, H., 3531
Jin, G. See Qu, J., 3860
Jin, J.-I. See Joo, S.-H., 299; Kim, C.-G., 307
Jin, R. See Li, Q. F., 2293; Wang, X., 3498
Jin, X.
—; Ishii, H.: A Novel Positive-Type Photosensitive Polyimide Based on Soluble Block Copolyimide Showing Low Dielectric Constant with a Low-Temperature Curing Process, 4240
Jin, Y. See Dong, Y., 2956; Huang, S., 4772
Jing, S.
—; Peng, W.; Tong, Z.; Baoxiu, Z.: Microwave-Irradiated Ring-Opening Polymerization of D,L-Lactide Under Atmosphere, 2244
Jo, N.-J. See Im, J.-S., 2053
Johnson, A. F. See Laity, P. R., 779; Punyodom, W., 4476
Johnson, S. See Bajpai, S. K., 2759
Jollands, M. See Tillekeratne, M., 2652
Jones, R. A. See Punyodom, W., 4476
Jonnalagadda, S. See Park, P. I. P., 1983
Joo, S.-H. See Kim, C.-G., 307
—; Jeong, M.-Y.; Ko, D. H.; Park, J.-H.; Kim, K. Y.; Bae, S. J.; Chung, I. J.; Jin, J.-I.: Blue-Light-Emitting Poly(arylene ethynylenes) Containing Alternating Sequences of Biphenylene or Fluorenediyl and *p*-Phenylene Moieties Linked Through Triple Bonds, 299
Joseph, S.
—; Oommen, Z.; Thomas, S.: Environmental Durability of Banana-Fiber-Reinforced Phenol Formaldehyde Composites, 2521
Juang, L.-W. See Lin, W.-J., 1836
Jun, J.-B. See Jung, M.-O., 1349
—; Seo, M.-S.; Cho, S.-H.; Park, J.-G.; Ryu, J.-H.; DoSuh, K.: Synthesis of Monodisperse Nickel-Coated Polymer Particles by Electroless Plating Method Utilizing Functional Polymeric Ligands, 3801
Jung, M.-O.
—; Ryu, J.-H.; Park, J.-G.; Jun, J.-B.; Suh, K.-D.: Surface Modification of Monodisperse-Crosslinked Polymeric Microspheres Using a Redox Initiation System, 1349
Jurkiewicz, A. See Alt, H. G., 734
Jurkowska, B.
—; Jurkowski, B.; Kamrowski, P.; Pesetskii, S. S.; Koval, V. N.; Pinchuk, L. S.; Olkhov, Y. A.: Properties of Fullerene-Containing Natural Rubber, 390
Jurkowski, B. See Jurkowska, B., 390

Kaba, M.
—; Essamri, A.; Mas, A.; Schue, F.; George, G. A.; Cardona, F.; Rintoul, L.; Wood, B. J.: Fluorinated-Plasma Modification of Polyetherimide Films, 3579
Kaczmarek, Ł. See Bieliński, D. M., 625
Kada, M.
—; Ishikawa, M.: The Study on the Prediction Technique of the Wear Amount of Polyoxymethylene, 4212
Kaesaman, A. See Nakason, C., 4729
Kahraman, M. V.
—; Kayaman-Apohan, N.; Ogan, A.; Güngör, A.: Soybean Oil Based Resin: A New Tool for Improved

Immobilization of α-Amylase, 4757
Kakati, D. K. See Baruah, S. R., 1601
Kakimoto, C. See Kawabata, N., 554
Kameda, M. See Tada, Y., 495
Kamel, S.
—; Hassan, E. M.; El-Sakhawy, M.: Preparation and Application of Acrylonitrile-Grafted Cyanoethyl Cellulose for the Removal of Copper (II) Ions, 329
Kan, C. W. See Jiang, S. Q., 4383
Kan, J. See Zhang, S., 946
Kan, S. See Zhang, S., 946
Kanai, T. See Nodera, A., 565
Kanamori, T. See Iwatsubo, T., 1465; Tada, Y., 495
Kang, C.-C. See Huang, J.-W., 1335
Kang, E.-C. See Park, B.-D., 422
Kang, H.-D. See Kang, Y.-O., 1809
Kang, T. J. See Hong, K. H., 167
Kang, Y.-O.
—; Choi, S.-H.; Gopalan, A.; Lee, K.-P.; Kang, H.-D.; Song, Y. S.: One-Pot Synthesis of a Few Nanocomposites with Poly(*N*-vinylcarbazole) and CdS, Ag, Pd_{50}-Ag_{50}, and Pt_{50}-Ru_{50} Nanoparticles with γ Irradiation, 1809
Kantuptim, P. See Kittinaovarat, S., 1372
Kanwar, S. S.
—; Chauhan, G. S.; Chimni, S. S.; Chauhan, S.; Rawat, G. S.; Kaushal, R. K.: Methacrylic Acid and Dodecyl Methacrylate (MAc-DMA) Hydrogel for Enhanced Catalytic Activity of Lipase of *Bacillus coagulans* MTCC-6375, 1420
—; Pathak, S.; Verma, H. K.; Kumar, S.; Gupta, R.; Chimni, S. S.; Chauhan, G. S.: Characteristics of Poly(AAc_5-*co*-$HPMA_3$-*cl*-$EGDMA_{15}$) Hydrogel-Immobilized Lipase of *Pseudomonas aeruginosa* MTCC-4713, 4636
—; Verma, H. K.; Kaushal, R. K.; R. G.; Kumar, Y.; Kumar, S. S.; Chimni, S. S.; Chauhan, G. S.: Catalytic Potential of a Poly(AAc-*co*-HPMA-*cl* MBAm)-Matrix-Immobilized Lipase from a Thermotolerant *Pseudomonas Aeruginosa* MTCC-4713, 4252
Kaprálková, L. See Kelnar, I., 1571
Kaptan, H. Y. See Aydin, E., 2937; Özgür, E. E., 2942
Kara, A. See Akgöl, S., 5056; Şenel, S., 1222
Karabakan, A. See Şenel, S., 1222
Karacan, I.
—; A Comparative Study of Structure–Property Relationships in Highly Oriented Thermoplastic and Thermotropic Polyesters with Different Chemical Structures, 142
Karak, N. See Dutta, N., 516
Karakasyan, C. See Guerrouache, M., 2362
Karayannidis, G. P. See Bikiaris, D. N., 2684
Karger-Kocsis, J. See Teh, P. L., 1083
—; Gryshchuk, O.: Morphology and Fracture Properties of Modified Bisphenol A and Novolac Type Vinyl Ester Resins, 4012
Kariduraganavar, M. Y.
—; Nagarale, R. K.; Kulkarni, S. S.: Electrodialytic Transport Properties of Heterogeneous Cation-Exchange Membranes Prepared by Gelation and Solvent Evaporation Methods, 198
Karlsson, M. See Plieva, F. M., 1057
Kasaai, M. R.
—; Intrinsic Viscosity–Molecular Weight Relationship and Hydrodynamic Volume for Pullulan, 4325
Kassim, A. See Mahmud, H. N. M. E., 4107
Katare, R. See Mishra, S., 2402
Katbab, A. A. See Zolfaghari, R., 2096
Kato, J. See Morita, T., 3360
Kaur, M. See Brar, A. S., 372
Kaushal, R. K. See Kanwar, S. S., 1420; Kanwar, S. S., 4252
Kavlak, S.
—; Can, H. K.; Rzaev, Z. M. O.; Güner, A.: Thermal Properties of Poly(maleic anhydride-*alt*-acrylic acid) in the Presence of Certain Metal Chlorides, 3926
—; Güner, A.: Intermolecular Interactions Between Bovine Serum Albumin and Certain Water-Soluble Polymers at Various Temperatures, 1554
Kawabata, N.
—; Fuse, T.: Coagulation and Sedimentation of Bacteria Using a Highly Biodegradable Polymeric Coagulant, 1618
—; Kakimoto, C.; Ikeuchi, H.: Biodegradable Polymer Made of Styrene and *N*-Benzyl-4-vinylpyridinium Chloride, 554
Kawaguchi, K.
—; Mechanical Properties and Transparency of Injection-Molded Polyacetal with Branched and Linear Structure: Influence of Crystalline Morphology, 3384
—; Tajima, Y.: Interfacial Reaction and Its Influence on Phase Morphology and Impact Properties of Modified-Polyacetal/Thermoplastic Polyurethane Blends, 4375
Kawahara, S. See Sakdapipanich, J. T., 1875
Kawakami, H. See Niwa, M., 2436
Kayaman-Apohan, N. See Kahraman, M. V., 4757
Kazanci, M. See Iridag, Y., 4260
Kazemzadeh, M. A. See Abedi, S., 368
Ke, Y. See Cui, N., 4804
Keem, L. Y. See Kumar, R. N., 1048
Kelley, J. F. See Chisholm, B. J., 4762
Kelnar, I.
—; Kotek, J.; Kaprálková, L.; Hromádková, J.; Kratochvíl, J.: Effect of Elastomer Type and Functionality on the Behavior of Toughened Polyamide Nanocomposites, 1571
Kenny, J. M. See Torre, L., 4957
Khan, M. A.
—; Hassan, M. M.: Effect of γ-Aminopropyl Trimethoxy Silane on the Performance of Jute–Polycarbonate Composites, 4142
—; Hassan, M. M.; Taslima, R.; Mustafa, A. I.: Role of Pretreatment with Potassium Permanganate and Urea on Mechanical and Degradable Properties of Photocured Coir *(Cocos nucifera)* Fiber with 1,6-Hexanediol Diacrylate, 4361
Khesareh, R.
—; McManus, N. T.; Penlidis, A.: High Temperature Bulk Copolymerization of Methyl Methacrylate and Acrylonitrile. I. Reactivity Ratio Estimation, 843
Khonakdar, H. A.
—; Jafari, S. H.; Taheri, M.; Wagenknecht, U.; Jehnichen, D.; Häussler, L.: Thermal and Wide Angle X-ray Analysis of Chemically and Radiation-Crosslinked Low and High Density Polyethylenes, 3264
Khunkamchoo, P. See Laity, P. R., 779
Kiliç, M. See Burdurlu, E., 4856

Kiliç, Y. See Burdurlu, E., 4856
Kim, C.-G. See Kim, J.-B., 2189
—; Joo, S.-H.; Cheon, C. H.; Jeong, M.-Y.; Cha, S.-W.; Sohn, B.-H.; Jin, J.-I.: Synthesis and Luminescence Properties of New Blue-Light-Emitting Polyconjugated Poly Polymers and Copolymers, 307
Kim, D.-J.
—; Kim, H.-J.; Yoon, G.-H.: Shear Creep Resistance of Styrene–Isoprene–Styrene (SIS)-Based Hot-Melt Pressure-Sensitive Adhesives, 825
Kim, H.-J. See Choi, W. J., 4875; Kim, D.-J., 825
Kim, H. S. See Kim, N. H., 4470
—; Hwang, M. O.; Kim, M. N.; Yoon, J. S.: Preparation of High-Molecular-Weight Poly(L-lactic acid)-Based Polymers Through Direct Condensation Polymerization in Bulk State, 466
—; Kim, N. H.: Toughening of Thermosets by the Creation of Residual Compressive Stresses, 4045
Kim, J.-B.
—; Kim, T.-W.; Kim, C.-G.: Simulation Method for Complex Permittivities of Carbon Black/Epoxy Composites at Microwave Frequency Band, 2189
Kim, J. K. See Cha, G. C., 2750
Kim, K. H. See Cha, G. C., 2750
Kim, K. Y. See Joo, S.-H., 299
Kim, M. N. See Kim, H. S., 466
Kim, M.-R.
—; Choi, Y.-I.; Park, S.-W.; Lee, J.-W.; Lee, J.-K.: Synthesis and Optical Properties of Hybrid Materials Containing Azobenzene Groups via Sol–Gel Process for Reversible Optical Storage, 4811
Kim, N. H. See Kim, H. S., 4045
—; Kim, H. S.: Interaction of Toughening Mechanisms in a Hybrid Epoxy System, 4470
Kim, S. Y. See Lee, S. B., 4439
Kim, T.-W. See Kim, J.-B., 2189
Kim, Y.-H.
—; Kwon, S.-K.: Novel Blue-Light-Emitting Polymers Based on a Diphenylanthracene Moiety, 2151
Kitagawa, T. See Yamanaka, A., 2196; Yamanaka, A., 5007
Kittinaovarat, S.
—; Kantuptim, P.; Singhaboonponp, T.: Wrinkle Resistant Properties and Antibacterial Efficacy of Cotton Fabrics Treated with Glyoxal System and with Combination of Glyoxal and Chitosan System, 1372
Klapper, M. See Prasath, R. A., 1720
Klarić, I. See Andričić, B., 2158
Klein, A. See Ding, T., 2267; Ding, T., 4550
Ko, D. H. See Joo, S.-H., 299
Kobayashi, K. See Danno, T., 3111
Koch, T. See Kotter, I., 3366
Kohler, W. H. See Shrikhande, P., 3240
Kojima, M. See Kubota, H., 1262
Kolesnikova, N. N. See Shlyapnikov, Y. A., 4208
Kong, J. See Xie, Y., 4004
Kósa, C.
—; Mosnáček, J.; Lukáč, I.; Hrdlovič, P.; Chmela, ä.; Habicher, W. D.: Photooxidation of Benzil Groups in the Presence of Hindered Amine Stabilizers in the Polystyrene Film, 4420
Koschella, A.
—; Leermann, T.; Brackhagen, M.; Heinze, T.: Study of Sulfonic Acid Esters from 1→4-, 1→3-, and 1→6-Linked Polysaccharides, 2142
Kosek, J. See Novak, A., 1124
Kotek, J. See Kelnar, I., 1571
Kotomin, S. V. See Feldstein, M. M., 522
Kotter, I.
—; Grellmann, W.; Koch, T.; Seidler, S.: Morphology–Toughness Correlation of Polypropylene/Ethylene–Propylene Rubber Blends, 3366
Kovačić, T. See Andričić, B., 2158
Koval, V. N. See Jurkowska, B., 390
Kowitteerawut, T. See Sakdapipanich, J. T., 1875
Kozlov, G. V.
—; Burya, A. I.; Dolbin, I. V.; Zaikov, G. E.: Fractal Model of the Heat Conductivity for Carbon Fiber-Reinforced Aromatic Polyamide, 3828
—; Burya, A. I.; Zaikov, G. E.: Anisotropy of a Fiber Structure and the Frictional Wear of Composites on the Basis of Polyarylate, 2821
—; Burya, A. I.; Zaikov, G. E.: Influence of Feedback in the Structure of Carbon Plastics on their Properties, 2817
—; Dolbin, I. V.; Zaikov, G. E.: A Structural Model of an Accessibility of Polycarbonate Melt to Thermooxidative Degradation Processes, 3765
—; Dolbin, I. V.; Zaikov, G. E.: A Theoretical Description of the Oxidation Kinetics of Polymer Melt in Fractal Mediums, 3761
—; Zaikov, G.: Efficiency of the Stabilization Process of a Poly(arylate-arylenesulfoxide) Melt: The Fractal Approach, 2614
Kratochvíl, J. See Kelnar, I., 1571
Krause, B.
—; Häußler, L.; Voigt, D.: Comparison of the Molecular Properties and Morphology of Polypropylenes Irradiated under Different Atmospheres and after Annealing, 634
—; Voigt, D.; Häußler, L.; Auhl, D.; Münstedt, H.: Characterization of Electron Beam Irradiated Polypropylene: Influence of Irradiation Temperature on Molecular and Rheological Properties, 2770
Kretzschmar, B. See Gahleitner, M., 283
Krstina, J. See Bondzic, S., 2210
Krump, H. See Malunka, M. E., 1607
Krupa, I. See Novák, I., 3069
Kryratsamee, W. See Prachayawarakorn, J., 1169
Ku, Y.-A. See Chen, K.-S., 803
Kuan, H.-C. See Ma, C. M., 508
Kuang, Q.
—; Cheng, G.; Zhao, J.; Li, Y.: Thermogelation Hydrogels of Methylcellulose and Glycerol–Methylcellulose Systems, 4120
Kubota, H.
—; Kojima, M.; Kuroda, S.-i.: Characteristics of Methacrylic Acid-Grafted Polyethylene Films Prepared by Photografting in the Presence of Polyfunctional Monomers, 1262
Kucharski, M. See Głowacz-Czerwonka, D., 1496
Kuga, S. See Wu, M., 1668
Kukolikova, L.
—; Bakos, D.; Alexy, P.; Hanzelova, S.; Zhong, W.: Optimization of the Properties of Chitosan Lactate/Hyaluronan Film, 1413
Kukreja, P. See Jain, R., 3919
Kulichikhin, V. G. See Feldstein, M. M., 522
Kulkarni, G. See Matche, R. S., 3063
Kulkarni, P. V. See Soppimath, K. S., 486
Kulkarni, S. S. See Kariduraganavar, M. Y., 198

Kumar, D. See Chauhan, G. S., 1522
Kumar, E. S.
—; Yadaw, S. B.; Pandey, K. N.; Das, C. K.: Ternary Blends of Acrylic Rubber, Poly(butylene terephthalate), and Liquid Crystalline Polymer: Influence of Interactions on Thermal and Dynamic Mechanical Properties, 3904
Kumar, R. See Banerjee, J., 26
Kumar, R. N.
—; Keem, L. Y.; Mang, N. C.; Abubakar, A.: Ultraviolet Radiation Curable Epoxy Resin Encapsulant for Light Emitting Diodes, 1048
Kumar, S. See Chae, H. G., 791; Kanwar, S. S., 4636; Setua, D. K., 677
Kumar, S. S. See Kanwar, S. S., 4252
Kumar, Y. See Kanwar, S. S., 4252
Kumaraswamy, G. N. See Ravikumar, H. B., 740
Kumnuantip, C. See Sombatsompop, N., 5039
Kuo, K.-T. See Lin, D.-S., 4023
Kuo, P.-L. See Liang, W.-J., 1000
Kuo, S.-W.
—; Huang, C.-F.; Tung, Y.-C.; Chang, F.-C.: Effect of Bisphenol A on the Miscibility, Phase Morphology, and Specific Interaction in Immiscible Biodegradable Poly(ε-caprolactone)/Poly(L-lactide) Blends, 1146
Kuroda, S.-i. See Kubota, H., 1262
Kurokawa, Y. See Nakane, K., 4320
Küsefoğlu, S. See Çaylı, G., 832; Eren, T., 2947
Kusumocahyo, S. P. See Iwatsubo, T., 1465
Kuşvuran, E. See Akgöl, S., 5056
Kuusipalo, J. See Nazhad, M., 3193
Kwon, O. H. See Choi, W. J., 4875
Kwon, S.-H. See Choi, S. M., 2252
Kwon, S.-K. See Kim, Y.-H., 2151
Kylmä, J. See Gädda, T., 1633

Lai, D.-H. See Dong, J.-P., 867
Lai, S.-M.
—; Don, T.-M.; Huang, Y.-C.: Preparation and Properties of Biodegradable Thermoplastic Starch/Poly(hydroxy butyrate) Blends, 2371
—; Liao, Y.-C.; Chen, T.-W.: Properties and Preparation of Compatibilized Nylon 6 Nanocomposites/ABS Blends Using Functionalized Metallocene Polyolefin Elastomer I. Impact Properties, 1364
Laine, A. See Gädda, T., 1633
Laity, P. R.
—; Taylor, J. E.; Wong, S. S.; Khunkamchoo, P.; Cable, M.; Andrews, G. T.; Johnson, A. F., Cameron, R. E.: Morphological Changes in Thermoplastic Polyurethanes during Heating, 779
Lal, D. See Singh, A., 2323
Landro, L. D. See Sartore, L., 4654
Larrañaga, M. See Peña, C., 4412; Rodriguez, E., 3895
Látalová, P. See Masař, B., 3662
Lau, A. See Forsythe, J. S., 3646
Laurent, C. See Gallot-lavallée, O., 1899
Law, S. See Panthapulakkal, S., 3619
Lawton, J. W.
—; Doane, W. M.; Willett, J. L.: Aging and Moisture Effects on the Tensile Properties of Starch/Poly(hydroxyester ether) Composites, 3334
Leblanc, J. L.
—; Fourier Transform Rheometry on Carbon Black Filled Polybutadiene Compounds, 5102
Lee, E. C. See Huang, K. S., 2164
Lee, J.-H. See Dong, J.-P., 867; Im, J.-S., 2053
—; Yoon, H.-C.: Properties of Epoxy Molding Compound According to the Pretreatment Method of an Amino-Silane Coupling Agent on Epoxy or Phenol Resin, 2171
Lee, J.-K. See Kim, M.-R., 4811
Lee, J.-O. See Im, J.-S., 2053
Lee, J.-W. See Kim, M.-R., 4811
Lee, J.-Y. See Ho, C.-Y., 1688
Lee, K.-P. See Kang, Y.-O., 1809
Lee, M.
—; Lee, M. S.; Wakida, T.; Tokuyama, T.; Inoue, G.; Ishida, S.; Itazu, T.; Miyaji, Y.: Chemical Modification of Nylon 6 and Polyester Fabrics by Ozone-Gas Treatment, 1344
Lee, M. S. See Lee, M., 1344
Lee, R. H.
—; Lee, Y. Z.; Chao, C.-I.: Enhanced Performance of Polymer Light-Emitting Device via Optimization of Processing Conditions and Device Configuration, 133
Lee, S. See Cha, G. C., 2750
Lee, S. B.
—; Park, E. K.; Lim, Y. M.; Cho, S. K.; Kim, S. Y.; Lee, Y. M.; Nho, Y. C.: Preparation of Alginate/Poly(*N*-isopropylacrylamide) Semi-Interpenetrating and Fully Interpenetrating Polymer Network Hydrogels with γ-Ray Irradiation and Their Swelling Behaviors, 4439
Lee, S.-C. See Lee, W.-F., 500
Lee, S.-H. See Ohkita, T., 3009
Lee, S. M. See Han, S. O., 4972
Lee, W.-F.
—; Lee, S.-C.: Effect of Hydrotalcite on the Swelling and Mechanical Behaviors for the Hybrid Nanocomposite Hydrogels Based on Gelatin and Hydrotalcite, 500
—; Liu, T.-M.: Effect of Fluorinated Hydrophobic Monomer on the Drug Release Behavior for the Thermosensitive Hydrogels, 4661
—; Tsao, K.-T.: Preparation and Properties of Nanocomposite Hydrogels Containing Silver Nanoparticles by Ex Situ Polymerization, 3653
—; Yeh, Y.-C.: Effect of Porosigen and Hydrophobic Monomer on the Fast Swelling–Deswelling Behaviors for the Porous Thermoreversible Copolymeric Hydrogels, 3152
Lee, Y.-H.
—; Allen, D. J.; Ishida, H.: Effect of Rubber Reactivity on the Morphology of Polybenzoxazine Blends Investigated by Atomic Force Microscopy and Dynamic Mechanical Analysis, 2443
Lee, Y. M. See Lee, S. B., 4439
Lee, Y. Z. See Lee, R. H., 133
Leermann, T. See Koschella, A., 2142
Lehmann, D. See Nagel, J., 2992; Pompe, G., 4297
Lei, H.
—; Pizzi, A.; Despres, A.; Pasch, H.; Du, G.: Ester Acceleration Mechanisms in Phenol–Formaldehyde Resin Adhesives, 3075
—; Pizzi, A.; Du, G.; Despres, A.: Variation of MUF and PMUF Resins Mass Fractions during Preparation, 4842
Lei, J.
—; Gao, J.; Jiang, L.: Structure and Adhesion Properties of Linear Low-Density Polyethylene Powders Grafted with Acrylic Acid via Ultraviolet Light, 2549
Lei, Y.
—; Wu, Q.; Lian, K.: Cure Kinetics of Aqueous Phenol–Formaldehyde Resins Used for Oriented

Strandboard Manufacturing: Analytical Technique, 1642
Leira, L. See Fraga, F., 3297
Lelli, G. See Torre, L., 4957
Lemstra, P. J. See Wanrooij, P. H. P., 1024
Leon, F. See Curteanu, S., 3680
Lewis, C. L.
—; Spruiell, J. E.: Crystallization of 2-Methyl-1,3-propanediol Substituted Poly(ethylene terephthalate). I. Thermal Behavior and Isothermal Crystallization, 2592
Lezhava, L. See Mukbaniani, O., 2511
Li, B. See Wu, Y., 3187
Li, B.-G. See Liu, H.-Y., 2744
Li, B.-Y.
—; Ma, J.; Liu, H.-Y.; Guo, X.-L.; Zhang, X.-L.; Xu, J.: Siloxane Surfactant-Modified Clay and Its Effect in Reinforcing the Laminate of Polymethylsilsesquioxane, 3974
Li, G.
—; Sun, X.; Liao, X.; Yu, J.; Zhang, J.; He, J.: Supercritical Carbon Dioxide Assisted Preparation of Conductive Polypyrrole/Cellulose Diacetate Composites, 4575
Li, H. See Chen, Y., 2907; Wang, X., 3498; Xie, M., 1282
Li, H.-S. See Hsieh, S.-H., 4311
Li, J. See Cong, Y., 2737; Hou, Z., 4280; Wang, B., 3794; Wright, N. C., 3519; Xu, Q., 2901
—; Guo, S.; Liang, M.: Effects of Ultrasonic Oscillation on Processing Behaviors of PS, EPDM, and PS/EPDM Blend, 1856
—; Xu, Q.; Peng, Q.; Pang, M.; He, S.; Zhu, C.: Supercritical CO_2-Assisted Synthesis of Polystyrene/Clay Nanocomposites, 671
Li, L. See Guo, J. T., 3602
Li, N.
—; Zou, J.: Determination of Impurities in Industrial Caprolactam Produced from Toluene by SPME and GC–MS, 3141
Li, P. See Lu, H., 4429
Li, Q.
—; Ye, L.; Cai, Y.; Huang, R.: Study of Rheological Behavior of Hydrophobically Modified Hydroxyethyl Cellulose, 3348
Li, Q. F.
—; Lu, K.; Yang, Q. Q.; Jin, R.: The Effect of Different Metallic Catalysts on the Coreaction of Cyanate/Epoxy, 2293
Li, T. See Cai, J., 1479; Zhang, L., 3673
Li, W. See Yan, L., 3718
Li, X.
—; Fei, G.; Wang, H.: Mechanical and Surface Properties of Membranes Prepared from Waterborne Cationic Hydroxyl-Terminated Polydimethylsiloxane/Polyurethane Surfactant-Free Micro-Emulsion, 40
Li, X.-G.
—; Dong, Z.-Q.; Huang, M.-R.; Shao, H.-L.; Hu, X.-C.: Oxidative Copolymerization between Toluidine and Vinyl Acetate, 3562
Li, X. H. See Yan, H., 161
Li, X.-x. See Wang, W.-p., 1427
Li, X. Y. See Guo, J. T., 3602
Li, Y. See Kuang, Q., 4120; Liu, Y., 1312; Lu, Z., 1395; Wu, G., 2336
—; Feng, L.; Zhang, L.-C.: Mechanical, Thermal, and Morphological Properties of Bismaleimide/Unsaturated Polyester Copolymers, 593
—; Yuen, C. W. M.; Hu, J. Y.; Cheng, Y. F.: Analysis of the Structural Characteristics of Nanoscale Silk Particles, 268
Li, Y.-Y. See Ma, G.-Q., 4900
Lian, K. See Lei, Y., 1642
Liang, J. See Wang, J. D., 4697
Liang, L.
—; Dickson, J. M.; Jiang, J.; Brook, M. A.: Mass Transfer of Dilute 1,2-Dimethoxyethane Aqueous Solutions During Pervaporation Process, 2075
Liang, M. See Li, J., 1856
Liang, W. See Huang, H., 4461
Liang, W.-J.
—; Chen, Y.-P.; Wu, C.-P.; Kuo, P.-L: Solid Polymer Electrolytes. XI. Preparation, Characterization and Ionic Conductivity of New Plasticized Polymer Electrolytes Based on Chemical-Covalent Polyether–Siloxane Hybrids, 1000
Liao, G.-F. See Su, F.-K., 3784
Liao, M. See Wang, Q., 81
Liao, X. See Li, G., 4575
Liao, Y.-C. See Lai, S.-M., 1364
Liao, Y.-T. See Huang, P.-Y., 4711
Liao, Y.-Y. See Chen, M., 3809
Liem, H. M. See Zhu, Y., 4603
Liggat, J. J. See Denecker, C., 3024
Lim, K. L. K.
—; Ishak, Z. A. M.; Ishiaku, U. S.; Fuad, A. M. Y.; Yusof, A. H.; Czigany, T.; Pukanzsky, B.; Ogunniyi, D. S.: High Density Polyethylene/Ultra High Molecular Weight Polyethylene Blend. II. Effect of Hydroxyapatite on Processing, Thermal, and Mechanical Properties, 3931
Lim, Y. M. See Lee, S. B., 4439
Lin, B. C. See Yang, S. Y., 892
Lin, C.-H. See Tsai, B.-H., 1794
Lin, C.-L.
—; Chiu, W.-Y.; Don, T.-M.: Superparamagnetic Thermoresponsive Composite Latex via W/O Miniemulsion Polymerization, 3987
Lin, D.-S.
—; Chou, C.-T.; Chen, Y.-W.; Kuo, K.-T.; Yang, S.-M.: Electrochemical Behaviors of Polyaniline–Poly(styrene-sulfonic acid) Complexes and Related Films, 4023
Lin, H.-R. See Chen, K.-S., 803
Lin, J.-C. See Tsai, B.-H., 1794
Lin, K.-T. See Huang, J.-C., 2002
Lin, L.-L. See Su, F.-K., 3784
Lin, M. See Zhang, Q., 2497
Lin, W.-J.
—; Wang, C.-L.; Juang, L.-W.: Characterization and Comparison of Diblock and Triblock Amphiphilic Copolymers of Poly(δ-valerolactone), 1836
Lin, Y. See Wang, Q., 1978
Linares, A.
—; Acosta, J. L.; Rodríguez, S.: Proton Conducting Blends Based on Polysulfones and Elastomers, 3474
Lindblad, M. S. See Hartman, J., 2985
Lindqvist, J.
—; Malmström, E.: Surface Modification of Natural Substrates by Atom Transfer Radical Polymerization, 4155
Lindström, A.
—; Hakkarainen, M.: Environmentally Friendly Plasticizers for Poly(vinyl chloride)—Improved Mechanical Properties and Compatibility by Using Branched Poly(butylene adipate) as a Polymeric Plasticizer, 2180
Liszkowska, J. See Czupryński, B., 2020

Liu, B. See Manabe, N., 1831; Wang, Q., 1978; Xie, H., 295
Liu, C.
—; Oshima, K.; Shimomura, M.; Miyauchi, S.: Preparation of a Poly(3-hexylthiophene)-Grafted Indium Tin Oxide/Poly(3-hexylthiopene) Composite and Its Conductivity–Temperature Characteristics, 1881
Liu, F. See Lü, C., 124; Wang, J., 97
Liu, G. See Yan, L., 3718
—; Zhao, X.: Study on the Electrodriven Action of Gelatin Hydrogel in Silicone Oil, 1664
Liu, H. See Tang, J., 2796; Tian, D., 1323
Liu, H.-Y. See Li, B.-Y., 3974
—; Cao, K.; Huang, Y.; Yao, Z.; Li, B.-G.; Hu, G.-H.: Kinetics and Simulation of the Imidization of Poly(styrene-*co*-maleic anhydride) with Amines, 2744
Liu, J. See Hou, C., 3374; Hou, C., 4668; Hou, C., 4679; Wang, B., 3794
Liu, J. S.
—; Chen, H.; Guo, Z. L.; Hu, Y. C.: Selective Separation of In(III), Ga(III), and Zn(II) from Dilute Solution Using Solvent-Impregnated Resin Containing Di(2-ethylhexyl) Phosphoric Acid, 253
Liu, L. See Huang, H., 4461
—; Jia, D.; Luo, Y.; Guo, B.: Preparation, Structure and Properties of Nitrile–Butadiene Rubber–Organclay Nanocomposites by Reactive Mixing Intercalation Method, 1905
Liu, M.
—; Yu, W.; Zhou, C.: Selectivity of Shear Rate on Chains in Polymer Combination Reaction, 839
Liu, P.
—; Zhang, L.; Su, Z.: Core/Shell SiO_x@PAM Nanospheres from UV-Assisted Surface-Initiated Free Radical Polymerization, 3433
Liu, T.-M. See Lee, W.-F., 4661
Liu, W. See Zhao, H., 1294
Liu, X. See Xie, M., 1282
Liu, Y. See Liu, Y., 1312; Liu, Y., 4247; Wang, W.-p., 1427
—; Bai, L.; Zhou, W.; Liu, Y.; Li, Y.; Deng, K.: Block Copolymerization of Poly(diethylene glycol phthalic anhydride) and Methyl Methacrylate Initiated by Potassium Diperiodatonickelate(IV), 1312
—; Zhou, W.; Bai, L.; Zhao, N.; Liu, Y.: Graft Copolymerization of Styrene onto Casein Initiated by Potassium Diperiodatonickelate (IV) in Alkaline Medium, 4247
Liu, Y. Q. See Zhu, Y., 4603
Liu, Z. See Dong, J., 1547
—; Han, N.; Dong, J.: Poly(silyl ester)s: A New Route of Synthesis via the Condensation of Di-*tert*-butyl Ester of Dicarboxylic Acid with Dichlorosilane, 1378
Lizong, D. See Jianying, H., 3531
Lo, D. See Novak, A., 1124
Lona, L. M. F. See Marín, F. L. M., 2572
Lonikar, S. V. See Shaikh, V. A. E., 73; Shaikh, V. A. E., 1995
López-Quintanilla, M. L.
—; Sánchez-Valdés, S.; de Valle, L. F. R.; Medellín-Rodríguez, F. J.: Effect of Some Compatibilizing Agents on Clay Dispersion of Polypropylene-Clay Nanocomposites, 4748
López-Vilariño, J. M. See Dopico-García, M. S., 656
Loutelier-Bourhis, C. See Poussard, L., 3314
Lü, C.
—; Wang, Z.; Liu, F.; Yan, J.; Gao, L.: Microstructure and Properties of New Polyimide/Polysiloxane Composite Films, 124
Lu, H.
—; Huang, Z.; Li, P.; Ma, Y.; Feng, Y.: Synthesis and Evaluation of a Composite Crosslinked Copolymer as a Particulate Fluid Diversion Agent, 4429
Lu, H.-X. See Zhang, B.-L., 4114
Lu, J. See Jiang, B., 3510; Zhang, Z., 1137
—; Hu, Y.; Zhang, X.; Bi, J.; Dong, W.; Jiang, L.; Huang, B.: Fe(2-EHA)$_3$/Al(*i*-Bu)$_3$/Hydrogen Phosphite Catalyst for Preparing Syndiotactic 1,2-Polybutadiene, 4265
Lu, K. See Li, Q. F., 2293
Lu, S.
—; Cheng, G.; Pang, X.: Study on Preparation of Protein-Imprinted Soft-Wet Gel Composite Microspheres with Magnetic Susceptibility and their Characteristics. I. Preparation and Particle Morphology, 684
Lu, X.
—; Zheng, J.; Chao, D.; Chen, J.; Zhang, W.; Wei, Y.: Poly (*N*-methylaniline)/Multi-Walled Carbon Nanotube Composites—Synthesis, Characterization, and Electrical Properties, 2356
Lu, Y. See Zhang, L., 3673
Lu, Z. See Cui, N., 4804
—; Xu, H.; Li, Y.; Hu, Y.: Synthesis of a Difunctional Organolithium Compound as Initiator for the Polymerization of Styrene-Butadiene/Isoprene-Styrene Triblock Copolymer, 1395
Lubczak, J. See Chmiel-Szukiewicz, E., 4917; Zarzyka-Niemiec, I., 1443
Lucia, L. A. See Ban, W., 2542
Lugão, A. B. See Parra, D. F., 406
Lukáč, I. See Kósa, C., 4420
Luo, J.
—; Sun, Y.: Acetylation of Cellulose Using Recyclable Polymeric Catalysts, 3288
Luo, Y. See Liu, L., 1905; Zhao, H., 1294
Luyt, A. S. See Malunka, M. E., 1607; Novák, I., 3069; Salemane, M. G., 4173
Luzardo, A. See Fraga, F., 3297

Ma, C.-a. See Zhang, C., 3307
Ma, C. M.
—; Chen, Y.-J.; Kuan, H.-C.: Polystyrene Nanocomposite Materials—Preparation, Mechanical, Electrical and Thermal Properties, and Morphology, 508
Ma, G.-Q.
—; Zhao, Y.-H.; Yan, L.-T.; Li, Y.-Y.; Sheng, J.: Blends of Polypropylene with Poly(*cis*-butadiene) Rubber. III. Study on the Phase Structure and Morphology of Incompatible Blends of Polypropylene with Poly(*cis*-butadiene) Rubber, 4900
Ma, J. See Li, B.-Y., 3974
Ma, S. See Zhang, X., 2705
Ma, X. See Cheng, G., 1471
Ma, Y. See Lu, H., 4429
Maciel, M. R. W. See Marín, F. L. M., 2572
Madras, G. See Vijayalakshmi, S. P., 3997; Vijayalakshmi, S. P., 4888
Maffezzoli, A. See Frigione, M., 748
Mahanwar, P. A. See Bose, S., 4074
Maharana, T.
—; Singh, B. C.: Synthesis and Characterization of

Biodegradable Polyethylene by Graft Copolymerization of Starch Using Glucose–Ce(IV) Redox System, 3229
Mahato, D. See Shukla, S. R., 186
Mahesh, S. S. See Jain, A., 4910
Mahittikul, A.
—; Prasassarakich, P.; Rempel, G. L.: Hydrogenation of Natural Rubber Latex in the presence of $OsHCl(CO)(O_2)(PCy_3)_2$, 640
Mahmud, H. N. M. E.
—; Kassim, A.; Zainal, Z.; Yunus, W. M. M.: Fourier Transform Infrared Study of Polypyrrole–Poly(vinyl alcohol) Conducting Polymer Composite Films: Evidence of Film Formation and Characterization, 4107
Maity, A.
—; Biswas, M.: A Conducting Nanocomposite of Acetylene Black with Preformed Poly-*N*-vinylcarbazole Crosslinked by Anhydrous $FeCl_3$, 819
Majone, M. See Carrasco, F., 2111
Makradi, A.
—; Cox, C. L.; Ahzi, S.; Belouettar, S.: Postspinning Draw of Polymeric Fibers: Multiscale Micromechanical Model for a Solid Polymer under Finite Deformation and Strain-Induced Crystallization, 2259
Maldar, N. N. See Shaikh, V. A. E., 73; Shaikh, V. A. E., 1995
Mall, A. See Setua, D. K., 677
Mallikarjuna, N. N. See Narayan, R., 2422; Raghu, A. V., 576; Soppimath, K. S., 486
Malmström, E. See Lindqvist, J., 4155
Malshe, V. C.
—; Elango, S.; Rane, S.: Alkylated Phenolic Resins as Antioxidants for Rubber, 2649
Malunka, M. E.
—; Luyt, A. S.; Krump, H.: Preparation and Characterization of EVA–Sisal Fiber Composites, 1607
Manabe, N.
—; Yokota, Y.; Nakatani, H.; Suzuki, S.; Liu, B.; Terano, M.: Local Thermal Degradation Behavior of Heterophasic Polypropylene Copolymers, 1831
Mang, N. C. See Kumar, R. N., 1048
Manian, A. P.
—; Rous, M. A.; Schuster, K. C.; Bechtold, T.: The Influence of Alkali Pretreatments in Lyocell Resin Finishing—Resin Distribution and Mechanical Properties, 3596
Maniglia-Ferreira, C. See Silva, J. B. A. Jr., 4082
Manjeshwar, L. S. See Adoor, S. G., 2415
Mano, J. F. See Wang, Y., 2628
Marambio, O. G. See del C. Pizarro, G., 178; Jeria-Orell, M., 1735
Marchand-Brynaert, J. See Iguerb, O., 1184
Mardel, J. See Bondzic, S., 2210
Marín, F. L. M.
—; Lona, L. M. F.; Maciel, M. R. W.; Filho, R. M.: New Emulsion Polymerization Tubular Reactor with Internal Angular Baffles: Reaction Temperature Effect, 2572
Martinelli, A. See Carrasco, F., 2111
Martínez-Ageitos, J. M. See Fraga, F., 3297
Martínez-Boza, F. J. See Pérez-Lepe, A., 260
Martínez-Colunga, J. G. See Ramírez-Vargas, E., 3696
Mas, A. See Kaba, M., 3579
Masař, B.
—; Janata, M.; Látalová, P.; Netopilík, M.; Vlček, P.; Toman, L.: Graft Copolymers and High-Molecular-Weight Star-Like Polymers by Atom Transfer Radical Polymerization, 3662
Matche, R. S.
—; Kulkarni, G.; Raj, B.: Modification of Ethylene Acrylic Acid Film for Antimicrobial Acitivity, 3063
Mathavan, T. See Rajan, M. A. J., 3756
Mathur, G. N. See Srivastava, J., 4832
Matthews, S. See Shin, Y., 4306
Mattiasson, B. See Plieva, F. M., 1057
Matuana, L. M. See Pilarski, J. M., 35
Matzinos, P. See Tserki, V., 4703
Mazoniene, E. See Bendoraitiene, J., 2710
McCord, M. See Shin, Y., 4306
McCubbin, P. J.
—; Forbes, E.; Gow, M. M.; Gorham, S. D.: Covalent Attachment of Quaternary Ammonium Compounds to a Polyethylene Surface via a Hydrolyzable Ester Linkage, 538
—; Forbes, E.; Gow, M. M.; Gorham, S. D.: Novel Self-Disinfecting Surface, 381
McGrath, J. E. See Sankir, M., 4595
McHugh, A. J. See Shrikhande, P., 3240
McManus, N. T. See Khesareh, R., 843
Medellín-Rodríguez, F. J. See López-Quintanilla, M. L., 4748
Mehdaoui, R. See Moulay, S., 954
Mehta, N. M.
—; Parsania, P. H.: Fabrication and Evaluation of some Mechanical and Electrical Properties of Jute-Biomass Based Hybrid Composites, 1754
Meikhail, M. S. See El-Tonsy, M. M., 4452
Meirim, M. G. See Caldwell, G., 3415
Mekhemer, W. K. See Sadek, O. M., 1705; Sadek, O. M., 1712
Mencer, H. J. See Brnardic, I., 1765
Mendichi, R. See Sartore, L., 4654
Meng, W.-D. See Jiang, W.-C., 4561
Meng, X.-H. See Huang, K., 3050
Meng, Y. Z. See Yan, H., 161
Menon, S. K. See Waghmare, P. B., 3222
Metev, S. See Wochnowski, C., 1229
Meuldijk, J. See Wanrooij, P. H. P., 1024
Midorikawa, K. See Wochnowski, C., 1229
Mighri, F.
—; Huneault, M. A.: In Situ Visualization of Drop Deformation, Erosion, and Breakup in High Viscosity Ratio Polymeric Systems under High Shearing Stress Conditions, 2582
Mikešová, J. See Fortelný, I., 2803
Mikhalovsky, S. See Plieva, F. M., 1057
Mikkonen, H. See Gädda, T., 1633
Mikołajczyk, T.
—; Boguń, M.; Błazewicz, M.; Piekarczyk, I.: Effect of Spinning Conditions on the Structure and Properties of PAN Fibers Containing Nano-Hydroxyapatite, 2881
—; Olejnik, M.: Effects of Spinning Conditions on Structure and Properties of Multifunctional Fibers of Polyimidoamide Nanocomposites, 3325
Millot, M. C. See Guerrouache, M., 2362
Min, Y. Q. See Zhang, X. H., 3483
Minagawa, K. See Mori, T., 3913
Mishra, S. See Goje, A. S., 2504
—; Bajpai, R.; Katare, R.; Bajpai, A. K.: Preparation and Characterization of Polyvinyl Alcohol Based Biomaterials: Water Sorption and

In Vitro Blood Compatibility Study, 2402
—; Sonawane, S.; Mukherji, A.; Mruthyunjaya, H. C.: Effect of Nanosize $CaSO_4$ and $Ca_3(PO_4)_2$ Particles on the Rheological Behavior of Polypropylene and Its Simulation with a Mathematical Model, 4190
Mitsoulis, E. See Guštin, A., 1577
Miyaji, Y. See Lee, M., 1344
Miyauchi, S. See Liu, C., 1881
Mo, Z. See Zhang, Z., 584
Moad, G. See Forsythe, J. S., 3646
Modak, J. M. See Chanda, M., 2604
Mohomad, A. See Ahmad, S., 4981
Mokhlisse, A. See Bakass, M., 1450
Molinié, P. See Ayachi, S., 57
Moly, K. A.
—; Bhagawan, S. S.; Groeninckx, G.; Thomas S.: Correlation Between the Morphology and Dynamic Mechanical Properties of Ethylene Vinyl Acetate/Linear Low-Density Polyethylene Blends: Effects of the Blend Ratio and Compatibilization, 4526
Mondal, M. I. H.
—; Farouqui, F. I.; Salam, M. A.: Graft Copolymerization of Acrylate Monomers onto Sulfonated Jute–Cotton Blended Fabric, 4393
Mondragon, I. See Peña, C., 4412; Rodriguez, E., 3895; Tercjak, A., 2348
Moniruzzaman, M.
—; Talbot, J. D. R.; Sabey, C. J.; Fernando, G. F.: The Use of ^1H NMR and UV–vis Measurements for Quantitative Determination of trans/cis Isomerization of a Photo-Responsive Monomer and Its Copolymer, 1103
Monson, L. See Extrand, C. W., 2122
Montazer, M.
—; Sadighi, A.: Optimization of the Hot Alkali Treatment of Polyester/Cotton Fabric with Sodium Hydrosulfite, 5049
Monticelli, O. See Baldi, F., 3411
Morancho, J. M. See Cadenato, A., 3446
Moreau, O. See Anjum, N., 546
Moreira, V. X.
—; Garcia, F. G.; Soares, B. G.: Conductive Epoxy/Amine System Containing Polyaniline Doped with Dodecylbenzenesulfonic Acid, 4059
Mori, T.
—; Yuyama, K.; Narita, K.; Minagawa, K.; Haraguchi, M.; Tanaka, M.: Preparation of Nano- and Microparticles through Self-Assembly of Azobenzene-Pendent Ionomers, 3913
Morita, T.
—; Kato, J.: Thermal Degradation Study of Poly(1-oxotrimethylene) in Aqueous Composite Metal Salt Solutions, 3360
Morita, Y.
—; Sugino, H.: Non-Catalytic Anhydride Curing of Hydrogenated Bisphenol-A Glycidyl Ether with 1,2,4-Cyclohexanetricarboxylic Anhydride and Light Emitting Diode Encapsulation, 962
—; Tajima, S.; Suzuki, H.; Sugino, H.: Thermally Initiated Cationic Polymerization and Properties of Epoxy Siloxane, 2010
Mosnáček, J. See Kósa, C., 4420
Mostafa, B. A. See Sadek, O. M., 1705; Sadek, O. M., 1712
Mostafa, N.
—; Study of Poly(vinyl chloride) Interfaces Using Slow Positron Beams, 3789
Mottaleb, M. S. A. See Shawky, H. A., 3966
Moulay, S.
—; Mehdaoui, R.: Poly(methacrylic acid)-Bound Dihydroxybenzene Units: Redox Polymers, 954
Moutet, J.-C. See Rivas, B. L., 2380
Mruthyunjaya, H. C. See Mishra, S., 4190
Mucciolo, A. See Parra, D. F., 406
Mukbaniani, N. See Mukbaniani, O., 2511
Mukbaniani, O.
—; Tatrishvili, T.; Titvinidze, G.; Mukbaniani, N.; Lezhava, L.; Gogesashvili, N.: Hydrosilylation Reaction of Methylhydridesiloxane to Phenylacetylene, 2511
Mukherji, A. See Mishra, S., 4190
Mulato, M. See Neves-Junior, W. F. P., 702
Mun, M. K. See Chang, J.-H., 1247
Mun, M. S. See Cha, G. C., 2750
Münstedt, H. See Krause, B., 2770
Mustafa, A. I. See Khan, M. A., 4361
Mylswamy, S.
—; Ramamurthi, V.; Balasubramanian, S.: Synthesis, Characterization, and Dilute Solution Properties of pH-Responsive Polyacyloylethylpiperazinium Polymers, 3174

Nabavizadeh, J. See Zolfaghari, R., 2096
Nada, A. M. A. See Sokker, H. H., 3589
Naderi, N. See Soltan-Dehghan, M., 2409
Nagai, K. See Akiba, C., 1113
Nagaoka, S. See Niwa, M., 2436
Nagarale, R. K. See Kariduraganavar, M. Y., 198
Nagaralli, R. T. See Siddaramaiah, 2781
Nagel, J. See Pompe, G., 4297
—; Scheidler, D.; Hupfer, B.; Bräuer, M.; Pleul, D.; Vogel, C.; Lehmann, D.; Amesöder, S.: Investigations on the Formation of Composites by Injection Molding of PA6 and Different Grafted Polypropylenes and Their Blends, 2992
Naidu, B. V. K. See Adoor, S. G., 2415
Nair, C. P. R. See Devasia, R., 3055
Najafi, S. K.
—; Hamidinia, E.; Tajvidi, M.: Mechanical Properties of Composites from Sawdust and Recycled Plastics, 3641
Nakamura, M. See Yamanaka, A., 5007
Nakane, K.
—; Ogata, N.; Kurokawa, Y.: Formation of Inorganic (TaC, TaN) Fibers by Thermal Decomposition of Cellulose Acetate–Tantalum Alkoxide Precursor Gel Fibers, 4320
Nakason, C.
—; Wannavilai, P.; Kaesaman, A.: Thermoplastic Vulcanizates Based on Epoxidized Natural Rubber/Polypropylene Blends: Effect of Compatibilizers and Reactive Blending, 4729
Nakatani, H. See Manabe, N., 1831
Namasivayam, C.
—; Sureshkumar, M.: Anionic Dye Adsorption Characteristics of Surfactant-Modified Coir Pith, a 'Waste' Lignocellulosic Polymer, 1538
Namrowski, P. See Jurkowska, B., 390
Nanjundan, S. See Prasath, R. A., 1720
Na-Ranong, N. See Chuayjuljit, S., 3948

Narayan, R.
—; Chattopadhyay, D. K.; Raju, K. V. S. N.; Mallikarjuna, N. N.; Jawalkar, S. S.; Aminabhavi, T. M.: Viscosity Behavior of Hydroxylated and Acetoacetylated Polyesters, 2422
Narita, K. See Mori, T., 3913
Naróg, D. See Zarzyka-Niemiec, I., 1443
Narula, A. K. See Jain, R., 3919
Naskar, K.
—; Noordermeer, J. W. M.: Influence of Premade and In Situ Compatibilizers in Polypropylene/Ethylene–Propylene–Diene Terpolymer Thermoplastic Elastomeric Olefins and Thermoplastic Vulcanizates, 3877
Naskar, N. See Das, A., 3981
Nazhad, M.
—; Sridach, W.; Retulainen, E.; Kuusipalo, J.; Parkpian, P.: Biodegradation Potential of Some Barrier-Coated Boards in Different Soil Environments, 3193
N'Da, D. D. See Caldwell, G., 3415
Neamtu, I. See Nita, L. E., 4133
Neelakantan, N. R. See George, J., 2912
Negi, Y. S. See Goyal, R. K., 4623
Nejad, M. H. See Zolfaghari, R., 2096
Neto, C. P. See Freire, C. S. R., 1093
Netopilík, M. See Masař, B., 3662
Neuse, E. W. See Caldwell, G., 3415
Neves-Junior, W. F. P.
—; de O. Graeff, C. F.; Ferreira, M.; Mulato, M.; Bernardes, M. S.; Coutinho-Netto, J.: Elastic Properties of Natural Rubber Tubes Produced by Dip-Coating, 702
Newton, E. See Jiang, S. Q., 4383
Nguyen, Q. T. See Akiba, C., 1113
Nho, Y. C. See Lee, S. B., 4439
Ni, H.-B.
—; Yang, J.-C.; Zhao, C.-X.: Synthesis and Characterization of *p*-Perfluoroethylated poly(α-methyl styrene), 3615
Ni, L. See Dai, Z., 2126
Ni, W. See Xu, Q., 2901
Ni, X.
—; Sun, X.: Block Copolymer of *trans*-Polyisoprene and Urethane Segment: Shape Memory Effects, 879
Nie, Y. See Duan, Y., 1019
Nien, Y.-H.
—; Chen, J.: Studies of the Mechanical and Thermal Properties of Cross-linked Poly(methylmethacrylate-acrylic acid-allylmethacrylate)-Modified Bone Cement, 3727
Nilsson, S. See Hellebust, S., 1728
Nin, B. See Zhang, H., 3634
Ninan, K. N. See Devasia, R., 3055; Saxena, A., 3536
Nir, Y. See Bobovitch, A. L., 3545
Nisbet, D. R. See Forsythe, J. S., 3646
Nishat, N.
—; Ahmad, S.; Ahamad, R. T.: Synthesis and Characterization of Antibacterial Polychelates of Urea–Formaldehyde Resin with Cr(III), Mn(II), Fe(III), Co(II), Ni(II), Cu(II), and Zn(II) Metal Ions, 928
Nishijima, S. See Yamanaka, A., 2196; Yamanaka, A., 5007
Nita, L. E.
—; Chiriac, A. P.; Neamtu, I.; Vasile, C.: Magnetic Composites Obtainment Based on Styrene Polymers, 4133
—; Chiriac, A. P.; Vasile, C.: Possibilities of Collagen Adsorption on Some Polymeric Matrices Based on Styrene Copolymers, 3554
Niwa, M.
—; Nagaoka, S.; Kawakami, H.: Preparation of Novel Fluorinated Block Copolyimide Membranes for Gas Separation, 2436
Nodera, A.
—; Kanai, T.: Flame Retardancy of a Polycarbonate–Polydimethylsiloxane Block Copolymer: The Effect of the Dimethylsiloxane Block Size, 565
Noordermeer, J. W. M. See Huntink, N. M., 853; Naskar, K., 3877
Novak, A.
—; Bobak, M.; Kosek, J.; Banaszak, B. J.; Lo, D.; Widya, T.; Ray, W. H.; de Pablo, J. J.: Ethylene and 1-Hexene Sorption in LLDPE under Typical Gas-Phase Reactor Conditions: Experiments, 1124
Novák, I.
—; Krupa, I.; Luyt, A. S.: Modification of the Polarity and Adhesive Properties of Polyolefins Through Blending with Maleic Anhydride Grafted Fischer–Tropsch Paraffin Wax, 3069
Novikov, M. B. See Feldstein, M. M., 522

Ochi, K. See Ishizu, K., 3342
Oforka, N. C. See Ebenso, E. E., 2889
Ogan, A. See Kahraman, M. V., 4757
Ogata, N. See Nakane, K., 4320
Ogawa, T.
—; Baba, S.; Fujii, Y.: Improvement of Bond Strength of BPDA-PDA-Type Polyimide Film by Corona Discharge Treatment, 3405
Ogunniyi, D. S. See Lim, K. L. K., 3931
Oh, T.-k.
—; Hassan, M.; Beatty, C.; El-Shall, H.: The Effect of Shear Forces on the Microstructure and Mechanical Properties of Epoxy–Clay Nanocomposites, 3465
Ohi, K. See Tada, Y., 495
Ohkita, T.
—; Lee, S.-H.: Thermal Degradation and Biodegradability of Poly (lactic acid)/Corn Starch Biocomposites, 3009
Okieimen, F. E. See Bakare, I. O., 3748
—; Imanah, J. E.: Studies in the Utilization of Agricultural Waste Products as Filler in Natural Rubber Compounds, 2561
Öksüz, M.
—; Yıldırım, H.; Erturan, S.: Microstructure and Wear Properties of Plasma-Sprayed Aluminum–Silicon–Polyester Coatings, 3609
Okubayashi, S. See Zhang, W., 1176
Olejnik, M. See Mikołajczyk, T., 3325
Olkhov, Y. A. See Jurkowska, B., 390
Oohazama, T. See Yamanaka, A., 5007
Oommen, Z. See Joseph, S., 2521
Orench, I. P.
—; Calleja, F. J. B.; Hine, P. J.; Ward, I. M.: A Microindentation Study of Polyethylene Composites Produced by Hot Compaction, 1659
O'Shea, M. S. See Forsythe, J. S., 3646
Oshima, K. See Liu, C., 1881
Otaigbe, J. U. See Yudin, V. E., 478
Othman, Z. See Badri, K. H., 1759
Özbey, T. See Aydin, E., 2937; Özgür, E. E., 2942
Özçifçi, A. See Uysal, B., 3943
Özdemir, A. K. See Boztuğ, A., 363
Özgümüs, S. See Deligöz, H., 810
Özgür, E. E. See Aydin, E., 2937
—; Aydin, E.; Özbey, T.; İrkeç, M.; Bozkurt, B.; Kaptan, H. Y.: Investigation of Liquid Diffusion into Contact Lenses Using an Electron Spin Resonance Technique, 2942

Paciorek-Sadowska, J. See Czupryński, B., 2020
Pakarinen, P. See Heikkinen, S., 937
Pakkanen, T. T. See Heikkinen, S., 937; Turunen, J. P. J., 4632
Pakula, T. See Prasath, R. A., 1720
Pal, A. See Das, M., 238
Palatzoglou, P. See Bikiaris, D. N., 2684
Pan, Y.
—; Zheng, A.; Hu, F.; Xiao, H.: Copolymers of Styrene with a Quaternary Europium Complex, 1506
Panayiotou, C. See Tserki, V., 4703
Pandey, K. N. See Kumar, E. S., 3904
Pandey, P. K. See Behari, K., 4819
Pang, M. See Li, J., 671
Pang, X. See Lu, S., 684
Panthapulakkal, S.
—; Law, S.; Sain, M.: Effect of Water Absorption, Freezing and Thawing, and Photo-Aging on Flexural Properties of Extruded HDPE/Rice Husk Composites, 3619
Papageorgiou, G. Z. See Bikiaris, D. N., 2684
Paril, A. See Akyüz, A., 3822
Park, B.-D.
—; Kang, E.-C.; Park, J. Y.: Differential Scanning Calorimetry of Urea–Formaldehyde Adhesive Resins, Synthesized under Different pH Conditions, 422
Park, D. K.
—; Jang, H.; Ahn, N.: Development of Bond Strength Model for FRP Plates Using Back-Propagation Algorithm, 5119
Park, E. K. See Lee, S. B., 4439
Park, H.-R. See Yoon, S.-D., 2554; Yoon, S.-D., 3733
Park, J.-G. See Jun, J.-B., 3801; Jung, M.-O., 1349
Park, J.-H. See Joo, S.-H., 299
Park, J. Y. See Park, B.-D., 422
Park, M.-H.
—; Jang, W.; Yang, S.-J.; Shul, Y.; Han, H.: Synthesis and Characterization of New Functional Poly(urethane-imide) Crosslinked Networks, 113
Park, P. I. P.
—; Jonnalagadda, S.: Predictors of Glass Transition in the Biodegradable Poly-lactide and Poly-lactide-*co*-glycolide Polymers, 1983
Park, S.-W. See Kim, M.-R., 4811
Park, W. H. See Han, S. O., 4972
Parkpian, P. See Nazhad, M., 3193
Parra, D. F.
—; Mucciolo, A.; Duarte, D. G.; Brito, H. F.; Lugão, A. B.: Characterization and Photoluminescence Properties of Diglycidyl Methacrylic Resin Doped with the Eu^{3+}–β-Diketonate Complex, 406
Parsania, P. H. See Mehta, N. M., 1754
Parvatikar, N.
—; Prasad, M. V. N. A.: Frequency-Dependent Conductivity and Dielectric Permittivity of Polyaniline/CeO_2 Composites, 1403
Pascault, J. P. See Soulé, E. R., 1742
Pasch, H. See Lei, H., 3075
Patel, J. N.
—; Dolia, M. B.; Patel, M. B.; Patel, R. M.: 4-Chloro-3-methylphenyl Methacrylate Copolymers with 2,4-Dichlorophenyl Methacrylate: Synthesis, Characterization, and Antimicrobial Activity, 439
Patel, M. B. See Patel, J. N., 439
Patel, R. M. See Patel, J. N., 439
Pathak, S. See Kanwar, S. S., 4636
—; Srivastava, A. K.: Interpenetrating Polymer Networks of Poly(butyl methacrylate) and Poly(α-terpineol-*co*-styrene): Synthesis and Characterization, 343
Pathak, S. K. See Rao, B. S., 3956
Patzlaff, M.
—; Wittebrock, A.; Reichert, K.-H.: Sorption Studies of Propylene in Polypropylene. Diffusivity in Polymer Particles Formed by Different Polymerization Processes, 2642
Pavithran, C. See Bakare, I. O., 3748
Pavlidou, E. See Bikiaris, D. N., 2684
Pehk, T. See Christjanson, P., 1673
Pekcan, Ö. See Uğur, Ş., 2104
Peltonen, S. See Gädda, T., 1633
Peña, C.
—; Larrañaga, M.; Gabilondo, N.; Tejado, A.; Echeverria, J. M.; Mondragon, I.: Synthesis and Characterization of Phenolic Novolacs Modified by Chestnut and Mimosa Tannin Extracts, 4412
Peñas, F. J. See Romo, A., 3395
Penco, M. See Sartore, L., 4654
Penczek, P. See Wardzińska, E., 4066
Peng, Q. See Hou, Z., 4280; Li, J., 671; Xu, Q., 2901; Zhang, X., 2705
—; Xu, Q.; Sun, D.; Shao, Z.: Grafting of Methyl Methacrylate onto *Antheraea pernyi* Silk Fiber with the Assistance of Supercritical CO_2, 1299
Peng, W. See Jing, S., 2244
Penlidis, A. See Khesareh, R., 843
Pereira, E. See Rivas, B. L., 2380
Pérez-Lepe, A.
—; Martínez-Boza, F. J.; Attané, P.; Gallegos, C.: Destabilization Mechanism of Polyethylene-Modified Bitumen, 260
Pesetskii, S. S. See Jurkowska, B., 390
Phewthongin, N.
—; Saeoui, P.; Sirisinha, C.: Rheological Behavior of CPE/NR Blends Filled with Precipitated Silica, 2565
Pichelin, F. See Wieland, S., 1624
Piekarczyk, I. See 2881; Mikołajczyk, T.
Pilarski, J. M.
—; Matuana, L. M.: Durability of Wood Flour-Plastic Composites Exposed to Accelerated Freeze–Thaw Cycling. II. High Density Polyethylene Matrix, 35
Pillai, C. K. S. See Bakare, I. O., 3748
Pinchuk, L. S. See Jurkowska, B., 390
Pizarro, G. d. C. See Jeria-Orell, M., 1735
Pizzi, A. See Despres, A., 1406; Lei, H., 3075; Lei, H., 4842; Wieland, S., 1624
Pleul, D. See Nagel, J., 2992
Plieva, F. M.
—; Karlsson, M.; Aguilar, M.-R.; Gomez, D.; Mikhalovsky, S.; Galaev, I. Y.; Mattiasson, B.: Pore Structure of Macroporous Monolithic Cryogels Prepared from Poly(vinyl alcohol), 1057
Pompe, G.
—; Bräuer, M.; Schweikle, D.; Nagel, J.; Hupfer, B.; Lehmann, D.: Influence of the Temperature Profile in the Interface on the Bond Strength of Polyamide–Polyurethane Two-Component Tensile Bars, 4297
Ponrathnam, S. See Shaikh, V. A. E., 73; Shaikh, V. A. E., 1995
Pooley, S. A. See Rivas, B. L., 2380
Poon, B. C. See Stephens, C. H., 1651
Popa, V. I. See Ciolacu, D., 105
Pospiech, D. See Gahleitner, M., 283
Potiyaraj, P. See Chuayjuljit, S., 3948
Pourhossaini, M. R.
—; Vasheghani-Farahani, E.; Gholamian, Maryam; Gholamian, Mahmood: Dynamic Modeling and Experimental Evaluation of

Olefin Copolymerization with Vanadium-Based Catalysts, 3101
Poussard, L.
—; Burel, F.; Couvercelle, J.-P.; Loutelier-Bourhis, C.; Bunel, C.: Synthesis of New Anionic HTPB-Based Polyurethane Elastomers: Aqueous Dispersion and Physical Properties, 3314
Prachayawarakorn, J.
—; Kryratsamee, W.: Dyeing Properties of *Bombyx mori* Silks Grafted with Methyl Methacrylate and Methacrylamide, 1169
Prasad, M. V. N. A. See Parvatikar, N., 1403
Prasassarakich, P. See Arayapranee, W, 2867; Hinchiranan, N., 4219; Hinchiranan, N., 4499; Mahittikul, A., 640
Prasath, R. A.
—; Nanjundan, S.; Pakula, T.; Klapper, M.: Synthesis and Characterization of Poly(urethane-ester)s Based on Calcium Salt of Mono(hydroxybutyl)phthalate, 1720
Puentes, J. See Rivas, B. L., 2380
Pukanzsky, B. See Lim, K. L. K., 3931
Pukkate, N. See Sakdapipanich, J., 413
Pulat, M.
—; Isakoca, C.: Chemically Induced Graft Copolymerization of Vinyl Monomers onto Cotton Fibers, 2343
Punyodom, W.
—; Jones, R. A.; Ward, I. M.; Johnson, A. F.: Radiation-Induced Crosslinking of Acetylene-Impregnated Polyesters. II. Effects of Preirradiation Crystallinity, Molecular Structure, and Postirradiation Crosslinking on Mechanical Properties, 4476
Pyun, D. G. See Cha, G. C., 2750

Qi, G. R. See Zhang, X. H., 3483
Qian, H.-L. See Wang, P.-Y., 1277; Zhang, B.-L., 4114
Qian, J. W. See Xiang, X. J., 4333
Qian, X. Q. See Xiang, X. J., 4333
Qiao, J. See Zhang, L., 3673
Qiao, W. See Xie, Y., 4004
Qin, A. See Feng, L., 923
Qin, J. See Zhang, J., 3855
Qin, Y.
—; The Characterization of Alginate Wound Dressings with Different Fiber and Textile Structures, 2516
Qing, F.-L. See Jiang, W.-C., 4561
Qiu, G. See Xia, H., 3123
Qu, J.
—; Zeng, G.; Feng, Y.; Jin, G.; He, H.; Cao, X.: Effect of Screw Axial Vibration on Polymer Melting Process in Single-Screw Extruders, 3860
Qu, R. See Hou, C., 3374; Ji, C., 5034; Sun, C., 4581
Quental, A. C.
—; Felisberti, M. I.: Morphology and Mechanical Properties of Blends of Linear Low Density Polyethylene and Poly(ethene-propene-1-butene), 1255

R. G. See Kanwar, S. S., 4252
Rabecki, F.
—; Henrist, M.; Wildéria, D.; Cuenca, F. G.: Shearing of Drag-Reducing Polymers with Ultrasonic Methods in Fuel-Oil Pipelines: A Feasibility Study, 4723
Rager, T.
—; Structured Radiation-Grafted Polymer Films and Membranes, 292
Raghavan, D. See Gu, X., 726
Raghu, A. V.
—; Gadaginamath, G. S.; Mallikarjuna, N. N.; Aminabhavi, T. M.: Synthesis and Characterization of Novel Polyureas Based on Benzimidazoline-2-one and Benzimidazoline-2-thione Hard Segments, 576
Raghu, H. See Bose, S., 4074
Raj, B. See Matche, R. S., 3063
Rajan, C. R. See Shaikh, V. A. E., 73; Shaikh, V. A. E., 1995
Rajan, M. A. J.
—; Mathavan, T.; Vivekanandam, T. S.; Umapathy, S.: The Measurement of Thermal Diffusivity in Poly(methyl acrylate) by Photoacoustic Technique, 3756
Raju, K. V. S. N. See Narayan, R., 2422
Ramamurthi, V. See Mylswamy, S., 3174
Ramelow, G. J. See Ramelow, U. S., 5087
Ramelow, U. S.
—; Braganza, S. N.; Ramelow, G. J.; Darbeau, R. W.: Relaxation Time, Activation Energy, and Reaction Pathway Determination of the Poly(ethylene glycol dimethacrylate)–Dopant (I_2) Interaction with the Nuclear Magnetic Resonance Technique, 5087
Ramesh, P. See Sailaja, G. S., 4716
Ramírez-Vargas, E.
—; Sandoval-Arellano, Z.; Hernández-Valdez, J. S.; Martínez-Colunga, J. G.; Sánchez-Valdés, S.: Compatibility of HDPE/Postconsumer HDPE Blends Using Compatibilizing Agents, 3696
Ramis, X. See Cadenato, A., 3446
Rane, S. See Malshe, V. C., 2649
Ranganathaiah, C. See Ravikumar, H. B., 740
Rao, B. S.
—; Pathak, S. K.: Thermal and Viscoelastic Properties of Sequentially Polymerized Networks Composed of Benzoxazine, Epoxy, and Phenalkamine Curing Agents, 3956
Rao, K. S. V. K. See Adoor, S. G., 2415
Rao, V. L. See Saxena, A., 3536
Ratanakamnuan, U.
—; Aht-Ong, D.: Photobiodegradation of Low-Density Polyethylene/Banana Starch Films, 2725
—; Aht-Ong, D.: Preparation and Characterization of Low-Density Polyethylene/Banana Starch Films Containing Compatibilizer and Photosensitizer, 2717
Ravikumar, H. B.
—; Ranganathaiah, C.; Kumaraswamy, G. N.; Urs, M. V. D.; Jagannath, J. H.; Bawa, A. S.; Thomas, S.: Differential Scanning Calorimetric and Free Volume Study of Reactive Compatibilization by EPM-g-MA of Poly(trimethylene terephthalate)/EPDM Blends, 740
Rawat, G. S. See Kanwar, S. S., 1420
Ray, B. C.
—; Effect of Thermal Shock on Interlaminar Strength of Thermally Aged Glass Fiber-Reinforced Epoxy Composites, 2062
—; Loading Rate Effects on Mechanical Properties of Polymer Composites at Ultralow Temperatures, 2289
Ray, W. H. See Novak, A., 1124

Reb, A. See Alt, H. G., 734
Recca, A. See Blanco, I., 4880
Reichelt, N. See Gahleitner, M., 283
Reichert, K.-H. See Patzlaff, M., 2642
Remiro, P. M. See Tercjak, A., 2348
Rempel, G. L. See Arayapranee, W, 2867; Hinchiranan, N., 4219; Hinchiranan, N., 4499; Mahittikul, A., 640
Retulainen, E. See Nazhad, M., 3193
Revagade, N. See Gupta, B., 1239
Riaz, U. See Ashraf, S. M., 3094
Ribeiro, T. A. A. See Thiré, R. M. S. M., 4338
Ribes-Greus, A. See Cadenato, A., 3446
Ricco, L. See Baldi, F., 3411
Riccò, T. See Baldi, F., 3411
Richards, W. D. See Chisholm, B. J., 4762
Rintoul, L. See Kaba, M., 3579
Riquet, A. M. See Anjum, N., 546
Ritter, H. See Ciolacu, D., 105
Rivas, B. L. See del C. Pizarro, G., 178
—; Pooley, S. A.; Brovelli, F.; Pereira, E.; Basaez, L.; Puentes, J.; Moutet, J.-C.; Saint-Aman, E.: Synthesis and Properties of Styrene Copolymers. Preparation of Film-Modified Electrodes to Detect Pb^{2+} Ions, 2380
Robiani, S. See Gallot-lavallée, O., 1899
Rodriguez, E.
—; Larrañaga, M.; Mondragón, I.; Vázquez, A.: Relationship Between the Network Morphology and Properties of Commercial Vinyl Ester Resins, 3895
Rodríguez, S. See Linares, A., 3474
Rodríguez-Núñez, E. See Fraga, F., 3297
Romo, A.
—; Peñas, F. J.; Sevillano, X.; Isasi, J. R.: Application of Factorial Experimental Design to the Study of the Suspension Polymerization of β-Cyclodextrin and Epichlorohydrin, 3395
Rong, L.
—; Feng, G.: Dyeing Properties of PECH-Amine Cationized Cotton with Acid Dyes, 3302
Roos, A. See Feldstein, M. M., 522
Rosso, P.
—; Ye, L.; Friedrich, K.; Sprenger, S.: A Toughened Epoxy Resin by Silica Nanoparticle Reinforcement, 1849
Roth, S. See Feller, J. F., 3280
Rous, M. A. See Manian, A. P., 3596
Row, T. N. G. See Siddaramaiah, 2781
Rowe, S. See Gallot-lavallée, O., 1899
Rui, Z.
—; Tianwei, T.: Preparation of Copolymer of L-Aspartic Acid and L-Glutamic Acid, 3626
Rupinski, S. See Brzozowski, Z. K., 3850
Ryu, J.-H. See Jun, J.-B., 3801; Jung, M.-O., 1349
Rzaev, Z. M. O. See Can, H. K., 3425; Denizli, B. K., 2455; Kavlak, S., 3926

Saari, T. See Heikkinen, S., 937
Sabey, C. J. See Moniruzzaman, M., 1103
Sadek, O. M.
—; Mekhemer, W. K.; Assaad, F. F.; Mostafa, B. A.: Adsorption of Poly (4-Sodium Styrene Sulfonate) on Kaolinite Clays, 1712
—; Mekhemer, W. K.; Assaad, F. F.; Mostafa, B. A.: Electrokinetic Potential of Kaolinite Clay in the Presence of Polystyrene Sulfonate, 1705
Sadhana, R. See Devasia, R., 3055
Sadighi, A. See Montazer, M., 5049
Sadjady, S. See Ghaemy, M., 2634
Sadooghi, P.
—; Aghanajafi, C.: Finite Difference Solution for a Transient Temperature Distribution in an Advanced Polymer Fiber, 4181
Saeoui, P. See Phewthongin, N., 2565
Sahaldin, F. H. See Badri, K. H., 1759
Sailaja, G. S.
—; Ramesh, P.; Varma, H. K.: Swelling Behavior of Hydroxyapatite-Filled Chitosan–Poly(acrylic acid) Polyelectrolyte Complexes, 4716
Sailaja, R. R. N.
—; Studies on LDPE—Cyanoethylated Lignocellulosics Blends Using Epoxy Functionalized LDPE as Compatibilizer, 219
Sain, M. See Panthapulakkal, S., 3619
Saint-Aman, E. See Rivas, B. L., 2380
Sakdapipanich, J.
—; Kowitteerawut, T.; Tuampoemsab, S.; Kawahara, S.: Structural Characterization of Sulfur Vulcanized Deproteinized Natural Rubber by Solid-State ^{13}C NMR Spectroscopy, 1875
—; Thananusont, N.; Pukkate, N.: Synthesis of Acrylate Polymers by a Novel Emulsion Polymerization for Adhesive Applications, 413
Salam, M. A. See Mondal, M. I. H., 4393
Salemane, M. G.
—; Luyt, A. S.: Thermal and Mechanical Properties of Polypropylene–Wood Powder Composites, 4173
Salla, J. M. See Cadenato, A., 3446
Sánchez-Valdés, S. See López-Quintanilla, M. L., 4748; Ramírez-Vargas, E., 3696
Sandoval-Arellano, Z. See Ramírez-Vargas, E., 3696
Sangappa. See Jain, A., 4910
Sankir, M.
—; Bhanu, V. A.; Harrison, W. L.; Ghassemi, H.; Wiles, K. B.; Glass, T. E.; Brink, A. E.; Brink, M. H.; McGrath, J. E.: Synthesis and Characterization of 3,3′-Disulfonated-4,4′-dichlorodiphenyl Sulfone (SDCDPS) Monomer for Proton Exchange Membranes (PEM) in Fuel Cell Applications, 4595
Şanlı, O. See Asman, G.; Asman, G., 2030
Sanopoulou, M. See Dimos, V., 2278
Sarazin, P.
—; Virgilio, N.; Favis, B. D.: Influence of the Porous Morphology on the *In Vitro* Degradation and Mechanical Properties of Poly(L-lactide) Disks, 1039
Sarkar, S. A. P. A. See Chanda, M., 2604
Sartore, L.
—; Penco, M.; Sciucca, S. D.; Mendichi, R.; Landro, L. D.; D'Antone, S.: PPO–PC Block-Copolymers Used as Compatibilizers in PS/PC Blends, 4654
Sasazawa, K. See Sawada, H., 1328
Sastry, T. P. See Boopalan, U. V. K., 318
Sato, M. S. T. See Hirano, T., 664
Sawada, H.
—; Furukuwa, R.; Sasazawa, K.; Toriba, K.-i.; Ueno, K.; Hamazaki, K.: Reactions of Copper Ions With Amines in the Presence of Self-Assembled Fluorinated Oligomeric Aggregates, 1328
Saxena, A.
—; Francis, B.; Rao, V. L.; Ninan, K. N.: Epoxy-*tert*-butyl Poly(cyanoarylene ether) Blends: Phase Morphology, Fracture

Toughness, and Mechanical Properties, 3536
Saxena, S. See Bajpai, S. K., 2975
Sayilkan, F. See Uyanik, M., 2386
Sayilkan, H. See Uyanik, M., 2386
Scheidler, D. See Nagel, J., 2992
Schmidt, H. See Uyanik, M., 2386
Schmidt, W. F. See Barone, J. R., 1432
Schroeder, W. F.
—; Yáñez, M. J.; Aranguren, M. I.; Borrajo, J.: PMMA-Modified Divinylester/Styrene Resins: Phase Diagrams and Morphologies, 4539
Schue, F. See Kaba, M., 3579
Schuster, K. C. See Manian, A. P., 3596
Schweikle, D. See Pompe, G., 4297
Sciucca, S. D. See Sartore, L., 4654
Sclavons, M. See Iguerb, O., 1184
Séguéla, R. See Cayer-Barrioz, J., 989
Seidler, S. See Kotter, I., 3366
Sekhar, K. See Setua, D. K., 677
Şenel, S. See Akgöl, S., 5056
—; Kara, A.; Karabakan, A.; Denizli, A.: Alanine Containing Porous Beads for Mercury Removal from Artificial Solutions, 1222
Seo, M.-S. See Jun, J.-B., 3801
Seppälä, J. See Gädda, T., 1633
Serizawa, S.
—; Inoue, K.; Iji, M.: Kenaf-Fiber-Reinforced Poly(lactic acid) Used for Electronic Products, 618
Serrano, E. See Tercjak, A., 2348
Setua, D. K.
—; Gupta, Y. N.; Kumar, S.; Awasthi, R.; Mall, A.; Sekhar, K.: Determination of Dynamic Mechanical Properties of Engineering Thermoplastics at Wide Frequency Range using Havriliak–Negami Model, 677
Sevillano, X. See Romo, A., 3395
Shaikh, V. A. E.
—; Maldar, N. N.; Lonikar, S. V.; Rajan, C. R.; Ponrathnam, S.: Thermotropic Behavior of Lithocholic Acid Derivative Linked Hydroxyethyl Cellulose, 1995
—; Ubale, V. P.; Maldar, N. N.; Lonikar, S. V.; Rajan, C. R.; Ponrathnam, S.: Main-Chain Liquid Crystalline Poly(ester-amide)s Containing Lithocholic Acid Units, 73
Shailaja, D. See Sivudu, K. S., 3439
Shan, G.-R. See Wu, J.-Y., 2838; Wu, J.-Y., 4399
Shanks, R. A. See Wu, S., 4348
Shao, G. See Zhang, J., 3855
Shao, H.-L. See Li, X-G., 3562
Shao, Z. See Peng, Q., 1299
Sharif, J.
—; Wan Yunus, W. M. Z.; Dahlan, K. H.; Ahmad, M. H.: Natural Rubber/Poly(ethylene-*co*-vinyl acetate)-Blend Based Nanocomposites, 353
Sharifi-Sanjani, N. See Soltan-Dehghan, M., 2409
Sharma, H. O. See Ashraf, S. M., 3094
Sharma, M. See Bajpai, A. K., 599
Sharmin, E. See Ahmad, S., 4981
Shastry, V.
—; Garcia-Rubio, L. H.: Identification of Nucleation Loci in Emulsion Polymerization Porcesses. II. A Systematic Study of Liquid–Liquid Emulsions, 2858
—; Garcia-Rubio, L. H.: Identification of Nucleation Loci in Emulsion Polymerization Processes. I. New Information from Spectroscopy Studies, 2847
Shau, M.-D. See Tsai, P.-F., 1
Shawky, H. A.
—; El-Sayed, M. H.; Ali, A. E.-H.; Mottaleb, M. S. A.: Treatment of Polluted Water Resources Using Reactive Polymeric Hydrogel, 3966
Shen, J. See Xie, H., 295
Shen, Q.-D. See Gu, Z., 2930
Shen, X. See Xiao, Y., 4835
Shen, Z. See Zheng, P., 1289
Sheng, J. See Ma, G.-Q., 4900
Sheu, D.-C. See Chen, K.-S., 803
Shi, J. See Zhang, Y., 4782
Shi, M. See Xiao, H., 2659
Shi, X.
—; Du, Y.; Sun, L.; Zhang, B.; Dou, A.: Polyelectrolyte Complex Beads Composed of Water-Soluble Chitosan/Alginate: Characterization and Their Protein Release Behavior, 4614
—; Du, Y.; Yang, J.; Zhang, B.; Sun, L.: Effect of Degree of Substitution and Molecular Weight of Carboxymethyl Chitosan Nanoparticles on Doxorubicin Delivery, 4689
Shi, Y. See Tian, Y., 1013
Shibata, S.
—; Cao, Y.; Fukumoto, I.: Study of the Flexural Modulus of Natural Fiber/Polypropylene Composites by Injection Molding, 911
Shieu, F.-S. See Huang, C.-J., 1457
Shih, C. K. See Su, C. C., 3840
Shimada, M. See Arakawa, M., 4273
Shimomura, M. See Liu, C., 1881
Shin, Y.
—; Son, K.; Yoo, D. I.; Hudson, S.; McCord, M.; Matthews, S.; Whang, Y.-J.: Functional Finishing of Nonwoven Fabrics. I. Accessibility of Surface Modified PET Spunbond by Atmospheric Pressure He/O_2 Plasma Treatment, 4306
Shinbo, T. See Iwatsubo, T., 1465
Shinde, P. H. See Goje, A. S., 2504
Shivakumar, K. See Chowdhury, R., 1008
Shlyapnikov, Y. A.
—; Kolesnikova, N. N.: Physical Chemistry of Topological Disorder in Polymers: Some Remarks on Polymer Memory, 4208
Shojaei, A.
—; Abbasi, F.: Cure Kinetics of a Polymer-Based Composite Friction Material, 9
Shrikhande, P.
—; Kohler, W. H.; McHugh, A. J.: A Modified Model and Algorithm for Flow-Enhanced Crystallization—Application to Fiber Spinning, 3240
Shu, J. See Yang, Z., 3018
Shuai, X. See Sutton, D., 89
Shukla, S. K.
—; Srivastava, D.: Blends of Modified Epoxy Resin and Carboxyl-Terminated Polybutadiene. I, 1802
Shukla, S. R.
—; Harad, A. M.; Mahato, D.: Depolymerization of Nylon 6 Waste Fibers, 186
Shul, Y. See Park, M.-H., 113
Siddaramaiah
—; Guruprasad, K. H.; Nagaralli, R. T.; Somashekarappa, H.; Row, T. N. G.; Somashekar, R.: Physicomechanical, Optical, Barrier, and Wide Angle X-ray Scattering Studies of Filled Low Density Polyethylene Films, 2781
Siimer, K. See Christjanson, P., 1673
Sikora, A. See Fortelný, I., 2803
Silva, J. B. A. Jr.
—; de Paula, R. C. M.; Feitosa, J. P. A.; Gurgel-Filho, E. D.; Maniglia-Ferreira, C.; de Souza Filho, F. J.: In Vivo Aging of Gutta-Percha Dental Cone, 4082
Silvestre, A. J. D. See Freire, C. S. R., 1093
Simeonov, N.
—; Todorova, S.: Possibility for the Light Stabilization of

Polycaproamide for Fiber Production, 4921
Šimkovic, I.
—; Csomorová, K.: Thermogravimetric Analysis of Agricultural Residues: Oxygen Effect And Environmental Impact, 1318
Simunovic, S. See Jacob, G. C., 695
Singh, A.
—; Lal, D.: Effect of Reaction Parameters on the Particle Sizes of Crosslinked Spherical Phenolic Beads by Suspension Polymerization of Phenol and Formaldehyde, 2323
Singh, B. See Chauhan, G. S., 1522; Maharana, T., 3229
Singh, P. K.
—; Brar, A. S.: Synthesis and Characterization of *N*-Acryloylcarbazole/Methyl Methacrylate Copolymers, 2667
Singhaboonponp, T. See Kittinaovarat, S., 1372
Sirisinha, C. See Phewthongin, N., 2565
Sivudu, K. S.
—; Shailaja, D.: Preparation and Characterization of Ceria Nanoparticles Supported on Poly(4-vinyl pyridine-*co*-divinyl benzene), 3439
Sjöberg, J. See Hartman, J., 2985
Šlouf, M. See Fortelný, I., 2803
Snape, C. E. See Denecker, C., 3024
Soares, B. G. See Moreira, V. X., 4059
Sohn, B.-H. See Kim, C.-G., 307
Sokker, H. H.
—; Ghaffar, A. M. A.; Nada, A. M. A.: Synthesis and Characterization of Radiation Grafted Copolymer for Removal of Nonionic Organic Contaminants, 3589
Soloveichik, S. See Chisholm, B. J., 4762
Solovyov, S. E.
—; Goldman, A. Y.: Optimized Design of Multilayer Barrier Films Incorporating a Reactive Layer. I. Methodology of Ingress Analysis, 1940
—; Goldman, A. Y.: Optimized Design of Multilayer Barrier Films Incorporating a Reactive Layer. II. Solute Dynamics in Two-Layer Films, 1952
—; Goldman, A. Y.: Optimized Design of Multilayer Barrier Films Incorporating a Reactive Layer. III. Case Analysis and Generalized Multilayer Solutions, 1966
Şolpan, D.
—; Torun, M.: Synthesis and Characterization of Sodium Alginate/Acrylamide Semi-Interpenetrating Polymer Networks, 335
Soltan-Dehghan, M.
—; Sharifi-Sanjani, N.; Naderi, N.: Preparation of Polystyrene/Poly(vinyl acetate) Nanocomposites with a Core–Shell Structure via Emulsifier-Free Emulsion Polymerization, 2409
Somashekar, R. See Jain, A., 4910; Siddaramaiah, 2781
Somashekarappa, H. See Siddaramaiah, 2781
Sombatsompop, N.
—; Kumnuantip, C.: Comparison of Physical and Mechanical Properties of NR/Carbon Black/Reclaimed Rubber Blends Vulcanized by Conventional Thermal and Microwave Irradiation Methods, 5039
Son, J. S.
—; Ji, D. S.: Synthesis and Hydrophilicity of Poly(butylene 2,6-naphthalate)/Poly(ethylene glycol) Copolymers, 2677
Son, K. See Shin, Y., 4306
Sonawane, S. See Mishra, S., 4190
Song, J. S. See Cha, G. C., 2750
Song, K.-W. See Im, J.-S., 2053
Song, M. See Guo, T., 1824
Song, N. See Dai, Z., 2126
Song, Y. S. See Kang, Y.-O., 1809
Soppimath, K. S.
—; Aminabhavi, T. M.; Agnihotri, S. A.; Mallikarjuna, N. N.; Kulkarni, P. V.: Effect of Coexcipients on Drug Release and Floating Property of Nifedipine Hollow Microspheres: A Novel Gastro Retentive Drug Delivery System, 486
Soria, V.
—; Gomez, C. M.; Falo, M.; Abad, C.; Campos, A.: Relative Strength of H-Bonding Groups on Biodegradable Polymer-Based Blends in Solution, 900
Soulé, E. R.
—; Fine, T.; Borrajo, J.; Williams, R. J. J.; Pascault, J. P.: Phase Diagrams of Blends of Poly(phenylene ether), Polystyrene, and Diglycidyl Ether of Bisphenol A: Influence of the Molar Mass of Poly(phenylene ether), 1742
Sprenger, S. See Rosso, P., 1849
Spruiell, J. E. See Lewis, C. L., 2592
Sreedhar, B.
—; Chattopadhyay, D. K.; Swapna, V.: Thermal and Surface Characterization of Polyurethane–Urea Clay Nanocomposite Coatings, 2393
Sridach, W. See Nazhad, M., 3193
Sridhar, V.
—; Chaudhary, R. N. P.; Tripathy, D. K.: Effect of Fillers on the Relaxation Behavior of Chlorobutyl Vulcanizates, 3161
Srinivasan, M. P. See Xia, J., 3000
Srivastava, A. See Banerjee, J., 26
—; Behari, K.: Synthesis and Characterization of Graft Copolymer (Guar Gum-*g*-*N*-vinyl-2-pyrrolidone) and Investigation of Metal Ion Sorption and Swelling Behavior, 2480
Srivastava, A. K. See Pathak, S., 343
Srivastava, D. See Shukla, S. K., 1802
Srivastava, J.
—; Srivastava, J. N.; Alam, S.; Mathur, G. N.: Quantification of Response Time in Poly(Vinyl Alcohol)–Metal Complex Thermochromic Polymeric Systems, 4832
Srivastava, J. N. See Srivastava, J., 4832
Starbuck, J. M. See Jacob, G. C., 695
Stark, N. M.
—; Effect of Weathering Cycle and Manufacturing Method on Performance of Wood Flour and High-Density Polyethylene Composites, 3131
Staszczak, S. K. See Brzozowski, Z. K., 3850
Stephens, C. H.
—; Poon, B. C.; Ansems, P.; Chum, S. P.; Hiltner, A.; Baer, E.: Comparison of Propylene/Ethylene Copolymers Prepared with Different Catalysts, 1651
Su, C. C.
—; Shih, C. K.: Miscibility and Transesterification in Ternary Blends of Poly(ethylene naphthalate)/Poly(pentamethylene terephthalate)/Poly(ether imide), 3840
Su, F.-K.
—; Hong, J.-L.; Liao, G.-F.; Lin, L.-L.; Hwang, G.-L.; Day, T.-C.:

Photoluminescent Carbon Nanocapsule/Polycyanate Composites with Hydrogen Bond Interactions, 3784
Su, Z. See Liu, P., 3433
Suen, M.-C.
—; Chen, C.-C.: Thermal and Structural Characterization of Quasi-Nanometer Zirconium Carbon/Polyurethane Composites Prepared Under Roller Pressure, 191
Sugino, H. See Morita, Y., 962; Morita, Y., 2010
Sugioka, K. See Wochnowski, C., 1229
Suh, K.-D. See Jung, M.-O., 1349
Sui, G. See Wang, J. D., 4697
Sukata, K. See Arakawa, M., 4273
Sultan, B.-Å. See Hermansson, A., 2085
Sumaru, K. See Tada, Y., 495
Sumita, M. See Zhang, C., 3307
Sun, C. See Ji, C., 5034
—; Qu, R.; Wang, Q.; Ji, C.; Wang, C.; Xu, Q.; Fang, X.; Cheng, G.: Synthesis and Characterization of Polystyrene-Supported Glucosamine Resin and Its Adsorption Behavior for Au(III), 4581
Sun, D. See Peng, Q., 1299; Yang, L., 918
Sun, D.-X. See Zhu, Y., 3889
Sun, G. See Wang, B., 3794
Sun, J.
—; Wang, Q.: Effects of Activation Temperature on the Properties and Structure of PAN-Based Activated Carbon Hollow Fiber, 3778
Sun, L. See Shi, X., 4614; Shi, X., 4689
Sun, W. See Zheng, P., 1289
Sun, X. See Li, G., 4575; Ni, X., 879
Sun, Y. See Ji, C., 5034; Luo, J., 3288; Xie, K., 4388
Supaphol, P.
—; Harnsiri, W.: Rheological and Isothermal Crystallization Characteristics of Neat and Calcium Carbonate-Filled Syndiotactic Polypropylene, 4515
Sureshkumar, M. See Namasivayam, C., 1538
Sutton, D.
—; Durand, R.; Shuai, X.; Gao, J.: Poly(D, L-lactide-*co*-glycolide)/Poly(ethylenimine) Blend Matrix System for pH Sensitive Drug Delivery, 89
Suzuki, A. See Ye, J., 1306
Suzuki, H. See Morita, Y., 2010
Suzuki, S. See Manabe, N., 1831
Svetlichnyi, V. M. See Yudin, V. E., 478
Swapna, V. See Sreedhar, B., 2393

Tabasi, R. Y. See Zolfaghari, R., 2096
Tada, Y.
—; Sumaru, K.; Kameda, M.; Ohi, K.; Takagi, T.; Kanamori, T.; Yoshimi, Y.: Development of a Photoresponsive Cell Culture Surface: Regional Enhancement of Living-Cell Adhesion Induced by Local Light Irradiation, 495
Taghizadeh, S. M. See Vezvaie, M., 4369
Taher, N. H. See El-Nahas, H. H., 4491
Taheri, M. See Khonakdar, H. A., 3264
Tajima, S. See Morita, Y., 2010
Tajima, Y. See Kawaguchi, K., 4375
Tajvidi, M. See Najafi, S. K., 3641
Takagi, T. See Tada, Y., 495
Talbot, J. D. R. See Moniruzzaman, M., 1103
Talma, A. See Huntink, N. M., 853
Tam, K. C. See Xiong, X. Y., 4163
Tanaka, M. See Mori, T., 3913
Tang, F. See Jiang, B., 3510
Tang, J.
—; Wang, D.; Wang, Y.; Liu, H.; Wang, X.: Synthesis and Elastomer Behavior of a Novel Polymer Electrolyte of Acrylic Ester–Salt Copolymer, 2796
Tang, T.-T. See Huang, C.-C., 2532; Huang, C.-C., 3816
Tang, Y. See Zhang, L., 3673
Taniguchi, A.
—; Yasuda, K.: Waterproofing of Carbon Paper by Plasma Polymerization, 1748
Tanioka, A. See Danno, T., 3111
Tanodekaew, S.
—; Channasanon, S.; Uppanan, P.: Xylan/Polyvinyl Alcohol Blend and Its Performance as Hydrogel, 1914
Taromi, F. A. See Tizpar, S., 2619
Taşkıran, I.
—; Structural Modification of Expandable Polystyrene. III. Copolymerization with Siloxane-Based Macroinitiator, 4826
Taslima, R. See Khan, M. A., 4361
Tatrishvili, T. See Mukbaniani, O., 2511
Tavares, M. I. B. See Diniz, T. M. F. F., 1492
Taylor, J. E. See Laity, P. R., 779
Teh, P. L.
—; Ishak, Z. A. M.; Hashim, A. S.; Karger-Kocsis, J.; Ishiaku, U. S.: Physical Properties of Natural Rubber/Organoclay Nanocomposites Compatibilized with Epoxidized Natural Rubber, 1083
Tejado, A. See Peña, C., 4412
Terada, T. See Yamanaka, A., 5007
Terano, M. See Manabe, N., 1831; Wang, Q., 1978
Tercjak, A.
—; Serrano, E.; Remiro, P. M.; Mondragon, I.: Viscoelastic Behavior of Thermosetting Epoxy Mixtures Modified with Syndiotactic Polystyrene During Network Formation, 2348
Teyssedre, G. See Gallot-lavallée, O., 1899
Thachil, E. T. See Cherian, A. B., 449; Cherian, A. B., 457
Thananusont, N. See Sakdapipanich, J., 413
Thiré, R. M. S. M.
—; Ribeiro, T. A. A.; Andrade, C. T.: Effect of Starch Addition on Compression-Molded Poly(3-hydroxybutyrate)/Starch Blends, 4338
Thomas, S. See George, J., 2912; Joseph, S., 2521; Moly, K. A., 4526; Ravikumar, H. B., 740
Tian, D.
—; Hu, W.; Zheng, Z.; Liu, H.; Xie, H.-Q.: Study on In Situ Synthesis of Konjac Glucomannan/Silver Nanocomposites via Photochemical Reduction, 1323
Tian, G. See Chen, M., 1889
Tian, M. See Huang, H., 4461; Zhang, L., 3673
Tian, Y.
—; Ding, H.; Shi, Y.; Jiao, Q.; Wang, X.: Water-Assisted Formation of Honeycomb Films of Poly(L-lactic-*co*-glycolic acid), 1013
Tianwei, T. See Rui, Z., 3626
TianzhengDeng. See Huang, S., 4772
Tidjani, A.
—; Wilkie, C. A.: TGA Analysis of γ-Irradiated Linear Low-Density Polyethylene, 2790
Tillekeratne, M.
—; Jollands, M.; Cser, F.; Bhattacharya, S. N.: Role of Mixing Parameters in the Preparation of Poly(ethylene vinyl acetate) Nanocomposites by Melt Blending, 2652

Titvinidze, G. See Mukbaniani, O., 2511
Tiwari, A. N. See Goyal, R. K., 4623
Tizpar, S.
—; Abbasian, M.; Taromi, F. A.; Entezami, A. A.: Grafting of Poly(methyl methacrylate) or Polyacrylonitrile onto Polystyrene Using ATRP Technique, 2619
Tkach, R. See Bobovitch, A. L., 3545
Todorova, S. See Simeonov, N., 4921
Tokuyama, T. See Lee, M., 1344
Toman, L. See Masař, B., 3662
Tong, Z. See Jing, S., 2244
Toppare, L. See Bingöl, B., 1988
Toriba, K.-i. See Sawada, H., 1328
Torre, L.
—; Lelli, G.; Kenny, J. M.: Synthesis and Characterization of sPS/Montmorillonite Nanocomposites, 4957
Torun, M. See Şolpan, D., 335
Touraud, E. See Guibal, E., 3034
Toyoda, K. See Ishizu, K., 772
Tripathy, D. K. See Sridhar, V., 3161
Truss, R. W.
—; Yeow, T. K.: Effect of Exfoliation and Dispersion on the Yield Behavior of Melt-Compounded Polyethylene–Montmorillonite Nanocomposites, 3044
Tsai, B.-H.
—; Lin, C.-H.; Lin, J.-C.: Synthesis and Property Evaluations of Photocrosslinkable Chitosan Derivative and its Photocopolymerization with Poly(ethylene glycol), 1794
Tsai, H.-C. See Yen, M.-S., 2963
Tsai, P.-F.
—; Shau, M.-D.; Chen, G.-F.: Synthesis, Structure, Reactivity, and Thermal Properties of New Biphenylphosphine Oxide Bismaleimide Resins, 1
Tsao, K.-T. See Lee, W.-F., 3653
Tse, M. F.
—; BIMS/Filler Interactions. I. Effects of Filler Structure, 4943
Tseng, K.-S. See Huang, J.-W., 1335
Tserki, V.
—; Matzinos, P.; Zafeiropoulos, N. E.; Panayiotou, C.: Development of Biodegradable Composites with Treated and Compatibilized Lignocellulosic Fibers, 4703
Tso, C. C. See Yu, Y., 4992
Tsutsumi, M. See Yamanaka, A., 2196; Yamanaka, A., 5007
Tuampoemsab, S. See Sakdapipanich, J. T., 1875
Tung, Y.-C. See Kuo, S.-W., 1146
Tuominen, J. See Gädda, T., 1633
Turunen, J. P. J.
—; Pakkanen, T. T.: Suppression of Metallocene Catalyst Leaching by the Removal of Free Trimethylaluminum from Methylaluminoxane, 4632

Ubale, V. P. See Shaikh, V. A. E., 73
Ueberschaer, A.
—; Cagiao, M. E.; Bayer, R. K.; Henning, S.; Calleja, F. J. B.: Micromechanical Properties of Injection-Molded Starch–Wood Particle Composites, 4893
Ueno, K. See Sawada, H., 1328
Uğur, Ş.
—; Pekcan, Ö.: Effects of Annealing on Morphology of Polymer/Polymer (PS/PMMA) Blend; a Fluorescence Study, 2104
Ujar, A. H. See Badri, K. H., 1759
Ulcnik-Krump, M.
—; Study of Morphology Influence on Rheological Properties of Compatibilized TPU/SAN Blends, 2303
Umapathy, S. See Rajan, M. A. J., 3756
Umoren, S. A. See Ebenso, E. E., 2889
Uner, A. H. See Can, H. K., 3425
Unigovski, Y. See Bobovitch, A. L., 3545
Uppanan, P. See Tanodekaew, S., 1914
Urs, M. V. D. See Ravikumar, H. B., 740
Uyanik, M.
—; Arpaç, E.; Schmidt, H.; Akarsu, M.; Sayilkan, F.; Sayilkan, H.: Heat-Resistant Hydrophobic-Oleophobic Coatings, 2386
Uysal, B.
—; Influence of Pretreatment on Shear Strength of Various Wood Species, 245
—; Özçifçi, A.: Bond Strength and Durability Behavior of Polyurethane-Based Desmodur-VTKA Adhesives Used for Building Materials After Being Exposed to Water-Resistance Test, 3943

Vallés-Lluch, A. See Cadenato, A., 3446
van Kasteren, J. M. N. See Wanrooij, P. H. P., 1024
Varma, H. K. See Sailaja, G. S., 4716
Varughese, K. T. See George, J., 2912
Vasheghani-Farahani, E. See Pourhossaini, M. R., 3101
Vasile, C. See Nita, L. E., 3554; Nita, L. E., 4133
Vázquez, A. See Rodriguez, E., 3895
Verma, H. K. See Kanwar, S. S., 4252; Kanwar, S. S., 4636
Vezvaie, M.
—; Taghizadeh, S. M.; Gholami, M. R.: Synthesis, Characterization, and Kinetic Investigation of Acrylic Monomers Derived from Acetaminophen and *p*-Cresol as Model Drug Molecules, 4369
Vigier, G. See Cayer-Barrioz, J., 989
Vijayabaskar, V.
—; Gupta, R.; Chakrabarti, P. P.; Bhowmick, A. K.: Prediction of Properties of Rubber by Using Artificial Neural Networks, 2227
Vijayalakshmi, S. P.
—; Madras, G.: Effects of the pH, Concentration, and Solvents on the Ultrasonic Degradation of Poly(vinyl alcohol), 4888
—; Madras, G.: Photocatalytic Degradation of Poly(ethylene oxide) and Polyacrylamide, 3997
Vincent, T. See Guibal, E., 3034
Virgilio, N. See Sarazin, P., 1039
Vivekanandam, T. S. See Rajan, M. A. J., 3756
Vlček, P. See Masař, B., 3662
Vogel, C. See Nagel, J., 2992
Voigt, D. See Krause, B., 634; Krause, B., 2770
Vollertsen, F. See Wochnowski, C., 1229
Vouroutzis, N. See Bikiaris, D. N., 2684
Vouyovitch, L.
—; Flandin, L.; Bessede, J.-L.; Alberola, N. D.: Evolutions of Microstructure and Dielectric Behavior of Epoxy Based Insulator-Insulator Composites over Long Periods of Time, 3454

Wagenknecht, U. See Khonakdar, H. A., 3264
Waghmare, P. B.
—; Idage, S. B.; Menon, S. K.; Idage, B. B.: Synthesis and Characterization of Aromatic Copolyesters Containing Siloxane Linkages in the Polymer Backbone, 3222
Wakida, T. See Lee, M., 1344
Wan, C. See Chen, M., 1889
Wan, D. See Huang, J., 2203
Wan, H. M. See Zhang, X. H., 3483

Wan, M. See Huang, K., 3050
Wang, B.
—; Cheng, B.; Cui, Y.: Preparation of Polysulfone Hollow Fiber Affinity Membrane Modified with Mercapto and Its Recovery Properties. I. Synthesis and Preparation of Hollow Fiber Matrix Membrane, 758
—; Cheng, B.; Cui, Y.: Preparation of Polysulfone Hollow Fiber Affinity Membrane Modified with Mercapto and Its Recovery Properties. II. Preparation of PSF-SH Hollow Fiber Affinity Membrane for Recovery of Hg^{2+}, 4795
—; Sun, G.; Liu, J.; He, X.; Li, J.: Crystallation Behavior of Carbon Nanotubes-Filled Polyamide 1010, 3794
Wang, C. See Hou, C., 3374; Hou, C., 4668; Ji, C., 5034; Sun, C., 4581
—; Agent Distribution and Water Remaining of Polyester Nonwoven Fabrics After-Treated with Polyurethane–Citric Acid, 47
Wang, C.-C. See Wang, H.-H., 4197
Wang, C.-L. See Lin, W.-J., 1836
Wang, D. See Tang, J., 2796; Zhou, L., 3832
Wang, H. See Hirano, T., 664; Li, X., 40
—; Hoa, S. V.; Wood-Adams, P. M.: New Method for the Synthesis of Clay/Epoxy Nanocomposites, 4286
Wang, H.-H.
—; Wang, C.-C.: Dyeing Mechanism and Model of Nylon 6 Fiber Dyeing in Low-Temperature Hydrogen Peroxide–Glyoxal Redox System, 4197
Wang, J. See Wang, Z., 275; Xia, J., 3000; Zhao, S., 1772
—; Fang, Z.; Gu, A.; Xu, L.; Liu, F.: Effect of Amino-Functionalization of Multi-walled Carbon Nanotubes on the Dispersion with Epoxy Resin Matrix, 97
—; Xu, Z.; Xu, Y.: Preparation of Poly(4-methyl-1-pentene) Asymmetric or Microporous Hollow-Fiber Membranes by Melt-Spun and Cold-Stretch Method, 2131
Wang, J. D.
—; Zhu, Y. F.; Zhou, X. W.; Sui, G.; Liang, J.: Preparation and Mechanical Properties of Natural Rubber Powder Modified by Carbon Nanotubes, 4697
Wang, J.-J.
—; Wang, L.; Wang, X.-J.; Chen, T.; Chen, Y.: Synthesis of Poly(ferrocenylsilanes) with Different Molecular Weight and Their Electrochemical Behavior, 473
Wang, L. See Wang, J.-J., 473; Wei, G., 1511
—; Chang, P.; Cheng, C.-L.: Structural Effects of Pendant Groups on Thermal and Electrical Properties of Polyimides, 4672
Wang, M.-Z. See Zhao, X.-Y., 3116
Wang, P. See Zhang, C., 3307
Wang, P.-C.
—; Chiu, W.-Y.; Young, T.-H.: Synthesis of Fe_3O_4/PMMA Composite Latex Particles: Kinetic Modeling, 4925
Wang, P.-Y.
—; Qian, H.-L.; Yang, C.-L.; Chen, Y.: Characterization of the Aging Behavior of Raw Epoxidized Natural Rubber with a Rubber Processing Analyzer, 1277
Wang, Q. See Duan, Y., 1019; Sun, C., 4581; Sun, J., 3778; Xia, H., 3123
—; Lin, Y.; Zhang, Z.; Liu, B.; Terano, M.: High Temperature Polymerization of Propylene Catalyzed by $MgCl_2$-Supported Ziegler–Natta Catalyst with Various Cocatalysts, 1978
—; Wang, Y.; Liao, M.; Zhang, C.: Formation of SBS Thermoplastic Block Copolymer Using Hexamethyleneimine Alkenyl Lithium (N-Li) Initiator, 81
Wang, R. See Gao, B., 1531
Wang, S. See Wang, Z., 275
Wang, S. J. See Yan, H., 161
Wang, T. See Cheng, G., 1471
Wang, W.-p.
—; Liu, Y.; Li, X.-x.; You, Y.-z.: Synthesis and Characteristics of Poly(methyl methacrylate)/Expanded Graphite Nanocomposites, 1427
Wang, X. See Tang, J., 2796; Tian, Y., 1013; Wang, Z., 4434; Zhang, Z., 584
—; Li, H.; Jin, R.: Synchronous Toughening and Reinforcing of Polypropylene with Ultrahigh-Molecular-Weight Polyethylene via Melt Blending: Mechanical Properties, Morphology, and Rheology, 3498
Wang, X.-J. See Wang, J.-J., 473
Wang, X.-L. See Yang, K. K., 2331
Wang, Y. See Wang, Q., 81; Xiao, Y., 4835; Yang, Z., 3018; Zhang, X., 2705
—; Mano, J. F.: Effect of Structural Relaxation at Physiological Temperature on the Mechanical Property of Poly(L-lactic acid) Studied by Microhardness Measurements, 2628
Wang, Y.-Z. See Yang, K. K., 2331
Wang, Z. See Lü, C., 124; Xie, H., 295
—; Xie, G.; Wang, X.; Zhang, Z.: Rheology and Dispersion Behavior of High-Impact Polystyrene/Ethylene–Vinyl Acetate Copolymer/TiO_2 Nanocomposites, 4434
—; Yi, C.; Zhang, Y.; Wang, J.; Wang, S.: Co_2-Facilitated Transport Through Poly(*N*-vinyl-γ-sodium aminobutyrate-*co*-sodium acrylate)/Polysulfone Composite Membranes, 275
Wannavilai, P. See Nakason, C., 4729
Wanrooij, P. H. P.
—; Agarwal, U. S.; Meuldijk, J.; van Kasteren, J. M. N.; Lemstra, P. J.: Extraction of CdS Pigment from Waste Polyethylene, 1024
Wan Yunus, W. M. Z. See Sharif, J., 353
Ward, I. M. See Orench, I. P., 1659; Punyodom, W., 4476
Wardzińska, E.
—; Penczek, P.: Polyesterimide Resins with Built-In Polycyclic Compounds, 4066
Watanabe, K. See Akiba, C., 1113
Wei, D. Q. See Dong, Y., 2956
Wei, G.
—; Wang, L.; Chen, G.; Gu, L.: Synthesis and Characterization of Poly(ethylene-*co*-trimethylene terephthalate)s, 1511
Wei, Q. See Jiang, B., 3510
Wei, W. C. J. See Yang, S. Y., 892; Ying, K.-L., 886
Wei, Y. See Lu, X., 2356
Wei, Y.-M. See Yang, X.-T., 2067
Welch, M. B. See Alt, H. G., 734
Weng, Z.-X., 1594, Huang, J.
Wenyi, W.
—; Xiaofei, Z.; Guoquan, W.; Jianfeng, C.: Preparation and Properties of Polypropylene Filled with Organo-Montmorillonite Nanocomposites, 2875
Whang, Y.-J. See Shin, Y., 4306
Widya, T. See Novak, A., 1124

Wieland, S.
—; Pizzi, A.; Hill, S.; Grigsby, W.; Pichelin, F.: The Reaction in Water of UF Resins with Isocyanates at Short Curing Times: A ^{13}C NMR Investigation, 1624
Wildéria, D. See Rabecki, F., 4723
Wiles, K. B. See Sankir, M., 4595
Wilkes, G. See Gupta, P., 4935
Wilkie, C. A. See Tidjani, A., 2790
Willett, J. L. See Lawton, J. W., 3334
Williams, R. J. J. See Soulé, E. R., 1742
Wittebrock, A. See Patzlaff, M., 2642
Wochnowski, C.
—; Hanada, Y.; Cheng, Y.; Metev, S.; Vollertsen, F.; Sugioka, K.; Midorikawa, K.: Femtosecond-Laser-Assisted Wet Chemical Etching of Polymer Materials, 1229
Wong, S. S. See Laity, P. R., 779
Wood, B. J. See Kaba, M., 3579
Wood-Adams, P. M. See Wang, H., 4286
Wright, N. C.
—; Li, J.; Guo, M.: Microstructural and Mold Resistant Properties of Environment-Friendly Oil-Modified Polyurethane Based Wood-Finish Products Containing Polymerized Whey Proteins, 3519
Wu, C. See Cui, N., 4804; Han, J., 3707
Wu, C.-P. See Liang, W.-J., 1000
Wu, G.
—; Yang, C.; Fan, B.; Zhang, B.; Chen, X.; Li, Y.: Synthesis and Characterization of Photo-Crosslinkable Polyfluorene with Acrylate Side-Chains, 2336
—; Zheng, Q.; Zhang, M.; Hou, Y.: Dynamic Viscoelasticity of Low-Density Polyethylene/In-Situ-Grafted Carbon Black Composite, 4127
Wu, H. See Huang, S., 4772
Wu, J.-Y.
—; Shan, G.-R.: Kinetic and Molecular Weight Control for Methyl Methacrylate Semi-Batch Polymerization. I. Modelling, 2838
—; Shan, G.-R.: Kinetic and Molecular Weight Control for Methyl Methacrylate Semibatch Polymerization. II. Open Control, 4399
Wu, M.
—; Kuga, S.: Cationization of Cellulose Fabrics by Polyallylamine Binding, 1668
Wu, Q. See Lei, Y., 1642
Wu, S.
—; Shanks, R. A.; Bryant, G.: Properties of Hydrophobically Modified Polyacrylamide with Low Molecular Weight and Interaction with Surfactant in Aqueous Solution, 4348
Wu, Y.
—; Yang, Y.; Li, B.; Han, Y.: Reactive Blending of Modified Polypropylene and Polyamide 12: Effects of Compatibilizer Content on Crystallization and Blend Morphology, 3187
Wu, Y. Q. See Zhang, H., 3634
Wu, Z. See Jiang, B., 3510

Xia, C. See Huang, A., 2248
Xia, H.
—; Qiu, G.; Wang, Q.: Polymer/Carbon Nanotude Composite Emulsion Prepared Through Ultrasonically Assisted in Situ Emulsion Polymerization, 3123
Xia, J.
—; Wang, J.; Srinivasan, M. P.: Linear and Networked Blends and Copolymers of Polyimide, 3000
Xiang, X. J.
—; Qian, J. W.; Yang, W. Y.; Fang, M. H.; Qian, X. Q.: Synthesis and Properties of Nanosilica-Reinforced Polyurethane for Grouting, 4333
Xiao, C. See Ding, Y., 3355; Huang, A., 2248; Yu, H., 1561
Xiao, H. See Pan, Y., 1506
—; Yu, W.; Shi, M.: Evaluation of Fiber Wettability Based on an Immerging Force Mearsurement, 2659
Xiao, Y.
—; Yan, L.; Zhang, P.; Zhu, N.; Chen, L.; He, P.; Wang, Y.; Shen, X.; Zhu, X.; Yan, D.: In Situ Fourier Transform Infrared Spectroscopic Study of the Conformational Changes of High-Density Poly(ethylene) during the Melting and Crystallization Processes, 4835
Xiaofei, Z. See Wenyi, W., 2875
Xie, G. See Wang, Z., 4434
Xie, H. See Ji, C., 5034
—; Liu, B.; Yang, H.; Wang, Z.; Shen, J.; Cheng, R.: Thermal Characterization of Carbon-Nanofiber-Reinforced Tetraglycidyl-4,4′-diaminodiphenylmethane/4,4′-Diaminodiphenylsulfone Epoxy Composites, 295
Xie, H.-Q. See Tian, D., 1323
Xie, K.
—; Hou, A.; Zhang, Y.: New Polymer Materials Based on Silicone-Acrylic Copolymer to Improve Fastness Properties of Reactive Dyes on Cotton Fabrics, 720
—; Sun, Y.; Hou, A.: Dyeing Properties of Net-Modified Cotton Fabric with Triazine Derivative Containing the Multireactive and Multicationic Groups, 4388
Xie, M.
—; Liu, X.; Li, H.: Influence of Poly(ethylene glycol)-Containing Additives on Extrusion of Ultrahigh Molecular Weight Polyethylene/Polypropylene Blend, 1282
Xie, Y.
—; Yu, D.; Kong, J.; Fan, X.; Qiao, W.: Study on Morphology, Crystallization Behaviors of Highly Filled Maleated Polyethylene-Layered Silicate Nanocomposites, 4004
Xin, Z. See Zhang, Y.-f., 4868
Xing, R. See Cong, Y., 2737
Xiong, X. Y.
—; Tam, K. C.; Gan, L. H.: Synthesis and Thermally Responsive Properties of Novel Pluronic F87/Polycaprolactone (PCL) Block Copolymers with Short PCL Blocks, 4163
Xu, H. See Lu, Z., 1395
Xu, J. See Li, B.-Y., 3974
Xu, L. See Wang, J., 97
Xu, Q. See Hou, Z., 4280; Li, J., 671; Peng, Q., 1299; Sun, C., 4581; Zhou, L., 3832
—; Peng, Q.; Ni, W.; Hou, Z.; Li, J.; Yu, L.: Study of Different Effect on Foaming Process of Biodegradable Bionolle in Supercritical Carbon Dioxide, 2901
Xu, R. See Chen, Q., 4741
Xu, T. See Yu, H., 2238
Xu, Y. See Wang, J., 2131
Xu, Z. See Wang, J., 2131
Xu, Z.-L. See Yang, X.-T., 2067

Yadaw, S. B. See Kumar, E. S., 3904

Yahiaoui, A.
—; Belbachir, M.: Ring-Opening Polymerization of Styrene Oxide with Maghnite-H^+ as Ecocatalyst, 1681
Yalcinyuva, T. See Deligöz, H., 810
Yamada, H. See Ishizu, K., 772
Yamaki, T. See Chen, J., 4565
Yamanaka, A.
—; Abe, S.; Tsutsumi, M.; Kitagawa, T.; Fujishiro, H.; Ema, K.; Izumi, Y.; Nishijima, S.: Thermal Conductivity of Ramie Fiber Drawn in Water in Low Temperature, 2196
—; Izumi, Y.; Terada, T.; Ema, K.; Tsutsumi, M.; Nakamura, M.; Oohazama, T.; Kitagawa, T.; Fujishiro, H.; Abe, S.; Nishijima, S.: Radiation Effect on the Thermal Conductivity of Ramie Fibers in a Range of Low Temperatures by γ Rays, 5007
Yamashita, Y.
—; Endo, T.: Deacetylation Behavior of Binary Blend Films of Cellulose Acetate and Various Polymers, 1816
Yamauchi, T.
—; Observation of Polymer Film Drawing by Use of Thermography. An Introductory Investigation on the Thermodynamics, 2895
Yan, D. See Xiao, Y., 4835
Yan, H.
—; Li, X. H.; Wang, S. J.; Meng, Y. Z.: One Step Synthesis and Rapid Ring-Opening Polymerization of Macrocyclic (arylene thioether ketone) Oligomers, 161
Yan, J. See Lü, C., 124
Yan, L. See Xiao, Y., 4835
—; Zhang, G.; Liu, G.; Ji, J.; Li, W.: Emulsifier-Free Synthesis and Self-Assembly of an Amphiphilic Poly(styrene-*co*-acrylic acid) Copolymer, 3718
Yan, L.-T. See Ma, G.-Q., 4900
Yan, T.-R. See Chen, K.-S., 803
Yáñez, M. J. See Schroeder, W. F., 4539
Yang, C. See Wu, G., 2336
Yang, C.-L. See Wang, P.-Y., 1277
Yang, C.-Z. See Gu, Z., 2930
Yang, G. See Hou, L., 1357
Yang, H. See Xie, H., 295
Yang, J. See Shi, X., 4689; Yu, X., 399
Yang, J.-C. See Ni, H.-B., 3615
Yang, J. H. See Zhang, Y., 4782
Yang, K. K.
—; Wang, X.-L.; Wang, Y.-Z.; Huang, H.-X.: Effects of Molecular Weights of Bioabsorbable Poly(*p*-dioxanone) on its Crystallization Behaviors, 2331
Yang, L.
—; Sun, D.: Synthesis and Characterization of Suspension Terpolymer of *N*-Cyclohexylmaleimide, Methyl Methacrylate, and Styrene, 918
Yang, L.-Q. See Hu, J.-S., 4234
Yang, Q. Q. See Li, Q. F., 2293
Yang, S.-J. See Park, M.-H., 113
Yang, S.-M. See Lin, D.-S., 4023
Yang, S. Y.
—; Huang, C. K.; Lin, B. C.; Wei, W. C. J.: Kneading and Molding of Ceramic Microparts by Precision Powder Injection Molding (PIM), 892
Yang, W. Y. See Xiang, X. J., 4333
Yang, X. See Bai, F., 1776
Yang, X.-T.
—; Xu, Z.-L.; Wei, Y.-M.: Two-Dimensional Simulation of Hollow Fiber Membrane Fabricated by Phase Inversion Method, 2067
Yang, Y. See Wu, Y., 3187
Yang, Z.
—; Shu, J.; Zhang, L.; Wang, Y.: Preparation and Adsorption Behavior for Metal Ions of Cyclic Polyamine Derivative of Chitosan, 3018
Yao, Z. See Liu, H.-Y., 2744
Yaowsang, C. See Chuayjuljit, S., 3948
Yaqi, Z. See Chuansheng, C., 4645
Yasuda, K. See Taniguchi, A., 1748
Ye, D.
—; Farriol, X.: Factors Influencing Molecular Weights of Methylcelluloses Prepared from Annual Plants and Juvenile Eucalyptus, 1785
Ye, J.
—; Hasegawa, T.; Suzuki, A.: Evaluation of the Microstructure and Melting Behavior of Drawn Polypropylene Fibers with a Microthermal Analyzer, 1306
Ye, L. See Dai, S., 2824; Li, Q., 3348; Rosso, P., 1849
Ye, Y.-S.
—; Huang, H.-L.; Hsu, K.-C.: A Water-Soluble Acrylate/Sulfonate Copolymer. I. Its Synthesis and Dispersing Ability on Cement, 2490
Yeh, Y.-C. See Lee, W.-F., 3152
Yen, M.-S.
—; Tsai, H.-C.; Hong, P.-D.: The Physical Properties of Aqueous Cationic–Nonionic Polyurethane with Poly(ethylene glycol methyl ether) Side Chain and Its Blend with Aqueous Cationic Polyurethane, 2963
Yeow, T. K. See Truss, R. W., 3044
Yeung, K. W. See Zhu, Y., 4603
Yi, C. See Wang, Z., 275
Yi, M. H. See Choi, S. M., 2252
Yihong, C. See Jianying, H., 3531
Yıldırım, H. See Öksüz, M., 3609
Yildirim, S. See Deligöz, H., 810
Yin, H.
—; Zhu, X.; Zhou, D.; Zhu, J.: Reversible Addition–Fragmentation Chain Transfer Polymerization of Styrene with Benzoimidazole Dithiocarbamate as a Reversible Addition–Fragmentation Chain Transfer Agent, 560
Ying, K.-L.
—; Hsu, K.-C.; Wei, W.-C. J.: An Amphoteric Water-Soluble Copolymer. II. Effect of Its Molecular Weight on the Dispersion of Barium Titanate in Water, 886
Ying, L. See Hou, C., 3374; Hou, C., 3379; Hou, C., 4679
—; Hou, C.; Fei, W.: Degradation kinetics of Acrylonitrile/Ammonium Acrylate Copolymers, 4649
—; Hou, C.; Fei, W.: Diffusion Coefficient of DMSO in Polyacrylonitrile Fiber Formation, 4447
Yokota, Y. See Manabe, N., 1831
Yoo, D. I. See Shin, Y., 4306
Yoon, G.-H. See Kim, D.-J., 825
Yoon, H.-C. See Lee, J.-H., 2171
Yoon, J. S. See Kim, H. S., 466
Yoon, K. H. See Choi, W. J., 4875
Yoon, S.-D.
—; Chough, S.-H.; Park, H.-R.: Effects of Additives with Different Functional Groups on the Physical Properties of Starch/PVA Blend Film, 3733
—; Chough, S.-H.; Park, H.-R.: Properties of Starch-Based Blend Films Using Citric Acid as Additive. II, 2554
Yoon, S.-Y.
—; Deng, Y.: Clay–Starch Composites and Their Application in Papermaking, 1032
Yoshida, M. See Chen, J., 4565

Yoshimi, Y. See Tada, Y., 495
Yoshinaga, K. See Im, J.-S., 2053
You, Y.-z. See Wang, W.-p., 1427
Youn, H. S. See Cha, G. C., 2750
Young, T.-H. See Wang, P.-C., 4925
Yousi, Z. See Jianying, H., 3531
Yu, D. See Chen, Q., 4741; Xie, Y., 4004
Yu, H.
—; Huang, A.; Xiao, C.: Characteristics of Konjac Glucomannan and Poly(acrylic acid) Blend Films for Controlled Drug Release, 1561
—; Xu, T.: Fundamental Studies of Homogeneous Cation Exchange Membranes from Poly(2,6-dimethyl-1,4-phenylene oxide): Membranes Prepared by Simultaneous Aryl-Sulfonation and Aryl-Bromination, 2238
Yu, J. See Li, G., 4575
Yu, L. See Xu, Q., 2901
Yu, M. See Han, K., 1588
Yu, T.-C. See Chern, C.-S., 4406
Yu, W. See Liu, M., 839; Xiao, H., 2659
Yu, X.
—; Chen, J.; Yang, J.; Zeng, Z.; Chen, Y.: Synthesis and Photoinitiation Properties of a Novel Quaternary Ammonium Tetraphenylborate Salt, 399
Yu, Y.
—; Tso, C. C.; DesLauriers, P. J.: Molecular Characteristics of Room-Temperature Soluble Fractions of Low-Density Polyethylene Film Resins, 4992
Yuan, M. See Feng, L., 923
Yudin, V. E.
—; Otaigbe, J. U.; Bui, T. X.; Svetlichnyi, V. M.: Structure and Properties of Polyimide-Bonded Magnets Processed from Prepolymers Based on Diacetyl Derivatives of Aromatic Diamines and Dianhydrides, 478
Yuen, C. W. M. See Jiang, S. Q., 4383; Li, Y., 268
Yunus, W. M. M. See Mahmud, H. N. M. E., 4107
Yurdakul, B. See Cireli, A., 208
Yusof, A. H. See Lim, K. L. K., 3931
Yuyama, K. See Mori, T., 3913

Zafeiropoulos, N. E. See Tserki, V., 4703
Zaikov, G. E. See Kozlov, G., 2614; Kozlov, G. V., 2817; Kozlov, G. V., 3761; Kozlov, G. V., 3765; Kozlov, G. V., 3828
Zainal, H.
—; Hee, S. S. Q.: Permeation of Telone C-35 EC™ and Chloropicrin Through Protective Gloves, 18
Zainal, Z. See Mahmud, H. N. M. E., 4107
Zarzyka-Niemiec, I.
—; Naróg, D.; Lubczak, J.: Hydroxyalkylation of Parabanic Acid. III. Polymers from Parabanic Acid and Ethylene Carbonate, 1443
Zehnder, A. T. See Antonakakis, J. N., 3255
Zemaitaitiene, R. J. See Bendoraitiene, J., 2710
Zemaitaitis, A. See Bendoraitiene, J., 2710
Zeng, G. See Qu, J., 3860
Zeng, M.
—; Zhang, L.: Effects of Reaction and Cure Temperatures on Morphology and Properties of Poly(ester-urethane), 708
Zeng, Z. See Yu, X., 399
Zengin, H. B. See Boztuğ, A., 363
Zhai, G.
—; pH- and Temperature-Sensitive Microfiltration Membranes from Blends of Poly(vinylidene fluoride)-*graft*-Poly(4-vinylpyridine) and Poly(*N*-isopropylacrylamide), 4089
Zhang, B. See Guo, T., 1824; Shi, X., 4614; Shi, X., 4689; Wu, G., 2336
Zhang, B.-L.
—; Deng, W.-Y.; Lu, H.-X.; Chen, M.; Qian, H.-L.: Study on Effective Storage Time of Raw Natural Rubber, 4114
Zhang, B.-Y. See Hu, J.-S., 4234
Zhang, C. See Feng, L., 923; Wang, Q., 81
—; Wang, P.; Ma, C.-a.; Sumita, M.: Damping Properties of Chlorinated Polyethylene-Based Hybrids: Effect of Organic Additives, 3307
Zhang, F.-R. See Hsieh, S.-H., 4311
Zhang, G. See Yan, L., 3718
Zhang, H. See Zhang, Z., 584
—; Huang, X.; Fan, L. Z.; Nin, B.; Wu, Y. Q.; Zheng, L. P.; Cao, Y.: Electrochemistry of Methanofullerene Films: Simultaneous Cyclic Voltammetry and Electrochemical Quartz Crystal Microbalance Studies, 3634
Zhang, J. See Gu, Z., 2930; Li, G., 4575; Zhao, S., 1772
—; Gong, J.; Shao, G.; Qin, J.; Gu, Z.: Biodegradability of Diethyiene Glycol Terephthalate and Poly(ethylene terephthalate) Fiber by Crude Enzymes Extracted from Activated Sludge, 3855
Zhang, L. See Cheng, G., 1471; Huang, H., 4461; Liu, P., 3433; Yang, Z., 3018; Zeng, M., 708
—; Li, T.; Lu, Y.; Tang, Y.; Qiao, J.; Tian, M.: The Morphology and Property of Ultra-Fine Full-Vulcanized Acrylonitrile Butadiene Rubber Particles/EPDM Blends, 3673
Zhang, L.-C. See Li, Y., 593
Zhang, L.-M. See Zhu, Y., 3889
Zhang, M. See Wu, G., 4127
Zhang, P. See Xiao, Y., 4835
Zhang, Q. See Zhang, Z., 584; Zhao, H., 1294
—; Bao, X.; Lin, M.; Hourston, D. J.: Preparation of Nanometer-Sized Poly(methacrylic acid) Particles in Water-in-Oil Microemulsions, 2497
Zhang, S.
—; Kan, S.; Kan, J.: Chemical Synthesis and Characterization of Polyaniline Nanofiber Doped with Gadolinium Chloride, 946
Zhang, W. See Dai, Z., 2126; Lu, X., 2356
—; Okubayashi, S.; Badura, W.; Bechtold, T.: Fibrillation Tendency of Cellulosic Fibers. VII. Combined Effects of Treatments with an Alkali, Crosslinking Agent, and Reactive Dye, 1176
Zhang, X. See Cai, J., 1479; Han, J., 3707; Jiang, B., 3510; Lu, J., 4265
—; Ding, S.; Wang, Y.; Feng, X.; Peng, Q.; Ma, S.: Synthesis and Adsorption Properties of Metal Ions of Novel Azacrown Ether Crosslinked Chitosan, 2705
Zhang, X. H.
—; Min, Y. Q.; Zhao, H.; Wan, H. M.; Qi, G. R.: Novel Nitrogen-Containing Epoxy Resin. II. Cure Kinetics by Differential Scanning Calorimetry, 3483
Zhang, X.-L. See Li, B.-Y., 3974
Zhang, Y. See Chen, M., 1889; Wang, Z., 275; Xie, K., 720
—; Yang, J. H.; Ellis, T. S.; Shi, J.: Crystal Structures and Their Effects on the Properties of Polyamide 12/Clay and

Polyamide 6–Polyamide 66/Clay Nanocomposites, 4782
Zhang, Y.-f.
—; Xin, Z.: Effects of Substituted Aromatic Heterocyclic Phosphate Salts on Properties, Crystallization, and Melting Behaviors of Isotactic Polypropylene, 4868
Zhang, Z. See Cong, Y., 2737; Duan, Y., 1019; Wang, Q., 1978; Wang, Z., 4434
—; Zhang, H.; Zhang, Q.; Zhou, Q.; Zhang, H.; Mo, Z.; Zhao, X.; Wang, X.: Thermotropic Liquid Crystallinity, Thermal Decomposition Behavior, and Aggregated Structure of Poly(propylene carbonate)/Ethyl Cellulose Blends, 584
—; Zhu, X.; Zhu, J.; Cheng, Z.; Lu, J.: New Dinitroxide for Stable Free Radical Polymerization of Styrene, 1137
Zhao, C.-X. See Ni, H.-B., 3615
Zhao, H. See Zhang, X. H., 3483
—; Hu, J.; Zhang, Q.; Bao, J.; Liu, W.; Gao, C.; Luo, Y.: Local Microstructure Characterization of Rare Earth-Doped PMMA with Low-Ion Content by Fluorescence EXAFS, 1294
Zhao, J. See Kuang, Q., 4120
Zhao, N. See Ji, C., 5034; Liu, Y., 4247
Zhao, Q. See Cheng, G., 1471
Zhao, S.
—; Zhou, C.; Zhang, J.; Wang, J.; Feng, S.: Investigation of Allyl-Capped Carbosilane Dendrimers Used as Crosslinker for Silicone Rubber, 1772
Zhao, X. See Liu, G., 1664; Zhang, Z., 584
Zhao, X.-Y.
—; Wang, M.-Z.: Structure and Thermal Behaviour of Nylon 6 Nanocomposites, 3116
Zhao, Y.-H. See Ma, G.-Q., 4900
Zheng, A. See Pan, Y., 1506
Zheng, C. See Dong, J., 1547
Zheng, H. See Zhu, Y., 3889
Zheng, J. See Lu, X., 2356
Zheng, L. P. See Zhang, H., 3634
Zheng, P.
—; Sun, W.; Shen, Z.: Synthesis and Magnetic Properties of Novel Complexes of Poly(*N*-2-thiazolylmethacrylamide) with Nd(III), Pr(III), and Sm(III), 1289
Zheng, Q. See Wu, G., 4127
Zheng, S. See Hou, Z., 4280
Zheng, Z. See Tian, D., 1323
Zhong, W. See Kukolikova, L., 1413
Zhou, A.-J. See Hu, J.-S., 4234
Zhou, C. See Liu, M., 839; Zhao, S., 1772
Zhou, D. See Yin, H., 560
Zhou, H.-L. See Chen, M., 3809
Zhou, L.
—; Xu, Q.; Wang, D.: Novel Crosslinked Nonlinear Optical Materials Based on Cellulose Diacetate, 3832
Zhou, Q. See Zhang, Z., 584
Zhou, W. See Liu, Y., 1312; Liu, Y., 4247
Zhou, X. W. See Wang, J. D., 4697
Zhu, C. See Li, J., 671
Zhu, J. See Yin, H., 560; Zhang, Z., 1137
Zhu, J. L. See Guo, J. T., 3602
Zhu, K. J. See Fan, J., 1214
Zhu, N. See Xiao, Y., 4835
Zhu, X. See Xiao, Y., 4835; Yin, H., 560; Zhang, Z., 1137
Zhu, Y.
—; Hu, J. L.; Yeung, K. W.; Liu, Y. Q.; Liem, H. M.: Influence of Ionic Groups on the Crystallization and Melting Behavior of Segmented Polyurethane Ionomers, 4603
—; Zhang, L.-M.; Zheng, H.; Sun, D.-X.: Preparation and XPS Surface Chemical Analysis of PS/PU Nanocomposites, 3889
Zhu, Y. F. See Wang, J. D., 4697
Zhuang, L. See Huang, A., 2248
Zhuang, Y. See Cai, J., 1479
Zohuri, G. H.
—; Jamjah, R.; Ahmadjo, S.: Comparative Study of Propylene Polymerization Using Monosupported and Bisupported Titanium-Based Ziegler–Natta Catalysts, 2220
Zolfaghari, R.
—; Katbab, A. A.; Nabavizadeh, J.; Tabasi, R. Y.; Nejad, M. H.: Preparation and Characterization of Nanocomposite Hydrogels Based on Polyacrylamide for Enhanced Oil Recovery Applications, 2096
Zou, J. See Li, N., 3141
Zu, X. See Jiang, B., 3510
Zupančič, A. See Guštin, A., 1577

Journal of Applied Polymer Science

Subject Index to Volume 100

α-Amylase, 4757
Absorbency, 2516
Absorption, 3111
AC and DC conductivity, 810
Acceleration, 3075
Accessibility, 4306
Acetyl acetonato, 406
Acetylation, 3288
Acetylene black, 819
Acid, 2889
Acid dyes, 3302
Acrylamide, 3822
2-Acrylamido-2-methyl-1-propanesulfonic acid, 4819
Acrylate monomer, 4393
Acrylate polymer, 413
Acrylic acid, 546, 2549, 3425
Acrylic fiber, 2604
Acrylonitrile, 2619, 4645
Activated carbon hollow fiber, 3778
Activation energy, 677, 1479, 2126, 2759, 4114
Activation temperature, 3778
Active carbon, 3490
Adamantane-modified polyethers, 2362
Addition reaction, 1395
Additives, 1282, 1816, 2085, 3377, 3446, 3789
Adhesion, 2062, 3069
Adhesion properties, 2549
Adhesives, 245, 413, 422, 522, 825, 3653, 3943, 4842, 4856
Adiabatic bomb calorimeter, 4684
Adsorption, 758, 886, 1450, 1538, 1712, 2542, 2604, 2705, 2759, 3018, 3034, 3490, 3589, 4098, 4581, 4795, 5034, 5056
Adsorption isotherms, 3966
Adsorption of cupric ion, 1262
Adsorption properties, 3778
Aging, 1277, 1406, 1875, 2062, 2521, 3332, 3454, 3574, 3619, 4082, 4114
Agricultural residues, 1318
Agrochemical, 2504
Alanine, 1222
Alginate, 4614
Alginate fiber, 2516
Alkaline, 2248
Alkali pretreatments, 3596
Alloy, 4804
Allyl group, 3769
Alternating copolymerization, 772
Aluminum, 2889
Aluminum oxide, 4623
Amide links, 3415
Amino acid-ligands, 1222
Amino-silane, 4142
6-Aminouracil, 715
Ammonium itaconate, 4645
Amorphous, 2196
Amorphous amylopectine, 3832
Amphiphiles, 2956, 3718
Anionic exchanger, 2604
Anionic polymerization, 81, 1395
Anionic ring-opening polymerization, 1357
Annealing, 2104, 3116, 3840
Annual plants, 1785
Anodic stripping analysis, 2380
Ansa half-sandwich complexes, 734
Antifolate agent, 3415
Antimicrobial activity, 3063
Antimicrobial finish, 1372
Antioxidants, 656, 2614, 2649
Antistatic property, 508
Antitumor activity, 3425
Apparent activation energy, 4649, 4668
Aqueous-deposited copolymerization, 4645
Aqueous epoxy resin, 1919
Aromatic copolyesters, 3222
Artificial neural networks, 2227
Association, 4348
Association constant, 900
Association–viscosification effect, 2824
Atmosphere, 2244
Atomic absorption spectroscopy, 4684
Atomic force microscopy (AFM), 625, 1831, 3895, 4012
Atom transfer radical polymerization (ATRP), 2619, 3372, 3662, 4155
ATR, 546
ATR-FTIR, 726
Au(III), 4581
Avrami theory, 3483
Azobenzene, 1103
Azo polymer, 3913

Bacillus coagulans MTCC-6375, 1420
Back-propagation algorithm, 5119
Baffles, 2572
Banana starch, 2725
Barrier, 1940, 1952, 1966, 2781, 3193
Barrier property, 4875
Basic fibroblast growth factor, 4772
$BaTiO_3$, 886
Benzil, 4420
Benzoquinone, 954
Benzoxazine, 3956, 4741
Benzoyl chloride, 3063
Bimodal polyethylene, 734
Biocompatibility, 599, 1914, 2402, 3554, 4163
Biocomposite, 3009, 4972
Biodegradable, 554, 1618, 1983, 2371, 2480, 2628, 2717, 2725, 2901, 3009, 3193, 3446, 3855, 4082, 4361, 4703
Biodegradable fiber, 1239
Biodegradable PE, 3229
Biodegradable polymers, 466
Biological applications of polymers, 381, 538, 1531
Biomass, 1754
Biomaterials, 1531, 1914, 2628, 3018, 3931, 4082
Biomineralization, 1465
Bionolle, 2901
Biopolymers, 208, 318, 1413, 1432, 1633, 2111, 2142, 2542, 3332
Birefringence all-PP-composite, 4452
2,2-Bis (4-hydroxyphenyl) ethylene, 3850
Bismaleimide, 1
Bisoxazine, 4741
Bisphenol A, 3222
Bitumen, 260
Blending, 892
Blends, 219, 283, 353, 363, 516, 522, 584, 599, 625, 1008, 1039, 1255, 1471, 1547, 1742, 1816, 1842, 1856, 1914, 2104, 2180, 2303, 2348, 2415, 2725, 2963, 3000, 3094, 3187, 3307, 3353, 3474, 3673, 3696, 3877, 3931, 4089, 4338, 4375, 4526, 4539, 4550, 4587, 4654, 4900
Block copolymerization, 1312
Block copolymers, 565, 1395, 1601, 2436, 2737, 3761
Blocked polyurethane, 323
Blocking agent, 2096
Bond strength, 5119
Bone cement, 3727
Borates, 2020
Borochlorine oligomerols, 2020
Boron oligomerols, 2020
Boundary layer, 2075
Bovine serum albumin, 1522, 1554
Branched, 634, 664, 3382, 5019
Branching, 734, 3646
Brittle-to-tough transition temperatures, 3364
Bromination, 2238
Burial test, 3009

$CaCO_3$, 989
Cadmium, 1024
Calcium carbonate, 4515
Calcium-containing polymer, 1720
Calculations, 65
Calorific value, 4684
Calorimetry, 779, 3297, 5066
Caprolactam, 3141
Capture yields, 3554
Carbon black, 2189
Carbon nanocapsules, 3784
Carbon nanofiber, 3574
Carbon nanotubes, 3123, 3794, 4697
Carboxymethylcellulose, 26
Carboxymethyl chitosan, 4689
Catalysis, 640, 1457, 3034
Catalysts, 2220, 2504, 3101, 4219, 4499, 4917
Cationic cellulose, 1668
Cationic cotton, 3302
Cationic photoinitiators, 1048
Cationic polymerization, 2010, 5066
Cationization, 2697
Cation permeable membranes, 2238
Cavitation, 2443
Ceiling temperature, 4369
Cell adhesion, 495
Cell culture, 495
Cellulose, 1785, 3288, 4155
Cellulose acetate, 3288, 4320
Cellulose diacetate, 2832, 4575
Cellulose ester, 105
Cellulose fabrics, 1668
Cellulose fibers, 1093
Ceramic powder, 2386
Ceria, 3439
Cerium oxide, 1403
Chain, 2436, 5007
Chain extension, 3646
Characterization, 2824, 3626
Charge transfer complexes, 2455
Char yield, 1
Chelating hydrogel, 3966
Chelating resins containing heterocyclic functional groups, 5034
Chemical crosslinking, 3264
Chemical method, 726
Chemiluminescence, 1899
Chiral, 4234
Chitosan, 1162, 1372, 1794, 1932, 2705, 3034, 3297
Chloropicrin, 18
Chromatography, 2002, 3141, 5056
Chromophore, 2832
Citric acid, 2554
Clay, 353, 1032, 1335, 2040, 2393, 3974, 4782, 4875, 4957
Clay dispersion, 4286
Clay exfoliation, 4286
Clay-supported catalyst, 4875
^{13}C-NMR, 105
Coatings, 516, 3609, 4981
Cocatalyst, 1978
Cocoa pod husk, 2561
Co-continuity, 1039
Coefficient of thermal expansion (CTE), 4452
Coir fiber, 4361
Collagen, 3554
Colloids, 1406, 3913
Combination, 839
Combustion synthesized catalyst, 3997
Compatibility, 363, 1019, 1492, 2750
Compatibilization, 740, 1008, 2303, 2803, 3187, 3877, 4526, 4748
Compatibilizing, 3696
Composite latex particle, 4925
Composite membrane, 2075
Composite polymer, 1269
Composites, 9, 97, 191, 238, 295, 318, 618, 695, 911, 1032, 1093, 1607, 1881, 2053, 2062, 2171, 2189, 2289, 2521, 2542, 2817, 2821,2992, 3212, 3454, 3619, 3828, 4074, 4142, 4429, 4515, 4623, 4703, 4716
Composition, 1511
Computer modeling, 2189, 3680
Conducting composites, 4575
Conducting polymers, 1403, 1881, 3474, 3756, 4023, 4059, 4107, 4127, 5087
Conductivity, 819
Cone calorimeter, 4461
Conformational analysis, 4835
Conjugated polymers, 923, 2336, 2930, 4023
Contact angle, 546, 2659, 2677
Control, 4399
Controlled drug release, 4163
Copolyester, 1511
Copoly-(L-aspartic acid/L-glutamic acid) (PAG), 3626
Copolymer, 879, 1019, 1103, 2164, 2380
Copolymerization, 372, 439, 593, 734, 843, 1214, 1506, 1735, 2455, 2652, 3101, 3377, 3393, 3531, 3589, 3602, 3718, 3822, 4447, 4491, 4595, 4679
Copolymer networks, 3956
Copper ion, 1328
Core-shell, 2409, 3433
Core-shell polymers, 1776, 1824, 2409, 3433
Core-shell tubular structures, 2356
Corn starch, 2371, 3009
Corona adhesion, 3403
Corrosion inhibition, 2889
Cotton, 2697, 4393
Coupling agents, 4074
Crack resistance curve, 3364
Creep, 825, 4893
Critical associating concentration, 2824
Critical surface energy, 4561
Crosslink density, 1875
Crosslinked particles, 3673
Crosslinked poly-*N*-vinylcarbazole, 819
Crosslinking, 343, 664, 1057, 1413, 1465, 1607, 1772, 1776, 1794, 1824, 2126, 2336, 2697, 2912, 3000, 3018, 3353, 3393, 3596, 3602, 3877, 3981, 4012, 4311, 4429, 4476, 4565, 4711, 4981
Crosslinking agent, 2323
Cryogel, 1057
Crystal imperfection parameters, 4910
Crystalline, 708
Crystalline phase, 3272
Crystallinity, 142, 1093, 2875, 4306
Crystallite shape, 4910
Crystallization, 618, 1306, 1335, 1688, 1889, 2259, 2592, 3187, 3240, 3272, 3794, 3832, 4515, 4623, 4835
Crystallization behavior, 2331, 4004, 4868
Crystallization kinetics, 980
Crystallization properties, 1357
Crystal structure, 1306, 3116
Cure kinetics, 3483
Cure temperature, 708
Curing of polymers, 9, 1642, 3212, 3741, 3784, 3919, 4059, 4981
Cyanate ester, 2293
Cyanoethylated, 219
Cyclic voltammetry, 473
β-Cyclodextrin, 2362
1,2,4-Cyclohexanetricarboxylic anhydride, 962

Damping material, 3307
Darcy's law, 167
Degradable polymer blends, 726
Degradation, 35, 47, 565, 656, 1214, 1378, 1831, 2975, 3358, 3446, 3997, 4114, 4649, 4668, 4723, 4888
Degree of saponification, 1057
Degussa P-25, 3997
D2EHPA, 253
Dehydrated castor oil epoxy, 3094
Dendrimers, 1772
Density, 4623
Dental polymers, 4082
Deproteinized natural rubber, 1875
Destabilization, 260
Dextran, 4587
DFT, 57
Dgma resin, 406
Dialdehyde cellulose, 1668
2,6-Diaminopyridine, 1198
1,1-dichloro, 3850
1,3-Dichloropropene, 18

Dielectric constant, 113, 1269, 4672, 4964
Dielectric permittivity, 1403
Dielectric properties, 810, 1842, 2189, 3454, 4059
Dielectric relaxation, 3161
Diether, 4804
Differential scanning calorimetry, 178, 422, 584, 634, 740, 853, 937, 962, 1479, 1642, 1759, 1889, 2010, 2455, 2634, 2667, 2770, 3280, 3409, 3446, 3483, 3840, 3926, 4173, 4412, 4957
Differential scanning technique, 2790
Differential thermal analyzer, 946
Diffraction efficiency, 4811
Diffusion, 335, 2122, 2278, 2937, 2942, 4447, 5066
Diffusion coefficient, 2642
Diffusion methods, 928
Difunctional organolithium, 1395
Diglycidyl ethers, 3850
1,2-Dimethoxyethane, 2075
Dinitroxide, 1137
Dip-coating, 702
Diperiodatonickelate, 1312
Diphenyldimethoxysilane, 124
Diphenyl isophthalate, 3222
Diphenyl terephthalate, 3222
Direct condensation polymerization, 466
Direct methanol fuel cell, 1113
Discoloration, 2010
Discrete adaptive sliding-mode controllers, 3816
Dispersion, 97, 886, 892, 1328, 2085, 2490, 3123, 3312, 4434
Dispersion by surface erosion mechanism, 2582
Dissolution, 1496
Distributive dispersion, 4461
Di-*tert*-butyl ester of dicarboxylic acid, 1378
Divinylester resin, 4539
DMFC, 2248
Dopant, 5087
Doxorubicin, 4689
Drawing, 2895
Drawing in water, 2196
Drawn polymers, 4452
Drop breakup, 2582
Drop deformation, 2582
Drug delivery systems, 486, 1561, 4369, 4614, 4689
Drug release behavior, 4661
Dry film, 2317
Dry-jet-wet spinning, 1239
DSC, 2331, 3794
Dual-type electrochromic device, 1988
Durable press finish, 1372
Dyeing, 4388
Dyes, 208, 720, 4197, 4388
Dyes/pigments, 1024, 1169, 1176, 1344, 1538, 2267, 3741, 5056
Dynamic mechanical analysis, 677, 1720, 2443, 3307, 3727
Dynamic mechanical properties, 3161, 4972

Ecocatalyst, 1681
Elastic properties, 702
Elastomers, 1651, 2040, 2796, 3312, 3474, 3707, 4234, 5102
Electrical conducting copolymer, 3562
Electrical conductivity, 2356, 3280
Electrical properties, 390
Electric field driving, 1664
Electrochemical doping, 3111
Electrochemistry, 3634, 4107
Electrochromic polymers, 1988
Electrodialysis, 198
Electrokinetic potential, 1705
Electroless plating, 3801
Electroluminesence, 133
Electrolyte, 2796
Electromagnetic shielding, 3280
Electron beam irradiation, 634, 2770
Electron beam radiation, 2227
Electron microscopy, 2085, 4045
Electropolymerization, 1988
Electrospinning, 167, 4935
Emulsifier-free, 2409
Emulsion polymer, 2317
Emulsion polymerization, 413, 1824, 2409, 2572, 2847, 2858, 3050, 3123, 4133, 4406, 4711
Energy transfer, 2104
Enhanced oil recovery, 2096
Enthalpy, 3297
Environmental impact, 1318
Enzymatic degradation, 3009
Enzyme, 2975, 3855
Enzyme activity, 4757
Epoxidized natural rubber, 1083, 3948
Epoxidized phenolic novolac resins, 457
Epoxy, 323, 1269, 1681, 3465, 3483, 3956, 4286, 4470, 4880
Epoxy acrylates, 4757
Epoxy composites, 2210
Epoxy regins, 3850
Epoxy resin, 97, 962, 1048, 1899, 2293, 5066
Epoxy siloxane, 2010
EQCM, 3634
ESCA/XPS, 1344
ESR, 57, 546, 2937, 2942
ESR/EPR, 664
Esterification, 1093, 1511, 1914, 2142, 2252, 2697, 4311
Esterification and recycling, 1420
Ethyl cellulose, 584, 1932
Ethylene acrylic acid, 3063
Ethylene carbonate, 1443
Ethylene polymerization, 734
Ethylene-propylene copolymer, 4804
Ethylene–propylene–diene terpolymer, 1856
Ethylpiperazinium, 3174
Eucalyptus, 1785
Eugenol end-capped siloxane, 3222
Europium complex, 406
EVA, 4461
Evaluation, 1019
Evapomeation, 1385, 2030
EVM, 3822
Excimer, 372
Excipients, 486
Experimental design, 2867
Extended drug release, 1932
Extraction, 1024
Extruder, 3860
Extrusion, 1162, 1282, 1432, 1577, 1856, 3131, 3619

Failure, 2289
Fatty acids, 1093
Fe_3O_4, 684, 4925
Ferrite nanoparticles, 4935
Fibers, 208, 329, 618, 695, 758, 791, 1176, 1247, 1588, 1607, 2259, 2343, 2521, 2659, 3050, 3055, 3240, 3323, 3353, 3358, 3855, 4052, 4181, 4311, 4383, 4447, 4795, 4935, 5007, 5049
Fillers, 390, 832, 1032, 1881, 2561, 2781, 3161, 3490, 3707, 4943, 5102
Films, 299, 1413, 1816, 2267, 3634
Finishing, 2697
Flame retardance, 1, 565, 2085, 2947, 3024, 4461
Flammability of foams, 2020
Flexible substrates, 4935
Flexural properties, 35
Floating hollow microspheres, 486
Flocculation, 1712, 3174
Flory–Huggins analysis, 4539
Flow field, 839
Flow through diffusion cell, 2975
Fluorescence, 299, 372, 1214, 1294, 1506, 2104, 2151, 2415, 3111, 3784
Fluoropolymer, 1328, 1748, 2122, 3579, 3615, 4711
Flyash, 1269
Foaming, 2901
Foams, 3024
Food simulants, 656
Force–distance curve, 2443
Force measurement, 2659
Formaldehyde, 4412
Fourier transform infrared spectroscopy, 2210, 2790
Fractal theory, 3765, 3828
Fractional derivation, 3761
Fracture, 1849, 2289, 3364, 4012, 4045
Free coating membranes, 1932
Free volume, 740, 3789

Freezable water, 1057
Freeze–thaw cycling, 35
Friction materials, 9
FRP, 5119
FTIR, 47, 105, 268, 2158, 2455, 2480, 3055, 3272, 3602, 3895, 4260, 4311, 4491, 4835
Fuel cell, 1748, 4595
Fullerene, 390
Functional filler particles, 989
Functional group, 3733
Functionalization, 97
Functionalization of polymers, 81, 554, 954, 1289, 1618, 2267, 2362, 4550
Functional monomer, 2317
Functional polymer, 1776
Fusion, 3145

Gadolinium chloride, 946
Ga(III), 253
Galactoglucomannan, 2985
Gas permeability, 4173
Gas permeation, 275
Gas separation, 2436
Gel, 1450, 2464
Gelatin, 318, 500, 1664
Gelation, 2348, 2750
Gel permeation chromatography, 439, 1137
Gel swelling, 2516
Genetic algorithms, 3680
Glass transition, 191, 1008, 1395, 1983, 2628, 3297, 3307, 3904, 4526
Glass transition temperature, 740, 867, 980, 1864
Glove, 18
Glycerol hydrogel, 4120
Glycidyl methacrylate, 2252, 4748
Glyoxal, 1372
GPC, 368, 4842
Graft, 803
Graft copolymerization, 1299, 2549, 3229, 4393, 4565, 4819
Graft copolymers, 26, 329, 381, 538, 1169, 1385, 1471, 1633, 1842, 2030, 2203, 2343, 2480, 3662, 3877, 4155, 4247, 4280
Grafting, 1522, 2867
Graft polymerization, 1349, 3510
Graphite, 1427

Halide ions, 2889
Halogenated, 2947
HDPE, 4452
Heat, 1450
Heat-resistance, 2386
Hemicellulose, 2985
Hen egg white, 318
Heteroatom-containing polymers, 576, 715, 1198, 1496, 4917
Heterocyclic aromatic heterocyclic phosphate salts, 4868
Hexamethylolmelamine, 2832
High density polyethylene, 3696, 3931
High humidity, 1013
High modulus PE fibers, 1659
High performance liquid chromatography (HPLC), 656, 2362
High performance polymers, 295, 791, 1978
High temperature materials, 791, 3255
High viscosity ratio, 2582
Hindered amine stabilizers, 4420
^{1}H-NMR, 105
H_2O_2/Fe^{+2} redox pair, 4819
Hole-transporting material, 133
Hollow fiber membrane, 2064
Homogenous membrane, 2238
Honeycomb structure, 1013
Hot compaction, 1659
Hybrid, 2164, 4470
Hybrid composites, 1754
Hybrid films, 1688
Hybrid materials, 4273, 4811
Hybrid polymer networks, 449, 457
Hydraulic permeability, 167
Hydride addition, 2511
Hydrogels, 335, 428, 599, 1420, 1465, 1664, 1735, 1914, 2759, 2937, 2942, 3152, 3393, 3602, 3653, 4163, 4439, 4661
Hydrogenation, 4499
Hydrogen bonding, 1146, 2164, 3425
Hydrolysis, 1349
Hydrophilicity, 2677, 4306
Hydrophilic polymers, 178, 428, 1184
Hydrophobic-modification, 2824
Hydrophobic-oleophobic coating, 2386
Hydrosilylation, 2511
Hydrotalcite, 500
Hydroxyalkylation, 715, 1443
Hydroxyapatite, 2881, 3931, 4716
Hydroxyethyl cellulose, 1995, 2824
Hydroxyl-terminated polydimethylsiloxane, 40
Hyperbranched, 2203
Hyperbranched polymer, 3340
Hypochlorite, 1184

Imidization, 2744
Immerging, 2659
Immiscibility, 3840
Immobilization, 4252, 4636, 4757
Impact resistance, 449, 457, 4375
Impregnation chemicals, 245
Impurities, 3141
Indentation, 625
Infrared spectroscopy, 329, 1802
In(III), 253
Initiators, 3713, 4197, 4247, 4711
Injection molding, 892, 911, 2992, 3131
In situ infrared spectrum, 3809
In situ investigations, 3364
In situ polymerization, 671
Interaction of toughening mechanisms, 4470
Interaction parameter, 2002
Intercalated, 2875
Interface morphology, 238
Interfaces, 2062, 2817, 3454, 3789
Interfacial adhesion strength, 989
Interfacial interaction, 4004
Internal pigmentability, 967
Interpenetrating networks, 2402, 2947, 4439
Interpenetrating polymer network (IPN), 323
Intrinsic velocity, 1983
Intrinsic viscosity, 4325
Inverse miniemulsion, 3987
Inverse suspension polymerization, 684
In vitro cytotoxicity, 3425
Iodine acceptors, 2710
Ion-exchange capacity, 198
Ion exchangers, 329
Ionic conductivity, 1000
Ionomers, 2963, 3474, 4595, 4603, 4684, 4762
IR microscopy, 546
Iron-based catalyst, 4265
Irradiation, 335, 1809, 2907, 2937, 3123, 4476, 4491, 4565, 5087
γ-Irradiation, 2790
Isobar, 1450
Isocyanates, 1624
Isotactic, 2259, 3069, 3280
Isotactic polypropylene, 2684, 4868, 4900
Isotherm, 1450
Isothermal crystallization, 4603

Jute, 4142, 4393
Jute fibers, 1754

Kaolinite clay, 1705, 1712
Kinetic model, 4925
Kinetics, 9, 1318, 1335, 1479, 2504, 2634, 2744, 2838, 4369, 4399, 4499, 4649, 4668, 4679
Kinetics (polym), 640, 843, 1759, 2111, 2126, 3055, 3101, 3919, 4406, 5066
Kolbe-Schmitt, 3075
Konjac glucomannan (KGM), 1323
K/S values, 3302

Lactide, 2244
Laminate, 3974
Laminated gloves, 18
Lamp power, 3997
Laser ablation, 1229

Lateral force microscopy (LFM), 2443
Latices, 4550
LDPE, 219
Light-emitting diodes (LED), 299, 962, 1048, 2151, 2336
Light emitting polymer, 133
Light irradiation, 495
Light scattering, 4348, 4900
Light stabilization, 4921
Light stabilizer, 4921
Linear low-density polyethylene, 2549, 2790
Lipase, 4252, 4636
Liquid crystalline polymers, 3904
Lithocholic acid, 73, 1995
Lithography, 4240
Living free-radical polymerization, 3531
Living polymerization, 560, 1601, 3372
Living radical polymerization, 2619
Lognormal, 4910
Long chain branching, 2770
Long stainless steel fibers, 3280
Low-density polyethylene, 2803, 4992
Low-density polyethylene film, 1262
Low-profile additive (LPA), 967
Luminescence, 923, 1899, 2151, 2930
Lyocell, 3596

Macrocyclic, 161
Macromolecular coil structure, 3765
Macromonomer, 772
Macroporous, 1039
Macroporous polymers, 1538
Magnesium hydroxide, 4461
Magnetically susceptible polymeric composite microspheres, 684
Magnetic composites, 4133
Magnetic polymers, 1289
Main-chain liquid crystalline polymers, 73
MALDI, 3075
Maleated polyethylene, 4004
Maleic anhydride, 363, 2455, 3425
Maleic anhydride end capping poly(propylene carbonate), 584
Mass distribution, 4842
Mass spectrometry, 3141
Matlab®, 677
Matrix, 758, 4795
Mechanical and electrical properties, 1754
Mechanical properties, 40, 219, 238, 245, 283, 292, 390, 593, 695, 791, 832, 867, 1255, 1344, 1471, 1547, 1607, 1772, 2062, 2171, 2180, 2289, 2542, 2628, 2781, 2796, 2817, 2912, 2985, 3069, 3255, 3332, 3382, 3409, 3465, 3498, 3536, 3545, 3596, 3619, 3641, 3696, 3707, 3895, 3943, 4045, 4333, 4338, 4476, 4491, 4550, 4697, 4703, 4972, 5019, 5039
Mechanism, 2293, 3075
Melamine, 1496
Melamine–urea–formaldehyde, 4842
Melt, 2614, 3860
Melt-annealing, 4515
Melt copolymerization, 2677
Melting behavior, 4603
Melting-model, 3860
Melting point, 191, 1306, 3904
Melt mixing, 1039
Melt polycondensation, 1511
Melt polymerization, 3222
Melt spinning, 3816
Membrane formation, 2064
Membranes, 40, 198, 275, 292, 758, 1113, 1385, 1940, 1952, 1966, 2030, 2131, 2436, 2542, 4052, 4089, 4565, 4795
Mercerization, 238
Mercury removal, 1222
Metal-chelating beads, 1222
Metal components with variable-valence state, 3809
Metal ion uptake, 1522
Metallic catalyst, 2293
Metallocene catalysts, 4632, 5019
Metallocene copolymers, 1651
Metallocene polyethylene grafted maleic anhydride, 1364
Metal-polymer complexes, 178, 1289, 1294, 1457, 3034
Methacrylate, 1864
Methacrylic acid, 1262
Methanofullerenes, 3634
Methotrexate, 3415
Methoxy poly(ethylene glycol), 1836
Methyl acrylate, 2796
Methylation, 1785
Methylcellulose, 1785, 4120
Methylhexahydrophthalic anhydride, 962
Methylhydridesiloxane, 2511
Methyl methacrylate, 318, 918, 1299, 1312, 2619, 2838, 2867, 4399
Mica, 4074
Micelles, 1836, 2737, 3913, 4406
Michaelis–Menten kinetics, 2975
Microemulsion polymerisation, 2497
Microhardness, 1659
Microindentation anisotropy, 1659
Micrometer particle, 3562
Microsphere, 4772
Microstructure, 81, 124, 892, 1229, 1294, 2667, 3050, 3346, 3519, 3895, 4338
Microwave, 2189, 5039
Microwave irradiation, 2244
Migration, 656
Miscibility, 708, 980, 1146, 1205, 1471, 1561, 1742, 2158, 2415, 3094, 3840, 4587
MMA, 3510
Model compounds, 2210, 4412
Modeling, 1642, 2572, 2838, 3240
Modification, 593, 954, 1169, 1229, 3615, 3707, 3948, 4219, 4375, 4383, 4388, 4826, 5049
Modulus, 113, 4212
Moisture, 35
Molding, 4297
Mold resistance, 3519
Molecular aggregate, 1328
Molecular characteristics, 4992
Molecularly imprinted polymers, 684
Molecular modeling, 2422
Molecular weight, 886, 1785, 2331, 2838, 3626, 4325, 4399
Molecular weight distribution, 81, 2203, 3490, 4888
Monodisperse polymer particles, 3801
Monolith, 1057
Monomer casting polyamide 6, 1357
Monomer reactivity ratio, 1864, 3531
Monomers, 186, 923, 1137, 3141, 4679
Montmorillonite, 1681, 1905, 3465, 4004, 4741, 4748
Morphology, 113, 283, 323, 343, 576, 779, 879, 1255, 1357, 1547, 2131, 2267, 2303, 2684, 3187, 3346, 3382, 3498, 3536, 3545, 3609, 3673, 3840, 4004, 4375, 4526, 4539, 4575, 4868
MPS-PPV, 2930
MTCC-4713, 4636
Multi-walled carbon nanotubes, 2356
MWCNTs, 97
Mycelles, 1457

N-acryloylcarbazole/methyl methacrylate copolymer, 2667
N-(α-naphthyl)-carbazole, 923
Nanocomposite film, 4875
Nanocomposite hybrid gel, 500
Nanocomposite hydrogel, 2096
Nanocomposites, 283, 353, 390, 508, 671, 791, 819, 1083, 1247, 1323, 1335, 1427, 1457, 1571, 1588, 1759, 1809, 1849, 1905, 2040, 2393, 2409, 2652, 2684, 2875, 2881, 3044, 3323, 3409, 3439, 3465, 3510, 3574, 3784, 3889, 3974, 4286, 4333, 4434, 4741, 4748, 4782, 4957
Nanofiber, 946
Nanofiber web, 167
Nanofoaming, 4964
Nanoparticles, 1809, 2497, 2737, 2881, 3653, 4190, 4689
Nano-scaled ordering, 3340
Nanoscale reinforcing filler, 1772
Nanoscale titanium dioxide, 3510
Nanostructure development, 3832
Nanotechnology, 268
Naphthoxazine, 3769
Natural fiber, 4142, 4361

Natural rubber, 702, 1083, 2561, 4499, 4729, 5039
N-bromosuccinimide, 2947
N-cyclohexylmaleimide, 918
Necking, 2895, 3240
Nernst equation, 3111
Networks, 335, 343, 2532, 3000, 3312, 4012, 4127
Neural network, 5119
Nickel coating, 3801
Nifedipine, 486
NIPAAm, 3152
N-isopropylacrylamide, 3987
Nitrile, 18
Nitrile–butadiene rubber, 1905
Nitrile rubber, 2227, 3948
Nitrospirobenzopyran, 495
NLO, 3913
NMR, 715, 937, 1103, 1137, 1492, 1624, 1673, 2126, 2142, 2667, 3024, 3075, 3877, 4943, 5087
NMR imaging, 937
NMR spectra, 1720
Non-Fickian sorption, 2278
Non-Fickian transport, 486
Nonionic organic contaminants, 3589
Nonisothermal, 1335
Nonisothermal crystallization, 1479
Nonlinear optical material, 2832
Nonlinear polymers, 428
Nonwoven, 47, 4306
Novel thermosets, 3769
NR, 390, 2649
NR/clay composite, 3809
Nucleation, 1465
Nucleation effect, 4868
Nucleation mechanism, 4925
N-vinyl-2-pyrrolidone, 803
Nylon, 186, 1344, 4197
Nylon 6, 167, 3116, 4074
Nylon 6/clay nanocomposites, 3116
Nylon 6 nanocomposite, 1364

Oil resistance, 3948
Oligomers, 161
One-step disulfonation, 4595
On-line monitoring, 3822
o-Ps lifetime, 740
Optical microscopy, 2104
Optics, 65
Optimization, 3680
Organic-inorganic hybrid, 1000
Organoclay, 1083, 1247, 4286
Org-MMT, 2875
Orientation, 142, 1306, 4782
Oriented films, 3545
Oriented strand-board, 1642
Osmium complex, 4499
Oxidation, 1184
Oxidative copolymerization, 3562
Oxygen, 1318
Oxygen permeability, 2985

P. aeruginosa MTCC-4713, 4252
PAAM/DAAE, 886
Parabanic acid, 1443
Particle morphology, 684
Particle nucleation, 2847, 2858, 4406
Particle size, 4461
Particle size distribution, 268, 3312, 4260
Payne effect, 3161
PBT, 2504
PDPF, 2649
Peak potential, 473
PEC, 4614
PECH-amine, 3302
PEEK, 4623
PEMA, 1205
PENT, 3536
Pentaerythritol, 3646
Percolation limit, 3161
Perfluoroalkylated compound, 4561
Perfluoroalkyl group, 772
Perfluoroalkyl methacrylate, 3152, 4661
Periodate oxidation, 1668
Permeable, 1952, 1966
Permselectivity, 198
Pervaporation, 1385, 2030, 2075
PET, 167, 2504, 3646
PF, 3075
PFDMS, 473
PFMPS, 473
Phase behavior, 1124
Phase change materials, 832
Phase diagrams, 1742, 4539
Phase inversion method, 2064
Phase segregation, 1728
Phase separation, 1395, 4603, 4964
Phenalkamine, 3956
Phenol, 4412
Phenolic resin, 2323
Phenol–melamine–urea–formaldehyde, 4842
Phenylacetylene, 2511
Phosphorus, 1
Photocatalytic, 3997
Photochemistry, 399, 1323
Photocopolymerization, 1794
Photocuring, 4361
Photografting, 1262, 2549
Photo-isomerization, 1103
Photoluminescence, 406
Photoperoxidation, 4420
Photophysics, 372
Photopolymerization, 1601
Photo-response, 495
Photosensitive, 2252, 2717
pH-responsive, 3174
pH sensitive drug delivery, 89
Physical gelation, 1406
Physical properties, 2554, 3733, 3948
Plasma, 803, 4306
Plasma polymerization, 1748, 3579

Plasticized polymer electrolyte, 1000
Plasticizer, 1932, 2180
Plastics, 892, 4762
Plastomers, 1651
PLGA, 1983
PMAA, 954
PMDA, 3646
PMMA, 1328, 1427, 3727, 4925
PMMA modifier, 4539
PNPF, 2649
Polyacetal, 4375
Polyacrylamide chromium acetate, 2096
Polyacrylonitrile, 3778
Poly (acrylonitrile–butadiene–styrene) terpolymers, 1364
Polyacrylonitrile fibers, 2881
Polyalhylfluroene, 133
Polyallylamine, 1668
Poly(α-methyl styrene), 3615
Polyamic acid ester, 2252
Polyamide1010, 3794
Polyamide fibers, 4921
Polyamides, 66, 989, 1008, 1571, 1577, 1802, 2992, 3409, 3828, 4297, 4782
Polyamine, 3018
Polyaniline, 946, 1403
Poly(arylene ether sulfone)s, 3474
Polyaspartamide carriers, 3415
Polybutadiene, 1802, 5102
Poly(butylene adipate), 2180
Poly(butylene 2,6-naphthalate), 2677
Poly(butylene succinate), 4972
Polycaprolactone, 4163
Polycarbonate, 65, 565, 3765, 4142, 4273, 4654
Poly(*cis*-butadiene) rubber, 4900
Polycondensation, 1214, 1577, 1673, 1688, 3203
Polycondensation reaction, 1378
Polydiallyldimethylammonium halides, 2710
Poly(diethylene glycol phthalic anhydride), 1312
Poly(2,6-dimethyl-1,4-phenylene oxide), 4654
Poly(dimethylsiloxane), 2075
Polydispersity, 4325
Poly(D,L-lactide), 2244
Poly(D,L-lactide-*co*-glycolide), 89
Poly-D,L-lactide-1,6-hexanediol, 4964
Polyelectrolytes, 1162, 1413, 1465, 1531, 1728, 2710, 3174, 3615, 4023, 4565, 4716
Poly(ester-amide)s, 73
Poly(ester-anhydride), 1214
Polyesters, 593, 1247, 1344, 1588, 1633, 2158, 2422, 2592, 2628, 3193, 3748, 4066, 4098, 4476, 4762, 4875, 5049
Poly(ester-urethane), 708
Polyether, 2614, 2705, 2821, 3761
Poly(ether ketones), 1113

Poly(ether sulfones), 4595
Polyethylene, 260, 381, 538, 1024, 1124, 1184, 1255, 2717, 2725, 2781, 3044, 3069, 3131, 3193, 3264, 3619, 4127, 4208, 4632, 4835, 5019
Poly(ethylene glycol), 1282, 1794, 1836, 2677, 4587
Polyethylene-*graft*-maleic anhydride, 2725
Poly(ethylene 2,6-naphthalate), 142
Polyethylene oxide, 3490
Poly(ethylene terephthalate), 142, 3646
Poly(ethylenimine), 89
Poly(ferrocenylsilanes), 473
Polyfunctional monomers, 1262
Polyglycerol, 2203
Poly(hydroxy butyrate), 2371
Poly(3-hydroxybutyrate), 900, 1471, 4338
Poly(3-hydroxybutyrate-*co*-3-hydroxyvalerate), 980
Polyimide composites, 124
Polyimide resins, 478
Polyimides, 113, 810, 1688, 2053, 2252, 2436, 3000, 3203, 3212, 3255, 3403, 3579, 4066, 4240, 4672
Polyimidoamide, 3323
Poly(lactic acid), 1239, 3009
Polylactide, 1039
Poly(L-lactic acid), 466, 3145
Poly(L-lactic-*co*-glycolic acid), 1013
Poly(maleic anhydride-*alt*-acrylic acid), 3926
Polymer, 1427, 1450, 2889, 3860
Polymer blends, 89, 2803
Polymer charge density, 1728
Polymer conjugation, 3415
Polymer curing, 2634
Polymer electrolytes, 1113
Polymer film, 2895
Polymer film modified electrodes, 2380
Polymeric dye, 1919
Polymeric microspheres, 1349
Polymerization, 4369
Polymer light emitting device, 133
Polymer melt, 3761, 3765
Polymer memory, 4208
Polymer-metal complex, 2380, 3926
Polymer microsphere, 1776
Polymer particles, 2323
Poly(methacrylic acid), 2497
Poly(methyl methacrylate), 363, 3094
Polymethylphenylsilsequioxane, 4964
Polymethylsilsesquioxane, 3974
Poly (*N*-methylaniline), 2356
Poly(*N*-2-thiazolylmethacrylamide), 1289
Poly(*N*-vinylcarbazole), 372
Poly(3-octylthiophene), 3111
Polyolefins, 625, 2131, 2992, 4723
Polyoxymethylene, 4212
Poly(*p*-dioxanone), 2331
Poly(phenylene oxide), 1742, 2238
Poly(propylene) (PP), 368, 546, 634, 911, 1067, 1831, 1889, 2220, 2259, 2532, 2642, 2770, 2875, 3069, 3280, 3364, 3446, 3498, 3574, 4173, 4190, 4208, 4280, 4452, 4729, 4748, 4804
Polypyrroles, 4107, 4575
Polysaccharides, 1323, 1561, 1633, 2142, 3393, 4155
Polysaccharides/hardness composites, 4893
Polysiloxane, 124, 1176, 1547, 4826, 4981
Poly(silylester), 1378
Polystyrene, 65, 292, 554, 664, 1742, 1856, 2619, 2803, 2907, 3889, 4406, 4434, 4654, 4826, 4957
Poly(styrene-*co*-maleic anhydride), 2744
Poly(styrene-co-vinylphenol), 900
Polystyrene matrix, 4420
Polystyrene/poly(vinyl acetate), 2409
Polystyrene sulfonate, 1705, 1712
Polystyrene-supported glucosamine, 4581
Polytetrafluoroethylene (PTFE), 2122
Polyurethane adhesive, 1759
Poly(urethane-ester)s, 1720
Poly(urethane-imide) thin films, 113
Polyurethane prepolymers, 449
Polyurethanes, 40, 47, 113, 191, 779, 1198, 2393, 2750, 2956, 2963, 3024, 3312, 3519, 3741, 3889, 4297, 4333, 4603, 4935
Poly(vinyl acetate)-*block*-poly(methyl methacrylate), 867
Poly(vinyl alcohol), 1057
Poly(vinyl alcohol)–metal complex, 4826
Poly(vinyl chloride) (PVC), 2158, 2180, 3789
Polyvinylpyridine, 3288
Pore structure, 1057
Porosity, 35, 4173
Post curing, 1899
Potato starch, 2371
Powder rubber, 4697
Precipitated calcium carbonate, 989
Precipitation polymerization, 1776
Precursor gel fiber, 4320
Preliminary treatments, 1785
Preparation, 684
Processing, 208, 478, 1255, 2259, 2652, 3240, 4297
Product yield, 3626
Prony series, 3255
Properties, 124, 918
Properties of the rigid foams, 2020
Propylene-ethylene copolymers, 1651
Protease, 1522
Proteins, 684, 1432, 4260, 4614
Proton exchange membrane (PEM), 4595
Prototype copolymer brush, 772
Pseudomonas aeruginosa, 4636
PTT/EPDM blend, 740
Pullulan, 4325
Pulp drying, 937
Pulps, 1785
Purity, 3626
PVDF, 3272
PVPh, 1205

Quantum yield, 3111
Quaternary ammonium salt, 399, 4561

Radiation, 292, 3589, 4439, 5007
Radiation crosslinking, 3264
Radiation grafting, 546
Radiation induced, 3510
Radical addition-fragmentation transfer, 2203
Radical polymerization, 57, 178, 399, 599, 664, 720, 843, 1816, 2455, 3680, 4247
Raman spectroscopy, 1432
Ramie, 2196
Rare-earth magnetic alloys, 478
Rate coefficients, 3997
RBD palm kernel oil-based polyamide, 1759
Reactions, 1624
Reaction temperature, 708
Reactive, 1952, 1966
Reactive blending, 4729
Reactive extrusion, 3646
Reactive low-profile additive, 867
Reactive microspheres, 748
Reactive polymers, 1522
Reactive poly(vinyl acetate)-*block*-poly(methyl methacrylate), 967
Reactive poly(vinyl acetate)-*block*-polystyrene, 967
Reactive processing, 2992, 3187
Reactive rubber, 2443
Reactive solvents, 1496
Reactivity ratios, 843, 2667, 3822, 4645
Reclaimed rubber, 5039
Recyclable polymeric catalysts, 3288
Recycled plastic, 3641
Recycling, 186, 1024, 3696
Redox, 4197
Redox initiation, 1312
Redox pair, 26
Redox polymers, 954, 4247
Refractive index, 65, 4240
Reinforcement, 238, 911, 3974
Relaxation, 1277, 2278
Relaxation dependent solubility model, 2278
Renewable resources, 618, 2947, 3748
Residual stress, 113

Resin finishing, 3596
Resins, 516, 695, 928, 1406, 1624, 1642, 1673, 2171, 2634, 3075, 4059, 4842, 4981
Response time, 4832
Reversible addition fragmentation chain transfer (RAFT), 560
Reversible optical storage materials, 4811
Rheological analysis, 748
Rheology, 260, 283, 478, 522, 839, 1162, 2303, 2464, 2770, 3280, 3323, 3377, 4120, 4190, 4348, 4434, 4476, 4515, 5102
Rigid polyurethane–polyisocyanurate foam, 2020
Ring-opening polymerization, 161, 715, 720, 1443, 1633, 1681, 2244, 3713, 4917
Risk, 18
Room-temperature solubles, 4992
Rotation and translation, 1664
Roughness, 2164, 4856
Rubber, 353, 390, 640, 853, 1277, 3673, 3748, 3981, 4082, 4114, 4219, 4470, 4943
Rubber-seed shell, 2561

Sawdust, 3641
SAXS, 1067, 3340, 3832
Scanning electron microscope, 946
Second-stage curing, 2317
Sedimentation, 1705
Seeded polymerization, 1349, 3801
Selective hydrolysis, 726
Selectivity, 839, 3034, 4052
Self-assembly, 2710, 3718, 3913
Self-curable, 1919
SEM, 4900
Separation, 253
Separation technique, 758, 1385, 1618, 2030, 4795
Shape memory effects, 879
Shear, 825, 839, 2289, 3382, 3943, 4190, 4723
Shear force, 3465
Shearing flow visualization, 2582
Shear strength, 1759, 4856
Short-chain branching (SCB), 4992
Short fibers, 2817, 2821
Silicas, 2053, 2684, 4273, 4333, 4632, 4943
Silicone oil, 1664
Silicone rubber, 1772
Silicones, 720
Silk, 1299
Silk fibroin, 4260
Silver nanoparticles, 1323
Silver removal and recovery, 2604
Silver thiosulfate complex, 2604
Simulating, 2572
Single-component light-emitting electrochemical cell, 2930
Single molecule, 772
SiO_x@PAM nanospheres, 3433
Size distribution, 1406
Sodium allyl sulfonate, 2796
Sodium carboxymethylcellulose, 4819
Sodium lauryl sulfate, 1013
Soft-gel composite microspheres, 684
Sol–gel approach, 1000
Sol–gel process, 4811
Sol–gel reaction, 1688, 4273
Solid-state, 3850
Solid-state ^{13}C NMR, 1875
Solid state polymerization, 3756
Solid-state structure, 576
Solubility, 1113, 4208
Solubility parameters, 2002
Solution behavior, 2824
Solution casting, 2985
Solution properties, 1229, 2002, 3346, 4348
Solvent-impregnated resin, 253
Sorbent fabric, 2604
Sorption, 2642
Sound velocity, 2196
Spacer, 5034
SPE, 2248
Spherulites, 634, 3272
Spin-coating, 2386
Spin density, 57
Spinline tension, 3816
SPME, 3141
Spray drying process, 4697
Stabilization, 2614, 3055
Stabilizer, 2323
Stable free radical polymerization, 1137
Starch, 1032, 2717
Starch-based blend film, 2554
Starch/PVA blend film, 3733
Star-hyperbranched copolymer, 3340
Star polymers, 3662, 3713
Stereoselectivity, 4265
Stiffness, 911
Stimuli-responsive polymers, 4089
Stimuli-sensitive hydrogels, 428
Strain, 2259, 4212
Strength, 1032, 1802, 3358, 4212, 5049
Strength and degradation, 3943
Stress, 2750
Structure, 918, 1443, 1624, 1673, 2126, 2142, 2614, 2817, 2821, 3562, 4842
Structure and properties, 478
Structure-property relations, 57, 1067, 1496, 2455, 3409, 3609, 3828, 4066, 4826
Styrene, 918, 2867
Styrene–acrylonitrile, 1357
Styrene–butadiene block copolymers, 2803
Styrene–butadiene rubber, 2867
Styrene oxide, 1681
Styrene polymers, 3554, 4133
Sulfer/accelerator, 2227
Sulfonated polystyrene, 4684
Sulfonation, 2238, 4393
Super absorbent, 1450
Supercritical CO_2, 671, 1299, 2901, 4575
Superparamagnetic, 3987
Superparamagnetic behavior, 4935
Supports, 2220, 4632
Supramolecular structures, 2464
Surface-crosslinking, 1594
Surface energy, 1093
Surface functionality, 3801
Surface-initiated radical polymerization, 3433
Surface modification, 1349, 3510, 4155
Surface plasmon resonance (SPR), 2362
Surface resistivity, 508
Surfaces, 381, 538, 625, 1184, 1229, 1748, 2821, 4383, 4550
Surfactant, 1538, 2956, 4348, 4711
Surfactant-free emulsion copolymerization, 40
Suspension polymerization, 2323
Sustainable resource, 3094
Sustained-release, 4772
Swell, 3727
Swelling, 335, 343, 428, 599, 1124, 1176, 1735, 2278, 2343, 2402, 2480, 2759, 3353, 4716, 5039
Swelling–deswelling behavior, 3152
Swelling measurement, 1875
Syndiotactic 1,2-polybutadiene, 1479, 4265
Syndiotactic polystyrene, 2348
Syndiotractic polypropylene, 4515
Synergism, 2889
Synthesis, 853, 1198, 1594, 2490, 2705, 2956, 3018, 3288, 3756, 4234, 4369, 4826
Synthetic hydrogels, 4252, 4636

Tannins, 4412
Tantalum alkoxide, 4320
Tantalum carbide, 4320
Tantalum nitride, 4320
Tapping mode atomic microscopy, 726
Telone, 18
Tensile behavior, 879
Tensile properties, 2684, 4173
Tension, 2956, 5049
Ternary blends, 1205, 1492
Ternary polymer blend, 1146
Terpolymer, 363
Terpolymerization, 3425
Textile finishing, 1372
TGA, 2393, 3809
Theoretical models, 2912

Thermal ageing, 2210
Thermal analysis, 1983, 2592, 3145
Thermal anisotropy, 4452
Thermal behavior, 3425
Thermal conductivity, 2196
Thermal degradation, 26, 3009
Thermal diffusivity, 4832
Thermal endurance, 1899
Thermalgravimetric analysis (TGA), 191
Thermally responsive materials, 4163
Thermal properties, 1, 295, 323, 422, 439, 576, 671, 832, 1198, 1607, 1720, 1831, 2111, 2480, 2684, 2717, 3024, 3203, 3264, 3756, 3769, 3828, 3904, 3919, 3956, 4066, 4240, 4429, 4672, 5007
Thermal stability, 819, 1443, 2790, 2875, 3574, 4972
Thermochromism, 4832
Thermodynamics, 1124, 1742, 2002, 2895, 4098
Thermograms, 219
Thermography, 2895
Thermogravimetric analysis, 178, 928, 962, 1802, 1864, 2010, 2111, 2158, 2790, 3229, 3713, 3926, 4066, 4114, 4173, 4957
Thermogravimetry, 584, 1318
Thermooxidative degradation, 3761, 3765, 3809
Thermoplastic elastomer, 2912, 4265
Thermoplastics, 81, 677, 4297, 4880
Thermoplastic starch, 2371, 4338
Thermoplastic vulcanizate (TPV), 4729
Thermoresponsive, 3987
Thermosets, 9, 422, 1673, 1849, 3454, 3536, 4045
Thermostability, 3562
Thermostimulation, 1899
Thermotropic, 1995
Thermotropic polyesters, 142
Thin films, 810, 2963
Time–temperature superposition, 677
TiO_2, 3997
Tissue regeneration, 4772
Titanium, 734
Toluidine, 3562
Topological disorder, 4208
Toughening agents, 748
Toughness, 449, 457, 1571, 1849, 3364, 3498, 4012, 4045, 4470, 4804, 4880
Transient temperature, 4181
Transitions, 1940
Transparency, 3382
Trans-polyisoprene, 879
Transport number, 198
Trimethylolmelamine, 2832
Tubes, 702
Tubular reactor, 2572
Two-dimensional simulation, 2064

UHMWPE, 3498
Ultrahigh molecular weight polyethylene, 1282, 3931
Ultralow temperature, 2289
Ultrasound, 1856, 3123, 4888
Ultraviolet, 1588
Ultraviolet irradiation, 3433
Ultraviolet radiation curing, 1048
Unsaturated polyester resin, 449, 457, 867, 967
Unsaturated polyesters, 832
Urea–formaldehyde, 1624
Urethanes, 1624
UV-curable, 2317
UV-curing coating, 4757
UV-induced, 803
UV radiation, 4361
UV–visible, 1103
UV-vis spectroscopy, 299, 399, 2847, 2858

δ-Valerolactone, 1836
Vapor, 1450
Vapor transport rate, 167
Vibration, 3860
Vinyl acetate, 3425, 3562
Vinyl ester, 3895
Vinyl pyridine copolymer, 3439
Vinyl pyrrolidone, 3822
Viscoelastic properties, 1577, 2907, 3255, 3307, 4127, 4943, 5102
Viscometric constants, 4325
Viscosity, 186, 825, 1277, 1282, 1554, 2422, 2710, 3174, 3377, 4587
Voids, 3212
Volume shrinkage, 967
Vulcanization, 1875, 2912, 3981, 4697

Washburn's equation, 167
Waste, 1538, 4098
Waste silk fibers, 4972
Water, 1450
Water absorption, 40, 1594, 4880
Water affinity, 1794
Water and oil repellent, 4561
Waterproofing, 1748
Water remaining, 47
Water-soluble chitosan, 4614
Water-soluble polymers, 522, 1554, 2490, 2930, 2963, 3346, 4023, 4888
Water treatment, 3966
WAXS, 1067, 2652, 3832, 4910
Wear, 4212
Weathering, 3131
Wettability, 2659
Whey proteins, 3519
Wicking, 167
Wide angle X-ray scattering, 2781, 3264
Witting-Hornor reaction, 923
Wood, 245, 4856
Wood finish, 3519
Wood flour, 219, 3131
Wood plastic composites, 35, 3641
Wood powder, 4173
Wool keratin, 4260
Wound dressing, 2516, 4772

XPS, 1328, 2393, 3403, 4142
X-ray, 268, 1294, 2164, 3904
X-ray diffraction, 946, 3229, 3439
X-ray photoelectron spectroscopy, 3579, 3889
X-ray scattering, 779
XRD, 1328, 4260

Yielding, 3044

Ziegler–Natta catalyst, 2642, 4804
Ziegler–Natta polymerization, 368, 1978
Zinc oxide, 508
Zn(II), 253

Journal of
Applied Polymer Science

CONTENTS

Volume 100

ISSUE NUMBER 1 / APRIL 5, 2006

Synthesis, Structure, Reactivity, and Thermal Properties of New Biphenylphosphine Oxide Bismaleimide Resins
P.-F. Tsai, M.-D. Shau, and G.-F. Chen **1**
Published online 21 December 2005

Cure Kinetics of a Polymer-Based Composite Friction Material
A. Shojaei and F. Abbasi **9**
Published online 21 December 2005

Permeation of Telone C-35 EC™ and Chloropicrin Through Protective Gloves
H. Zainal and S. S. Q. Hee **18**
Published online 21 December 2005

Graft Copolymerization of 2-Acrylamido-2-methyl-1-propanesulphonic Acid onto Carboxymethylcellulose (Sodium Salt) Using Bromate/Thiourea Redox Pair
J. Banerjee, R. Kumar, A. Srivastava, and K. Behari **26**
Published online 21 December 2005

Durability of Wood Flour-Plastic Composites Exposed to Accelerated Freeze–Thaw Cycling. II. High Density Polyethylene Matrix
J. M. Pilarski and L. M. Matuana **35**
Published online 21 December 2005

Mechanical and Surface Properties of Membranes Prepared from Waterborne Cationic Hydroxyl-Terminated Polydimethylsiloxane/Polyurethane Surfactant-Free Micro-Emulsion
X. Li, G. Fei, and H. Wang **40**
Published online 4 January 2006

Agent Distribution and Water Remaining of Polyester Nonwoven Fabrics After-Treated with Polyurethane–Citric Acid
C. Wang **47**
Published online 4 January 2006

Prediction of Electropolymerization Mechanisms of Two Substituted Phenylene: Poly-3-methoxy-toluenes ($P3mt_1$ and $P3mt_2$)
S. Ayachi, S. Bouzakraoui, M. Hamidi, M. Bouachrine, P. Molinié, and K. Alimi **57**
Published online 4 January 2006

Interferometric Measurements of Refractive Index Dispersion in Polymers over the Visible and Near-Infrared Spectral Range
S. E. Caudill and W. Tandy Grubbs **65**
Published online 6 January 2006

Main-Chain Liquid Crystalline Poly(ester-amide)s Containing Lithocholic Acid Units
V. A. E. Shaikh, V. P. Ubale, N. N. Maldar, S. V. Lonikar, C. R. Rajan, and S. Ponrathnam **73**
Published online 9 January 2006

Formation of SBS Thermoplastic Block Copolymer Using Hexamethyleneimine Alkenyl Lithium (N-Li) Initiator
Q. Wang, Y. Wang, M. Liao, and C. Zhang **81**
Published online 9 January 2006

Poly(D, L-lactide-*co*-glycolide)/Poly(ethylenimine) Blend Matrix System for pH Sensitive Drug Delivery
D. Sutton, R. Durand, X. Shuai, and J. Gao **89**
Published online 9 January 2006

Effect of Amino-Functionalization of Multi-walled Carbon Nanotubes on the Dispersion with Epoxy Resin Matrix
J. Wang, Z. Fang, A. Gu, L. Xu, and F. Liu **97**
Published online 9 January 2006

Cellulose Derivatives with Adamantoyl Groups
D. Ciolacu, V. I. Popa, and H. Ritter **105**
Published online 9 January 2006

Synthesis and Characterization of New Functional Poly(urethane-imide) Crosslinked Networks
M.-H. Park, W. Jang, S.-J. Yang, Y. Shul, and H. Han **113**
Published online 9 January 2006

Microstructure and Properties of New Polyimide/Polysiloxane Composite Films
C. Lü, Z. Wang, F. Liu, J. Yan, and L. Gao **124**
Published online 26 January 2006

Enhanced Performance of Polymer Light-Emitting Device via Optimization of Processing Conditions and Device Configuration
R. H. Lee, Y. Z. Lee, and C.-I. Chao **133**
Published online 26 January 2006

A Comparative Study of Structure–Property Relationships in Highly Oriented Thermoplastic and Thermotropic Polyesters with Different Chemical Structures
I. Karacan **142**
Published online 26 January 2006

One Step Synthesis and Rapid Ring-Opening Polymerization of Macrocyclic (arylene thioether ketone) Oligomers
H. Yan, X. H. Li, S. J. Wang, and Y. Z. Meng **161**
Published online 26 January 2006

Hydraulic Permeabilities of PET and Nylon 6 Electrospun Fiber Webs
K. Hwa Hong and T. Jin Kang **167**
Published online 26 January 2006

Nonionic Water-Soluble Polymer: Preparation, Characterization, and Application of Poly(1-vinyl-2-pyrrolidone-*co*-hydroxyethylmethacrylate) as a Polychelatogen
G. del C. Pizarro, O. G. Marambio, M. Jeria O, M. Huerta, and B. L. Rivas **178**
Published online 26 January 2006

Depolymerization of Nylon 6 Waste Fibers
S. R. Shukla, A. M. Harad, and D. Mahato **186**
Published online 26 January 2006

Thermal and Structural Characterization of Quasi-Nanometer Zirconium Carbon/Polyurethane Composites Prepared Under Roller Pressure
M.-C. Suen and C.-C. Chen **191**
Published online 26 January 2006

Electrodialytic Transport Properties of Heterogeneous Cation-Exchange Membranes Prepared by Gelation and Solvent Evaporation Methods
M. Y. Kariduraganavar, R. K. Nagarale, and S. S. Kulkarni **198**
Published online 26 January 2006

Application of Cyclodextrin to the Textile Dyeing and Washing Processes
A. Cireli and B. Yurdakul **208**
Published online 26 January 2006

Studies on LDPE—Cyanoethylated Lignocellulosics Blends Using Epoxy Functionalized LDPE as Compatibilizer
R. R. N. Sailaja **219**
Published online 26 January 2006

Effects of Mercerization of Bamboo Strips on Mechanical Properties of Unidirectional Bamboo–Novolac Composites
M. Das, A. Pal, and D. Chakraborty **238**
Published online 26 January 2006

Influence of Pretreatment on Shear Strength of Various Wood Species
B. Uysal **245**
Published online 26 January 2006

Selective Separation of In(III), Ga(III), and Zn(II) from Dilute Solution Using Solvent-Impregnated Resin Containing Di(2-ethylhexyl) Phosphoric Acid
J. S. Liu, H. Chen, Z. L. Guo, and Y. C. Hu **253**
Published online 26 January 2006

Destabilization Mechanism of Polyethylene-Modified Bitumen
A. Pérez-Lepe, F. J. Martínez-Boza, P. Attané, and C. Gallegos **260**
Published online 26 January 2006

Analysis of the Structural Characteristics of Nanoscale Silk Particles
Y. Li, C. W. M. Yuen, J. Y. Hu, and Y. F. Cheng **268**
Published online 26 January 2006

CO_2-Facilitated Transport Through Poly(*N*-vinyl-γ-sodium aminobutyrate-*co*-sodium acrylate)/Polysulfone Composite Membranes
Z. Wang, C. Yi, Y. Zhang, J. Wang, and S. Wang **275**
Published online 26 January 2006

Morphology and Mechanical Properties of Polypropylene/Polyamide 6 Nanocomposites Prepared by a Two-Step Melt-Compounding Process
M. Gahleitner, B. Kretzschmar, D. Pospiech, E. Ingolic, N. Reichelt, and K. Bernreitner **283**
Published online 26 January 2006

Structured Radiation-Grafted Polymer Films and Membranes
T. Rager **292**
Published online 26 January 2006

Thermal Characterization of Carbon-Nanofiber-Reinforced Tetraglycidyl-4,4′-diaminodiphenylmethane/4,4′-Diaminodiphenylsulfone Epoxy Composites
H. Xie, B. Liu, H. Yang, Z. Wang, J. Shen, and R. Cheng **295**
Published online 26 January 2006

Blue-Light-Emitting Poly(arylene ethynylenes) Containing Alternating Sequences of Biphenylene or Fluorenediyl and *p*-Phenylene Moieties Linked Through Triple Bonds
S.-H. Joo, M.-Y. Jeong, D. H. Ko, J.-H. Park, K. Y. Kim, S. J. Bae, I. J. Chung, and J.-I. Jin **299**
Published online 26 January 2006

Synthesis and Luminescence Properties of New Blue-Light-Emitting Polyconjugated Poly{1,1′-biphenyl-4,4′-diyl-[1-(4-*t*-butylphenyl)]vinylene} Polymers and Copolymers
C.-G. Kim, S.-H. Joo, C. Hong Cheon, M.-Y. Jeong, S.-W. Cha, B.-H. Sohn, and J.-I. Jin **307**
Published online 26 January 2006

Studies on Chemically Modified Hen Egg White and Gelatin Composites
U. V. K. Boopalan, R. M. B. N. Das, and T. P. Sastry **318**
Published online 26 January 2006

Synthesis, Thermal Properties, and Morphology of Blocked Polyurethane/Epoxy Full-Interpenetrating Polymer Network
C.-H. Chen and M.-H. Chen **323**
Published online 26 January 2006

Preparation and Application of Acrylonitrile-Grafted Cyanoethyl Cellulose for the Removal of Copper (II) Ions
S. Kamel, E. M. Hassan, and M. El-Sakhawy **329**
Published online 26 January 2006

Synthesis and Characterization of Sodium Alginate/Acrylamide Semi-Interpenetrating Polymer Networks
D. Şolpan and M. Torun **335**
Published online 26 January 2006

Interpenetrating Polymer Networks of Poly(butyl methacrylate) and Poly(α-terpineol-*co*-styrene): Synthesis and Characterization
S. Pathak and A. K. Srivastava **343**
Published online 26 January 2006

Natural Rubber/Poly(ethylene-*co*-vinyl acetate)-Blend-Based Nanocomposites
J. Sharif, W. M. Z. Wan Yunus, K. H. Dahlan, and M. H. Ahmad **353**
Published online 26 January 2006

Preparation of Compatible Blends of Poly(methyl methacrylate) Used in Dentistry with a Reactive Terpolymer Containing Maleic Anhydride and Their Thermomechanical Characterization
A. Boztuğ, A. Coşkun, G. Bolayır, H. B. Zengin, and A. K. Özdemir **363**
Published online 26 January 2006

Effect of Polymerization Time on the Molecular Weight and Molecular Weight Distribution of Polypropylene
S. Abedi, M. Hosseinzadeh, M. A. Kazemzadeh, and M. Daftari-Besheli **368**
Published online 26 January 2006

Photophysical Studies of Copolymers of *N*-Vinylcarbazole
A. S. Brar, M. Kaur, M. M. Balamurli, and S. K. Dogra **372**
Published online 26 January 2006

Novel Self-Disinfecting Surface
P. J. McCubbin, E. Forbes, M. M. Gow, and S. D. Gorham **381**
Published online 26 January 2006

Properties of Fullerene-Containing Natural Rubber
B. Jurkowska, B. Jurkowski, P. Kamrowski, S. S. Pesetskii, V. N. Koval, L. S. Pinchuk, and Y. A. Olkhov **390**
Published online 26 January 2006

Synthesis and Photoinitiation Properties of a Novel Quaternary Ammonium Tetraphenylborate Salt
X. Yu, J. Chen, J. Yang, Z. Zeng, and Y. Chen **399**
Published online 26 January 2006

Characterization and Photoluminescence Properties of Diglycidyl Methacrylic Resin Doped with the Eu^{3+}–β-Diketonate Complex
D. F. Parra, A. Mucciolo, D. G. Duarte, H. F. Brito, and A. B. Lugão **406**
Published online 26 January 2006

Synthesis of Acrylate Polymers by a Novel Emulsion Polymerization for Adhesive Applications
J. Sakdapipanich, N. Thananusont, and N. Pukkate **413**
Published online 26 January 2006

Differential Scanning Calorimetry of Urea–Formaldehyde Adhesive Resins, Synthesized under Different pH Conditions
B.-D. Park, E.-C. Kang, and J. Y. Park **422**
Published online 26 January 2006

Synthesis and Swelling Behavior of Thermosensitive Poly(*N*-isopropyl acrylamide-*co*-sodium-2-acrylamido-2-methyl propane sulfonate) and Poly(*N*-isopropyl acrylamide-*co*-sodium-2-acrylamido-2-methyl propane sulfonate-*co*-glycidyl methacrylate) Hydrogels
S. Emik and G. Gürdağ **428**
Published online 26 January 2006

4-Chloro-3-methylphenyl Methacrylate Copolymers with 2,4-Dichlorophenyl Methacrylate: Synthesis, Characterization, and Antimicrobial Activity
J. N. Patel, M. B. Dolia, M. B. Patel, and R. M. Patel **439**
Published online 26 January 2006

Modification of Unsaturated Polyester Resin by Polyurethane Prepolymers
A. Benny Cherian, B. T. Abraham, and E. Thomas Thachil **449**
Published online 26 January 2006

Epoxidized Phenolic Novolac: A Novel Modifier for Unsaturated Polyester Resin
A. B. Cherian and E. T. Thachil **457**
Published online 26 January 2006

Preparation of High-Molecular-Weight Poly(L-lactic acid)-Based Polymers Through Direct Condensation Polymerization in Bulk State
H. S. Kim, M. O. Hwang, M. N. Kim, and J. S. Yoon **466**
Published online 26 January 2006

Synthesis of Poly(ferrocenylsilanes) with Different Molecular Weight and Their Electrochemical Behavior
J.-J. Wang, L. Wang, X.-J. Wang, T. Chen, and Y. Chen **473**
Published online 26 January 2006

Structure and Properties of Polyimide-Bonded Magnets Processed from Prepolymers Based on Diacetyl Derivatives of Aromatic Diamines and Dianhydrides
V. E. Yudin, J. U. Otaigbe, Tho X. Bui, and V. M. Svetlichnyi **478**
Published online 26 January 2006

Effect of Coexcipients on Drug Release and Floating Property of Nifedipine Hollow Microspheres: A Novel Gastro Retentive Drug Delivery System
K. S. Soppimath, T. M. Aminabhavi, S. A. Agnihotri, N. N. Mallikarjuna, and P. V. Kulkarni **486**
Published online 26 January 2006

Development of a Photoresponsive Cell Culture Surface: Regional Enhancement of Living-Cell Adhesion Induced by Local Light Irradiation
Y. Tada, K. Sumaru, M. Kameda, K. Ohi, T. Takagi, T. Kanamori, and Y. Yoshimi **495**
Published online 26 January 2006

Effect of Hydrotalcite on the Swelling and Mechanical Behaviors for the Hybrid Nanocomposite Hydrogels Based on Gelatin and Hydrotalcite
W.-F. Lee and S.-C. Lee **500**
Published online 26 January 2006

Polystyrene Nanocomposite Materials—Preparation, Mechanical, Electrical and Thermal Properties, and Morphology
C. M. Ma, Y.-J. Chen, and H.-C. Kuan **508**
Published online 26 January 2006

Alkyd–Epoxy Blends as Multipurpose Coatings
N. Dutta, N. Karak, and S. K. Dolui **516**
Published online 26 January 2006

Rheology of Poly(*N*-vinyl pyrrolidone)–Poly(ethylene glycol) Adhesive Blends under Shear Flow
M. M. Feldstein, V. G. Kulichikhin, S. V. Kotomin, T. A. Borodulina, M. B. Novikov, A. Roos, and C. Creton **522**
Published online 26 January 2006

Covalent Attachment of Quaternary Ammonium Compounds to a Polyethylene Surface via a Hydrolyzable Ester Linkage
P. J. McCubbin, E. Forbes, M. M. Gow, and S. D. Gorham **538**
Published online 26 January 2006

Surface Designing of Polypropylene by Critical Monitoring of the Grafting Conditions
N. Anjum, O. Moreau, and A. M. Riquet **546**
Published online 26 January 2006

Biodegradable Polymer Made of Styrene and *N*-Benzyl-4-vinylpyridinium Chloride
N. Kawabata, C. Kakimoto, and H. Ikeuchi **554**
Published online 26 January 2006

Reversible Addition–Fragmentation Chain Transfer Polymerization of Styrene with Benzoimidazole Dithiocarbamate as a Reversible Addition–Fragmentation Chain Transfer Agent
H. Yin, X. Zhu, D. Zhou, and J. Zhu **560**
Published online 26 January 2006

Flame Retardancy of a Polycarbonate–Polydimethylsiloxane Block Copolymer: The Effect of the Dimethylsiloxane Block Size
A. Nodera and T. Kanai **565**
Published online 26 January 2006

Synthesis and Characterization of Novel Polyureas Based on Benzimidazoline-2-one and Benzimidazoline-2-thione Hard Segments
A. V. Raghu, G. S. Gadaginamath, N. N. Mallikarjuna, and T. M. Aminabhavi **576**
Published online 26 January 2006

Thermotropic Liquid Crystallinity, Thermal Decomposition Behavior, and Aggregated Structure of Poly(propylene carbonate)/Ethyl Cellulose Blends
Z. Zhang, H. Zhang, Q. Zhang, Q. Zhou, H. Zhang, Z. Mo, X. Zhao, and X. Wang **584**
Published online 26 January 2006

Mechanical, Thermal, and Morphological Properties of Bismaleimide/Unsaturated Polyester Copolymers
Y. Li, L. Feng, and L.-C. Zhang **593**
Published online 26 January 2006

Preparation and Characterization of Novel pH-Sensitive Binary Grafted Polymeric Blends of Gelatin and Poly(vinyl alcohol): Water Sorption and Blood Compatibility Study
A. K. Bajpai and M. Sharma **599**
Published online 26 January 2006

Kenaf-Fiber-Reinforced Poly(lactic acid) Used for Electronic Products
S. Serizawa, K. Inoue, and M. Iji **618**
Published online 26 January 2006

Surface Segregation of Polyethylene in Low-Density Polyethylene/Ethylene–Propylene–Diene Rubber Blends: Aspects of Component Structure
D. M. Bieliński and Łukasz Kaczmarek **625**
Published online 26 January 2006

Comparison of the Molecular Properties and Morphology of Polypropylenes Irradiated under Different Atmospheres and after Annealing
B. Krause, L. Häußler, and D. Voigt **634**
Published online 26 January 2006

Hydrogenation of Natural Rubber Latex in the Presence of $OsHCl(CO)(O_2)(PCy_3)_2$
A. Mahittikul, P. Prasassarakich, and G. L. Rempel **640**
Published online 26 January 2006

Effect of Temperature and Type of Food Simulant on Antioxidant Stability
M.S. Dopico-García, J.M. López-Vilariño, and M.V. González-Rodríguez **656**
Published online 26 January 2006

Synthesis and Characterization of Soluble Hyperbranched Polymer via Initiator-Fragment Incorporation Radical Polymerization of Divinylbenzene with Dimethyl 2,2′-Azobisisobutyrate
T. Hirano, N. Higashida, H. Wang, and M. S. T. Sato **664**
Published online 26 January 2006

Supercritical CO_2-Assisted Synthesis of Polystyrene/Clay Nanocomposites
J. Li, Q. Xu, Q. Peng, M. Pang, S. He, and C. Zhu **671**
Published online 26 January 2006

Determination of Dynamic Mechanical Properties of Engineering Thermoplastics at Wide Frequency Range using Havriliak–Negami Model
D. K. Setua, Y. N. Gupta, S. Kumar, R. Awasthi, A. Mall, and K. Sekhar **677**
Published online 26 January 2006

Study on Preparation of Protein-Imprinted Soft-Wet Gel Composite Microspheres with Magnetic Susceptibility and their Characteristics. I. Preparation and Particle Morphology
S. Lu, G. Cheng, and X. Pang **684**
Published online 26 January 2006

Fracture Toughness in Random-Chopped Fiber-Reinforced Composites and their Strain Rate Dependence
G. C. Jacob, J. M. Starbuck, J. F. Fellers, S. Simunovic, and R. G. Boeman **695**
Published online 26 January 2006

Elastic Properties of Natural Rubber Tubes Produced by Dip-Coating
W. F. P. Neves-Junior, C. F. de O. Graeff, M. Ferreira, M. Mulato, M. S. Bernardes, and J. Coutinho-Netto **702**
Published online 26 January 2006

Effects of Reaction and Cure Temperatures on Morphology and Properties of Poly(ester-urethane)
Ming Zeng and Lina Zhang **708**
Published online 26 January 2006

Hydroxyalkylation of 6-Aminouracil
E. Chmiel-Szukiewicz **715**
Published online 26 January 2006

New Polymer Materials Based on Silicone-Acrylic Copolymer to Improve Fastness Properties of Reactive Dyes on Cotton Fabrics
K. Xie, A. Hou, and Y. Zhang **720**
Published online 26 January 2006

Combination of Atomic Force Microscopy and Chemical Hydrolysis to Characterize Degradable Regions in Polymer Blends
X. Gu, D. Raghavan, and A. Emekalam **726**
Published online 26 January 2006

Self-Induced Short Chain Branching in Homopolymers and 1-Hexene Copolymers of Ethylene Produced with Amido Functionalized ansa Half-Sandwich Complexes as Catalysts
H. G. Alt, A. Reb, M. Bruce Welch, and A. Jurkiewicz **734**
Published online 26 January 2006

Differential Scanning Calorimetric and Free Volume Study of Reactive Compatibilization by EPM-*g*-MA of Poly(trimethylene terephthalate)/EPDM Blends
H. B. Ravikumar, C. Ranganathaiah, G. N. Kumaraswamy, M. V. Deepa Urs, J. H Jagannath, A. S. Bawa, and Sabu Thomas **740**
Published online 26 January 2006

Preformed Microspherical Inclusions for Rheological Control and Physical Property Modification of Epoxy Resins
M. Frigione, E. Calò, A. Maffezzoli, D. Acierno, C. Carfagna, and V. Ambrogi **748**
Published online 26 January 2006

Preparation of Polysulfone Hollow Fiber Affinity Membrane Modified with Mercapto and Its Recovery Properties. I. Synthesis and Preparation of Hollow Fiber Matrix Membrane
B. Wang, B. Cheng, and Y. Cui ***758***
Published online 26 January 2006

Synthesis of Polyethylene Oxide End-Capped with Perfluoroalkyl Groups/Polystyrene Prototype Brushes
K. Ishizu, H. Yamada, K. Toyoda, and T. Furukawa ***772***
Published online 26 January 2006

Morphological Changes in Thermoplastic Polyurethanes during Heating
P. R. Laity, J. E. Taylor, S. S. Wong, P. Khunkamchoo, M. Cable, G. T. Andrews, A. F. Johnson, and R. E. Cameron ***779***
Published online 26 January 2006

Rigid-Rod Polymeric Fibers
H. G. Chae and S. Kumar ***791***
Published online 26 January 2006

Surface Grafting Polymerization of *N*-Vinyl-2-pyrrolidone onto a Poly(ethylene terephthalate) Nonwoven by Plasma Pretreatment and Its Antibacterial Activities
K.-S. Chen, Y.-A. Ku, H.-R. Lin, T.-R. Yan, D.-C. Sheu, and T.-M. Chen ***803***
Published online 26 January 2006

Electrical Properties of Conventional Polyimide Films: Effects of Chemical Structure and Water Uptake
H. Deligöz, T. Yalcinyuva, S. Özgümüs, and S. Yildirim ***810***
Published online 26 January 2006

A Conducting Nanocomposite of Acetylene Black with Preformed Poly-*N*-vinylcarbazole Crosslinked by Anhydrous $FeCl_3$
A. Maity and M. Biswas ***819***
Published online 26 January 2006

Shear Creep Resistance of Styrene–Isoprene–Styrene (SIS)-Based Hot-Melt Pressure-Sensitive Adhesives
D.-J. Kim, H.-J. Kim, and G.-H. Yoon ***825***
Published online 26 January 2006

Thermal and Mechanical Behavior of Unsaturated Polyesters Filled with Phase Change Material
G. Çaylı and S. Küsefoğlu ***832***
Published online 26 January 2006

Selectivity of Shear Rate on Chains in Polymer Combination Reaction
M. Liu, W. Yu, and C. Zhou ***839***
Published online 26 January 2006

High Temperature Bulk Copolymerization of Methyl Methacrylate and Acrylonitrile. I. Reactivity Ratio Estimation
R. Khesareh, N. T. McManus, and A. Penlidis ***843***
Published online 26 January 2006

ISSUE NUMBER 2 / APRIL 15, 2006

Ozonolysis of Model Olefins—Efficiency of Antiozonants
N. M. Huntink, R. N. Datta, A. Talma, and J. W. M. Noordermeer ***853***
Published online 10 January 2006

Effects of Reactive Low-Profile Additives on the Properties of Cured Unsaturated Polyester Resins. II. Glass-Transition Temperature and Mechanical Properties
J.-P. Dong, J.-H. Lee, D.-H. Lai, and Y.-J. Huang **867**
Published online 10 January 2006

Block Copolymer of *trans*-Polyisoprene and Urethane Segment: Shape Memory Effects
X. Ni and X. Sun **879**
Published online 10 January 2006

An Amphoteric Water-Soluble Copolymer. II. Effect of Its Molecular Weight on the Dispersion of Barium Titanate in Water
K.-L. Ying, K.-C. Hsu, and W.-C. J. Wei **886**
Published online 10 January 2006

Kneading and Molding of Ceramic Microparts by Precision Powder Injection Molding (PIM)
S. Y. Yang, C. K. Huang, B. C. Lin, and W. C. J. Wei **892**
Published online 10 January 2006

Relative Strength of H-Bonding Groups on Biodegradable Polymer-Based Blends in Solution
V. Soria, C. M. Gomez, M. Falo, C. Abad, and A. Campos **900**
Published online 10 January 2006

Study of the Flexural Modulus of Natural Fiber/Polypropylene Composites by Injection Molding
S. Shibata, Y. Cao, and I. Fukumoto **911**
Published online 11 January 2006

Synthesis and Characterization of Suspension Terpolymer of *N*-Cyclohexylmaleimide, Methyl Methacrylate, and Styrene
L. Yang and D. Sun **918**
Published online 11 January 2006

Synthesis and Characterization of Photoluminescent Conjugated Polymer Containing *N*-(α-Naphthyl)- Carbazole Unit
L. Feng, C. Zhang, Z. Chen, A. Qin, M. Yuan, and F. Bai **923**
Published online 11 January 2006

Synthesis and Characterization of Antibacterial Polychelates of Urea–Formaldehyde Resin with Cr(III), Mn(II), Fe(III), Co(II), Ni(II), Cu(II), and Zn(II) Metal Ions
N. Nishat, S. Ahmad, and R. Tansir Ahamad **928**
Published online 11 January 2006

NMR Imaging and Differential Scanning Calorimetry Study on Drying of Pine, Birch, and Reed Pulps and Their Mixtures
S. Heikkinen, L. Alvila, T. T. Pakkanen, T. Saari, and P. Pakarinen **937**
Published online 11 January 2006

Chemical Synthesis and Characterization of Polyaniline Nanofiber Doped with Gadolinium Chloride
S. Zhang, S. Kan, and J. Kan **946**
Published online 11 January 2006

Poly(methacrylic acid)-Bound Dihydroxybenzene Units: Redox Polymers
S. Moulay and R. Mehdaoui **954**
Published online 11 January 2006

Non-Catalytic Anhydride Curing of Hydrogenated Bisphenol-A Glycidyl Ether with 1,2,4-Cyclohexanetricarboxylic Anhydride and Light Emitting Diode Encapsulation
Y. Morita and H. Sugino **962**
Published online 11 January 2006

Effects of Reactive Low-profile Additives on the Volume Shrinkage and Internal Pigmentability for Low-temperature Cure of Unsaturated Polyester
J.-P. Dong, S-G. Chiu, M.-W. Hsu, and Y.-J. Huang ***967***
Published online 12 January 2006

Miscibility and Crystallization Behavior of Poly(3-hydroxybutyrate-*co*-3-hydroxyvalerate)/Poly(vinyl acetate) Blends
H.-J. Chiu ***980***
Published online 12 January 2006

Microstructure and Mechanical Behavior of Polyamide 66-Precipitated Calcium Carbonate Composites: Influence of the Particle Surface Treatment
J. Cayer-Barrioz, L. Ferry, D. Frihi, K. Cavalier, R. Séguéla, and G. Vigier ***989***
Published online 12 January 2006

Solid Polymer Electrolytes. XI. Preparation, Characterization and Ionic Conductivity of New Plasticized Polymer Electrolytes Based on Chemical-Covalent Polyether–Siloxane Hybrids
W.-J. Liang, Y.-P. Chen, C.-P. Wu, and P.-L. Kuo ***1000***
Published online 12 January 2006

Development of Acrylonitrile-Butadiene (NBR)/Polyamide Thermoplastic Elastomeric Compositions: Effect of Carboxylation in the NBR Phase
R. Chowdhury, M. S. Banerji, and K. Shivakumar ***1008***
Published online 12 January 2006

Water-Assisted Formation of Honeycomb Films of Poly(L-lactic-*co*-glycolic acid)
Y. Tian, H. Ding, Y. Shi, Q. Jiao, and X. Wang ***1013***
Published online 12 January 2006

Evaluation of Blood Compatibility of MeO-PEG-poly (D,L-lactic-*co*-glycolic acid)-PEG-OMe Triblock Copolymer
Y. Duan, Y. Nie, T. Gong, Q. Wang, and Z. Zhang ***1019***
Published online 12 January 2006

Extraction of CdS Pigment from Waste Polyethylene
P. H. P. Wanrooij, U. S., Agarwal, J. Meuldijk, J. M. N. van Kasteren, and P. J. Lemstra ***1024***
Published online 12 January 2006

Clay–Starch Composites and Their Application in Papermaking
S.-Y. Yoon and Y. Deng ***1032***
Published online 12 January 2006

Influence of the Porous Morphology on the *In Vitro* Degradation and Mechanical Properties of Poly(L-lactide) Disks
P. Sarazin, N. Virgilio, and B. D. Favis ***1039***
Published online 30 January 2006

Ultraviolet Radiation Curable Epoxy Resin Encapsulant for Light Emitting Diodes
R. N. Kumar, L. Y. Keem, N. C. Mang, and A. Abubakar ***1048***
Published online 30 January 2006

Pore Structure of Macroporous Monolithic Cryogels Prepared from Poly(vinyl alcohol)
F. M. Plieva, M. Karlsson, M.-R. Aguilar, D. Gomez, S. Mikhalovsky, I. Y. Galaev, and B. Mattiasson ***1057***
Published online 30 January 2006

High Modulus Polypropylene Fibers. II. Influence of Fiber Preparation upon Structure and Morphology
D. Gregor-Svetec **1067**
Published online 30 January 2006

Physical Properties of Natural Rubber/Organoclay Nanocomposites Compatibilized with Epoxidized Natural Rubber
P. L. Teh, Z. A. Mohd Ishak, A. S. Hashim, J. Karger-Kocsis, and U. S. Ishiaku **1083**
Published online 30 January 2006

Controlled Heterogeneous Modification of Cellulose Fibers with Fatty Acids: Effect of Reaction Conditions on the Extent of Esterification and Fiber Properties
C. S. R. Freire, A. J. D. Silvestre, C. P. Neto, M. N. Belgacem, and A. Gandini **1093**
Published online 30 January 2006

The Use of ^{1}H NMR and UV–vis Measurements for Quantitative Determination of trans/cis Isomerization of a Photo-Responsive Monomer and Its Copolymer
M. Moniruzzaman, J. D. R. Talbot, C. J. Sabey, and G. F. Fernando **1103**
Published online 30 January 2006

Preparation and Solubility of Water–Methanol Mixtures in Sulfonated Poly(etherketone) Containing a Cardo-Ring Structure
C. Akiba, K. Watanabe, K. Nagai, Y. Hirata, and Q. T. Nguyen **1113**
Published online 30 January 2006

Ethylene and 1-Hexene Sorption in LLDPE under Typical Gas-Phase Reactor Conditions: Experiments
A. Novak, M. Bobak, J. Kosek, B. J. Banaszak, D. Lo, T. Widya, W. Harmon Ray, and J. J. de Pablo **1124**
Published online 30 January 2006

New Dinitroxide for Stable Free Radical Polymerization of Styrene
Z. Zhang, X. Zhu, J. Zhu, Z. Cheng, and J. Lu **1137**
Published online 30 January 2006

Effect of Bisphenol A on the Miscibility, Phase Morphology, and Specific Interaction in Immiscible Biodegradable Poly(ε-caprolactone)/Poly(L-lactide) Blends
S.-W. Kuo, C.-F. Huang, Y.-C. Tung, and F.-C. Chang **1146**
Published online 30 January 2006

Chitosan: Aspects of Fiber Spinnability
K. El-Tahlawy and S. M. Hudson **1162**
Published online 30 January 2006

Dyeing Properties of *Bombyx mori* Silks Grafted with Methyl Methacrylate and Methacrylamide
J. Prachayawarakorn and W. Kryratsamee **1169**
Published online 30 January 2006

Fibrillation Tendency of Cellulosic Fibers. VII. Combined Effects of Treatments with an Alkali, Crosslinking Agent, and Reactive Dye
W. Zhang, S. Okubayashi, W. Badura, and T. Bechtold **1176**
Published online 30 January 2006

Modification of Polyolefin Films Surface with Sodium Hypochlorite
O. Iguerb, S. Demoustier-Champagne, J. Marchand-Brynaert, D. Daoust, M. Sclavons, and J. Devaux **1184**
Published online 30 January 2006

Improvement of Thermal Stability of New Heteroaromatic Poly(azomethine urethane)s
A. M. Issam and J. Ismail **1198**
Published online 30 January 2006

Miscibility Enhancement on the Immiscible Poly (vinyl pyrrolidone) and Poly (ethyl methacrylate) with Poly (vinyl phenol)
W.-P. Hsu **1205**
Published online 30 January 2006

The Effect of Substitution Levels on the Luminescent and Degradation Properties of Fluorescent Poly(ester-anhydride)s
J. Fan, H. L. Jiang, D. Chen, and K. J. Zhu **1214**
Published online 30 January 2006

Alanine Containing Porous Beads for Mercury Removal from Artificial Solutions
S. Şenel, A. Kara, A. Karabakan, and A. Denizli **1222**
Published online 30 January 2006

Femtosecond-Laser-Assisted Wet Chemical Etching of Polymer Materials
C. Wochnowski, Y. Hanada, Y. Cheng, S. Metev, F. Vollertsen, K. Sugioka, and K. Midorikawa **1229**
Published online 30 January 2006

Preparation of Poly(lactic acid) Fiber by Dry-Jet-Wet-Spinning. I. Influence of Draw Ratio on Fiber Properties
B. Gupta, N. Revagade, N. Anjum, B. Atthoff, and J. Hilborn **1239**
Published online 30 January 2006

Synthesis and Characterization of Poly(butylene terephthalate) Nanocomposite Fibers: Thermo-Mechanical Properties and Morphology
J.-H. Chang and M. K. Mun **1247**
Published online 30 January 2006

Morphology and Mechanical Properties of Blends of Linear Low Density Polyethylene and Poly(ethene-propene-1-butene)
A. C. Quental and M. I. Felisberti **1255**
Published online 30 January 2006

Characteristics of Methacrylic Acid-Grafted Polyethylene Films Prepared by Photografting in the Presence of Polyfunctional Monomers
H. Kubota, M. Kojima, and S.-i. Kuroda **1262**
Published online 30 January 2006

Effect of Temperature on Electrical Behavior of Flyash-Filled Epoxy Gradient Composites
N. Chand and D. Jain **1269**
Published online 30 January 2006

Characterization of the Aging Behavior of Raw Epoxidized Natural Rubber with a Rubber Processing Analyzer
P.-Y. Wang, H.-L. Qian, C.-L. Yang, and Y.-Chen **1277**
Published online 30 January 2006

Influence of Poly(ethylene glycol)-Containing Additives on Extrusion of Ultrahigh Molecular Weight Polyethylene/Polypropylene Blend
M. Xie, X. Liu, and H. Li
Published online 30 January 2006 **1282**

Synthesis and Magnetic Properties of Novel Complexes of Poly(*N*-2-thiazolylmethacrylamide) with Nd(III), Pr(III), and Sm(III)
P. Zheng, W. Sun, and Z. Shen **1289**
Published online 30 January 2006

Local Microstructure Characterization of Rare Earth-Doped PMMA with Low-Ion Content by Fluorescence EXAFS
H. Zhao, J. Hu, Q. Zhang, J. Bao, W. Liu, C. Gao, and Y. Luo **1294**
Published online 30 January 2006

Grafting of Methyl Methacrylate onto *Antheraea pernyi* Silk Fiber with the Assistance of Supercritical CO_2
Q. Peng, Q. Xu, D. Sun, and Z. Shao **1299**
Published online 30 January 2006

Evaluation of the Microstructure and Melting Behavior of Drawn Polypropylene Fibers with a Microthermal Analyzer
J. Ye, T. Hasegawa, and A. Suzuki **1306**
Published online 30 January 2006

Block Copolymerization of Poly(diethylene glycol phthalic anhydride) and Methyl Methacrylate Initiated by Potassium Diperiodatonickelate(IV)
Y. Liu, L. Bai, W. Zhou, Y. Liu, Y. Li, and K. Deng **1312**
Published online 30 January 2006

Thermogravimetric Analysis of Agricultural Residues: Oxygen Effect And Environmental Impact
I. Šimkovic and K. Csomorová **1318**
Published online 30 January 2006

Study on In Situ Synthesis of Konjac Glucomannan/Silver Nanocomposites via Photochemical Reduction
D. Tian, W. Hu, Z. Zheng, H. Liu, and H.-Q. Xie **1323**
Published online 30 January 2006

Reactions of Copper Ions With Amines in the Presence of Self-Assembled Fluorinated Oligomeric Aggregates
H. Sawada, R. Furukuwa, K. Sasazawa, K.-i. Toriba, K. Ueno, and K. Hamazaki **1328**
Published online 30 January 2006

Nonisothermal Crystallization of Poly(ethylene-*co*-glycidyl methacrylate)/Clay Nanocomposites
J.-W. Huang, H.-C. Hung, K.-S. Tseng, and C.-C. Kang **1335**
Published online 30 January 2006

Chemical Modification of Nylon 6 and Polyester Fabrics by Ozone-Gas Treatment
M. Lee, M. S. Lee, T. Wakida, T. Tokuyama, G. Inoue, S. Ishida, T. Itazu, and Y. Miyaji **1344**
Published online 30 January 2006

Surface Modification of Monodisperse-Crosslinked Polymeric Microspheres Using a Redox Initiation System
M.-O. Jung, J.-H. Ryu, J.-G. Park, J.-B. Jun, and K.-D. Suh **1349**
Published online 30 January 2006

Morphology and Thermal Behavior of MCPA6/SAN Blends Prepared by Anionic Ring-Opening Polymerization of ε-Caprolactam
L. Hou and G. Yang **1357**
Published online 30 January 2006

Properties and Preparation of Compatibilized Nylon 6 Nanocomposites/ABS Blends Using Functionalized Metallocene Polyolefin Elastomer I. Impact Properties
S.-M. Lai, Y.-C. Liao, and T.-W. Chen **1364**
Published online 30 January 2006

Wrinkle Resistant Properties and Antibacterial Efficacy of Cotton Fabrics Treated with Glyoxal System and with Combination of Glyoxal and Chitosan System
S. Kittinaovarat, P. Kantuptim, and T. Singhaboonponp **1372**
Published online 30 January 2006

Poly(silyl ester)s: A New Route of Synthesis via the Condensation of Di-*tert*-butyl Ester of Dicarboxylic Acid with Dichlorosilane
Z. Liu, N. Han, and J. Dong **1378**
Published online 30 January 2006

Separation Characteristics of Acetic Acid–Water Mixtures Using Poly(vinyl alcohol-*g*-4-vinyl pyridine) Membranes by Pervaporation and Temperature Difference Evapomeation Techniques
G. Asman and O. Şanlı **1385**
Published online 30 January 2006

Synthesis of a Difunctional Organolithium Compound as Initiator for the Polymerization of Styrene-Butadiene/Isoprene-Styrene Triblock Copolymer
Z. Lu, H. Xu, Y. Li, and Y. Hu **1395**
Published online 30 January 2006

Frequency-Dependent Conductivity and Dielectric Permittivity of Polyaniline/CeO_2 Composites
N. Parvatikar and M. V. N. Ambika Prasad **1403**
Published online 30 January 2006

Colloidal Aggregation of Aminoplastic Polycondensation Resins: Urea–Formaldehyde Versus Melamine–Formaldehyde and Melamine–Urea–Formaldehyde Resins
A. Despres and A. Pizzi **1406**
Published online 30 January 2006

Optimization of the Properties of Chitosan Lactate/Hyaluronan Film
L. Kukolikova, D. Bakos, P. Alexy, S. Hanzelova, and W. Zhong **1413**
Published online 30 January 2006

Methacrylic Acid and Dodecyl Methacrylate (MAc-DMA) Hydrogel for Enhanced Catalytic Activity of Lipase of *Bacillus coagulans* MTCC-6375
S. S. Kanwar, G. S. Chauhan, S. S. Chimni, S. Chauhan, G. S. Rawat, and R. K. Kaushal **1420**
Published online 30 January 2006

Synthesis and Characteristics of Poly(methyl methacrylate)/Expanded Graphite Nanocomposites
W.-p. Wang, Y. Liu, X.-x. Li, and Y.-z. You **1427**
Published online 30 January 2006

Extrusion of Feather Keratin
J. R. Barone, W. F. Schmidt, and N. T. Gregoire **1432**
Published online 30 January 2006

Hydroxyalkylation of Parabanic Acid. III. Polymers from Parabanic Acid and Ethylene Carbonate
I. Zarzyka-Niemiec, D. Naróg, and J. Lubczak **1443**
Published online 30 January 2006

The Adsorption of Water Vapor on Super Absorbent Product at Low Temperatures and Low Mass
M. Bakass, J. P. Bellat, A. Mokhlisse, and G. Bertrand **1450**
Published online 30 January 2006

Acidic Hydrolysis of a Poly(vinyl acetate) Matrix by the Catalytic Effect of Ag Nanoparticles and the Micellization of Ag-Metal-Containing Polymer
C.-J. Huang, F.-S. Shieu, W.-P. Hsieh, and T.-C. Chang **1457**
Published online 30 January 2006

Mineralization of Hydroxyapatite on a Polymer Substrate in a Solution Supersaturated by Polyelectrolyte
T. Iwatsubo, S. P. Kusumocahyo, T. Kanamori, and T. Shinbo **1465**
Published online 30 January 2006

Preparation of Cellulose Acetate Butyrate and Poly(ethylene glycol) Copolymer to Blend with Poly(3-hydroxybutyrate)
G. Cheng, T. Wang, Q. Zhao, X. Ma, and L. Zhang **1471**
Published online 30 January 2006

Nonisothermal Crystallization Kinetics and Morphology of Self-Seeded Syndiotactic 1,2-Polybutadiene
J. Cai, T. Li, Y. Han, Y. Zhuang, and X. Zhang **1479**
Published online 30 January 2006

A High-Resolution Solid-State NMR Investigation of Molecular Mobility of Poly(methyl methacrylate)/Poly(vinyl pyrrolidone)/Poly(ethylene oxide) Ternary Blends
T. M. F. F. Diniz and M. I. B. Tavares **1492**
Published online 30 January 2006

New Melamine–Formaldehyde–Ketone Polymers. IV. Dissolution of Melamine in Reactive Solvents Prepared from Methyl Ethyl Ketone
D. Głowacz-Czerwonka and M. Kucharski **1496**
Published online 30 January 2006

Copolymers of Styrene with a Quaternary Europium Complex
Y. Pan, A. Zheng, F. Hu, and H. Xiao **1506**
Published online 30 January 2006

Synthesis and Characterization of Poly(ethylene-*co*-trimethylene terephthalate)s
G. Wei, L. Wang, G. Chen, and L. Gu **1511**
Published online 30 January 2006

A Study of the Synthesis, Kinetics, and Characterization of Reactive Graft Copolymers of Poly(vinyl imidazole) and Cellulose for Use as Supports in Enzyme Immobilization and Metal Ion Uptake
G. S. Chauhan, B. Singh, S. Chauhan, S. K. Dhiman, and D. Kumar **1522**
Published online 30 January 2006

Antibacterial Property and Mechanism of Copolymer of Acrylamide and Quaternary Salt of 4-Vinyl Pyridine
B. Gao, S. He, J. Guo, and R. Wang **1531**
Published online 30 January 2006

Anionic Dye Adsorption Characteristics of Surfactant-Modified Coir Pith, a 'Waste' Lignocellulosic Polymer
C. Namasivayam and M. Sureshkumar **1538**
Published online 30 January 2006

Preparation, Morphology, and Mechanical Properties of Elastomers Based on α,ω-Dihydroxy-polydimethylsiloxane/Poly(methyl methacrylate) Blends
J. Dong, Z. Liu, Y. Feng, and C. Zheng **1547**
Published online 30 January 2006

Intermolecular Interactions Between Bovine Serum Albumin and Certain Water-Soluble Polymers at Various Temperatures
Serap Kavlak and Ali Güner **1554**
Published online 30 January 2006

Characteristics of Konjac Glucomannan and Poly(acrylic acid) Blend Films for Controlled Drug Release
H. Yu, A. Huang, and C. Xiao **1561**
Published online 30 January 2006

Effect of Elastomer Type and Functionality on the Behavior of Toughened Polyamide Nanocomposites
I. Kelnar, J. Kotek, L. Kaprálková, J. Hromádková, and J. Kratochvíl **1571**
Published online 30 January 2006

Pressure Drop Estimation for Polyamide 6 Flow through Spinnerets and Filters
A. Guštin, A. Zupančič, and E. Mitsoulis **1577**
Published online 30 January 2006

Study of the Preparation and Properties of UV-Blocking Fabrics of a PET/TiO_2 Nanocomposite Prepared by In Situ Polycondensation
K. Han and M. Yu **1588**
Published online 30 January 2006

Synthesis and Characterization of Reinforced Acrylic-Based Superabsorbents Crosslinked with Divinylbenzene
J. Huang, Z.-M. Huang, Y.-Z. Bao, and Z.-X. Weng **1594**
Published online 30 January 2006

Photopolymerization of Methyl Methacrylate by 2,2′-Dithiodiethanol: Effect of Reaction Conditions
S. R. Baruah and D. K. Kakati **1601**
Published online 30 January 2006

Preparation and Characterization of EVA–Sisal Fiber Composites
M. E. Malunka, A. S. Luyt, and H. Krump **1607**
Published online 30 January 2006

Coagulation and Sedimentation of Bacteria Using a Highly Biodegradable Polymeric Coagulant
N. Kawabata and T. Fuse **1618**
Published online 30 January 2006

The Reaction in Water of UF Resins with Isocyanates at Short Curing Times: A ^{13}C NMR Investigation
S. Wieland, A. Pizzi, S. Hill, W. Grigsby, and F. Pichelin **1624**
Published online 30 January 2006

Poly(ε-caprolactone)-Grafted Acetylated Anhydroglucose Oligomer by Ring-opening Polymerization –Synthesis and Characterization
T. Gädda, J. Kylmä, J. Tuominen, H. Mikkonen, A. Laine, S. Peltonen, and J. Seppälä **1633**
Published online 30 January 2006

Cure Kinetics of Aqueous Phenol–Formaldehyde Resins Used for Oriented Strandboard Manufacturing: Analytical Technique
Y. Lei, Q. Wu, and K. Lian **1642**
Published online 30 January 2006

Comparison of Propylene/Ethylene Copolymers Prepared with Different Catalysts
C. H. Stephens, B. C. Poon, P. Ansems, S. P. Chum, A. Hiltner, and E. Baer **1651**
Published online 30 January 2006

A Microindentation Study of Polyethylene Composites Produced by Hot Compaction
I. P. Orench, F. J. B. Calleja, P. J. Hine, and I. M. Ward **1659**
Published online 30 January 2006

Study on the Electrodriven Action of Gelatin Hydrogel in Silicone Oil
G. Liu and X. Zhao **1664**
Published online 30 January 2006

Cationization of Cellulose Fabrics by Polyallylamine Binding
M. Wu and S. Kuga **1668**
Published online 30 January 2006

Hydroxymethylation and Polycondensation Reactions in Urea–Formaldehyde Resin Synthesis
P. Christjanson, T. Pehk, and K. Siimer **1673**
Published online 30 January 2006

Ring-Opening Polymerization of Styrene Oxide with Maghnite-H^+ as Ecocatalyst
A. Yahiaoui and M. Belbachir **1681**
Published online 30 January 2006

Synthetic Preparations and Physical and Electrical Properties of Main Chain Type Thermotropic Liquid Crystalline Polyimide/SiO_2 Nanocomposites
C.-Y. Ho and J.-Y. Lee **1688**
Published online 30 January 2006

ISSUE NUMBER 3 / MAY 5, 2006

Electrokinetic Potential of Kaolinite Clay in the Presence of Polystyrene Sulfonate
O. M. Sadek, W. K. Mekhemer, F. F. Assaad, and B. A. Mostafa **1705**
Published online 23 January 2006

Adsorption of Poly (4-Sodium Styrene Sulfonate) on Kaolinite Clays
O. M. Sadek, W. K. Mekhemer, F. F. Assaad, and B. A. Mostafa **1712**
Published online 23 January 2006

Synthesis and Characterization of Poly(urethane-ester)s Based on Calcium Salt of Mono(hydroxybutyl)phthalate
R. A. Prasath, S. Nanjundan, T. Pakula, and M. Klapper **1720**
Published online 23 January 2006

Partitioning of Anionic/Nonionic Polysaccharides in a Segregative System of Anionic Polyelectrolyte Mixtures in Aqueous Solution: Effects of Polymer Charge Density and Ionic Strength of Solution
S. Hellebust, A. M. Blokhus, and S. Nilsson **1728**
Published online 23 January 2006

Synthesis of *N*-Hydroxymethyl Acrylamide with β-Methyl Hydrogen Itaconate and Itaconic Acid Hydrogels: Effects of the pH, Composition, and Ionic Strength on the Swelling Behavior
M. Jeria-Orell, G. d. C. Pizarro, O. G. Marambio, M. Huerta, and K. E. Geckeler **1735**
Published online 23 January 2006

Phase Diagrams of Blends of Poly(phenylene ether), Polystyrene, and Diglycidyl Ether of Bisphenol A: Influence of the Molar Mass of Poly(phenylene ether)
E. R. Soulé, T. Fine, J. Borrajo, R. J. J. Williams, and J. P. Pascault **1742**
Published online 23 January 2006

Waterproofing of Carbon Paper by Plasma Polymerization
A. Taniguchi and K. Yasuda **1748**
Published online 23 January 2006

Fabrication and Evaluation of some Mechanical and Electrical Properties of Jute-Biomass Based Hybrid Composites
N. M. Mehta and P. H. Parsania **1754**
Published online 23 January 2006

Shear Strength of Wood to Wood Adhesive Based on Palm Kernel Oil
K. H. Badri, A. H. Ujar, Z. Othman, and F. H. Sahaldin **1759**
Published online 23 January 2006

Isothermal and Nonisothermal Cure Kinetics of an Epoxy/Poly(oxypropylene)diamine/ Octadecylammonium Modified Montmorillonite System
I. Brnardic, M. Ivankovic, H. Ivankovic, and H. J. Mencer **1765**
Published online 23 January 2006

Investigation of Allyl-Capped Carbosilane Dendrimers Used as Crosslinker for Silicone Rubber
S. Zhao, C. Zhou, J. Zhang, J. Wang, and S. Feng **1772**
Published online 24 January 2006

Narrow-Disperse or Monodisperse Crosslinked and Functional Core–Shell Polymer Particles Prepared by Two-Stage Precipitation Polymerization
F. Bai, X. Yang, and W. Huang **1776**
Published online 24 January 2006

Factors Influencing Molecular Weights of Methylcelluloses Prepared from Annual Plants and Juvenile Eucalyptus
D. Ye and X. Farriol **1785**
Published online 24 January 2006

Synthesis and Property Evaluations of Photocrosslinkable Chitosan Derivative and its Photocopolymerization with Poly(ethylene glycol)
B.-H. Tsai, C.-H. Lin, and J.-C. Lin **1794**
Published online 24 January 2006

Blends of Modified Epoxy Resin and Carboxyl-Terminated Polybutadiene. I
S. K. Shukla and D. Srivastava **1802**
Published online 24 January 2006

One-Pot Synthesis of a Few Nanocomposites with Poly(*N*-vinylcarbazole) and CdS, Ag, Pd_{50}–Ag_{50}, and Pt_{50}–Ru_{50} Nanoparticles with γ Irradiation
Y.-O. Kang, S.-H. Choi, A. Gopalan, K.-P. Lee, H.-D. Kang, and Y. S. Song **1809**
Published online 24 January 2006

Deacetylation Behavior of Binary Blend Films of Cellulose Acetate and Various Polymers
Y. Yamashita and T. Endo **1816**
Published online 24 January 2006

Preparation and Properties of Core [Poly(styrene-*n*-butyl acrylate)]–Shell [Poly(styrene–methyl methacrylate–vinyl triethoxide silane)] Structured Latex Particles with Self-Crosslinking Characteristics
T. Guo, X. Chen, M. Song, and B. Zhang **1824**
Published online 25 January 2006

Local Thermal Degradation Behavior of Heterophasic Polypropylene Copolymers
N. Manabe, Y. Yokota, H. Nakatani, S. Suzuki, B. Liu, and M. Terano **1831**
Published online 30 January 2006

Characterization and Comparison of Diblock and Triblock Amphiphilic Copolymers of Poly(δ-valerolactone)
W.-J. Lin, C.-L. Wang, and L.-W. Juang **1836**
Published online 30 January 2006

Blended Graft Copolymer of Carboxymethyl Cellulose and Poly(vinyl alcohol) with Banana Fiber
W. K. El-Zawawy **1842**
Published online 30 January 2006

A Toughened Epoxy Resin by Silica Nanoparticle Reinforcement
P. Rosso, L. Ye, K. Friedrich, and S. Sprenger **1849**
Published online 30 January 2006

Effects of Ultrasonic Oscillation on Processing Behaviors of PS, EPDM, and PS/EPDM Blend
J. Li, S. Guo, and M. Liang **1856**
Published online 30 January 2006

Copolymerization of Two New Kinds of Methacrylate Monomers and Determination of Monomer Reactivity Ratios
I. Erol **1864**
Published online 30 January 2006

Structural Characterization of Sulfur Vulcanized Deproteinized Natural Rubber by Solid-State ^{13}C NMR Spectroscopy
J. T. Sakdapipanich, T. Kowitteerawut, S. Tuampoemsab, and S. Kawahara **1875**
Published online 30 January 2006

Preparation of a Poly(3-hexylthiophene)-Grafted Indium Tin Oxide/Poly(3-hexylthiopene) Composite and Its Conductivity–Temperature Characteristics
C. Liu, K. Oshima, M. Shimomura, and S. Miyauchi **1881**
Published online 30 January 2006

Effect of Silicon Dioxide on Crystallization and Melting Behavior of Polypropylene
M. Chen, G. Tian, Y. Zhang, C. Wan, and Y. Zhang **1889**
Published online 2 February 2006

Curing and Post-Curing Luminescence in an Epoxy Resin
O. Gallot-lavallée, G. Teyssedre, C. Laurent, S. Robiani, and S. Rowe **1899**
Published online 2 February 2006

Preparation, Structure and Properties of Nitrile–Butadiene Rubber–Organoclay Nanocomposites by Reactive Mixing Intercalation Method
L. Liu, D. Jia, Y. Luo, and B. Guo **1905**
Published online 2 February 2006

Xylan/Polyvinyl Alcohol Blend and Its Performance as Hydrogel
S. Tanodekaew, S. Channasanon, and P. Uppanan **1914**
Published online 2 February 2006

Self-Curable Aqueous Polymeric Dyes for Printing and Dyeing Applications
C.-T. Huang and K.-N. Chen ***1919***
Published online 2 February 2006

Study on Volume Ratio and Plasticizer Screening of Free Coating Membranes Composed of Ethyl Cellulose and Chitosan
W. He, Y. Du, and L. Fan ***1932***
Published online 2 February 2006

Optimized Design of Multilayer Barrier Films Incorporating a Reactive Layer. I. Methodology of Ingress Analysis
S. E. Solovyov and A. Y. Goldman ***1940***
Published online 3 February 2006

Optimized Design of Multilayer Barrier Films Incorporating a Reactive Layer. II. Solute Dynamics in Two-Layer Films
S. E. Solovyov and A. Y. Goldman ***1952***
Published online 3 February 2006

Optimized Design of Multilayer Barrier Films Incorporating a Reactive Layer. III. Case Analysis and Generalized Multilayer Solutions
S. E. Solovyov and A. Y. Goldman ***1966***
Published online 3 February 2006

High Temperature Polymerization of Propylene Catalyzed by $MgCl_2$-Supported Ziegler–Natta Catalyst with Various Cocatalysts
Q. Wang, Y. Lin, Z. Zhang, B. Liu, and M. Terano ***1978***
Published online 17 February 2006

Predictors of Glass Transition in the Biodegradable Poly-lactide and Poly-lactide-*co*-glycolide Polymers
P. I. P. Park and S. Jonnalagadda ***1983***
Published online 17 February 2006

Synthesis and Characterization of Poly(thiophen-3-yl acetic acid 4-pyrrol-1-yl phenyl ester-co-*N*-methylpyrrole) and Its Application in an Electrochromic Device
B. Bingöl, P. Camurlu, and L. Toppare ***1988***
Published online 17 February 2006

Thermotropic Behavior of Lithocholic Acid Derivative Linked Hydroxyethyl Cellulose
V. A. E. Shaikh, N. N. Maldar, S. V. Lonikar, C. R. Rajan, and S. Ponrathnam ***1995***
Published online 17 February 2006

Three-Dimensional Solubility Parameters of Poly(ε-Caprolactone)
J.-C. Huang, K.-T. Lin, and R. D. Deanin ***2002***
Published online 17 February 2006

Thermally Initiated Cationic Polymerization and Properties of Epoxy Siloxane
Y. Morita, S. Tajima, H. Suzuki, and H. Sugino ***2010***
Published online 17 February 2006

Modifications of the Rigid Polyurethane–Polyisocyanurate Foams
B. Czupryński, J. Paciorek-Sadowska, and J. Liszkowska ***2020***
Published online 17 February 2006

Separation Characteristics of Acetic Acid–Water Mixtures by Using Poly(vinyl alcohol-*g*-4-vinyl pyridine) Membranes by Pervaporation and Temperature Difference Evapomeation Techniques
G. Asman and O. Şanlı **2030**
Published online 17 February 2006

Thermoplastic Elastomeric Nanocomposites from Poly[styrene–(ethylene-*co*-butylene)–styrene] Triblock Copolymer and Clay: Preparation and Characterization
A. Ganguly, M. De Sarkar, and A. K. Bhowmick **2040**
Published online 17 February 2006

Preparation and Properties of Polyimide/Silica Hybrid Composites Based on Polymer-Modified Colloidal Silica
J.-S. Im, J.-H. Lee, S.-K. An, K.-W. Song, N.-J. Jo, J.-O. Lee, and K. Yoshinaga **2053**
Published online 17 February 2006

Effect of Thermal Shock on Interlaminar Strength of Thermally Aged Glass Fiber-Reinforced Epoxy Composites
B. C. Ray **2062**
Published online 17 February 2006

Two-Dimensional Simulation of Hollow Fiber Membrane Fabricated by Phase Inversion Method
X.-T. Yang, Z.-L. Xu, and Y.-M. Wei **2067**
Published online 17 February 2006

Mass Transfer of Dilute 1,2-Dimethoxyethane Aqueous Solutions During Pervaporation Process
L. Liang, J. M. Dickson, J. Jiang, and M. A. Brook **2075**
Published online 17 February 2006

Distribution of Calcium Carbonate and Silicone Elastomer in a Flame Retardant System Based on Ethylene–Acrylate Copolymer, Chalk and Silicone Elastomer and Its Effect on Flame Retardant Properties
A. Hermansson, T. Hjertberg, and B.-Å. Sultan **2085**
Published online 17 February 2006

Preparation and Characterization of Nanocomposite Hydrogels Based on Polyacrylamide for Enhanced Oil Recovery Applications
R. Zolfaghari, A. A. Katbab, J. Nabavizadeh, R. Y. Tabasi, and M. H. Nejad **2096**
Published online 17 February 2006

Effects of Annealing on Morphology of Polymer/Polymer (PS/PMMA) Blend; a Fluorescence Study
Ş. Uğur and Ö. Pekcan **2104**
Published online 17 February 2006

Thermal Stability of Polyhydroxyalkanoates
F. Carrasco, D. Dionisi, A. Martinelli, and M. Majone **2111**
Published online 17 February 2006

Gas Permeation Resistance of a Perfluoroalkoxy-Tetrafluoroethylene Copolymer
C. Extrand and L. Monson **2122**
Published online 17 February 2006

Curing Kinetics and Structural Changes of a of Di[(*N*-*m*-acetenylphenyl) phthalimide] Ether/[(Methyl) diphenylacetylene] Silane Copolymer
Z. Dai, Q. Chen, L. Ni, N. Song, and W. Zhang **2126**
Published online 17 February 2006

Preparation of Poly(4-methyl-1-pentene) Asymmetric or Microporous Hollow-Fiber Membranes by Melt-Spun and Cold-Stretch Method
J. Wang, Z. Xu, and Y. Xu **2131**
Published online 17 February 2006

Study of Sulfonic Acid Esters from 1→4-, 1→3-, and 1→6-Linked Polysaccharides
A. Koschella, T. Leermann, M. Brackhagen, and T. Heinze **2142**
Published online 17 February 2006

Novel Blue-Light-Emitting Polymers Based on a Diphenylanthracene Moiety
Y.-H. Kim and S.-K. Kwon **2151**
Published online 17 February 2006

Miscibility and Thermooxidative Degradation of Poly(vinyl chloride)/Biodegradable Aliphatic–Aromatic Copolyester Blends
B. Andričić, T. Kovačić, and I. Klarić **2158**
Published online 17 February 2006

Synthesis and Characterization of Soluble Hybrids of Poly(vinyl pyrrolidone) or Its Copolymer
K. S. Huang, E. C. Lee, and Y. S. Chang **2164**
Published online 17 February 2006

Properties of Epoxy Molding Compound According to the Pretreatment Method of an Amino-Silane Coupling Agent on Epoxy or Phenol Resin
J.-H. Lee and H.-C. Yoon **2171**
Published online 17 February 2006

Environmentally Friendly Plasticizers for Poly(vinyl chloride)—Improved Mechanical Properties and Compatibility by Using Branched Poly(butylene adipate) as a Polymeric Plasticizer
A. Lindström and M. Hakkarainen **2180**
Published online 17 February 2006

Simulation Method for Complex Permittivities of Carbon Black/Epoxy Composites at Microwave Frequency Band
J.-B. Kim, T.-W. Kim, and C.-G. Kim **2189**
Published online 17 February 2006

Thermal Conductivity of Ramie Fiber Drawn in Water in Low Temperature
A. Yamanaka, S. Abe, M. Tsutsumi, T. Kitagawa, H. Fujishiro, K. Ema, Y. Izumi, and S. Nishijima **2196**
Published online 17 February 2006

Polymerization of Ethyl Acrylate Using Hyperbranched Polyglycerol with Multi-RAFT Groups as Chain Transfer Agent
J. Huang, D. Wan, and J. Huang **2203**
Published online 17 February 2006

Chemistry of Thermal Ageing in Aerospace Epoxy Composites
S. Bondzic, J. Hodgkin, J. Krstina, and J. Mardel **2210**
Published online 17 February 2006

Comparative Study of Propylene Polymerization Using Monosupported and Bisupported Titanium-Based Ziegler–Natta Catalysts
G. H. Zohuri, R. Jamjah, and S. Ahmadjo **2220**
Published online 17 February 2006

Prediction of Properties of Rubber by Using Artificial Neural Networks
V. Vijayabaskar, R. Gupta, P. P. Chakrabarti, and A. K. Bhowmick **2227**
Published online 17 February 2006

Fundamental Studies of Homogeneous Cation Exchange Membranes from Poly(2,6-dimethyl-1,4-phenylene oxide): Membranes Prepared by Simultaneous Aryl-Sulfonation and Aryl-Bromination
H. Yu and T. Xu **2238**
Published online 17 February 2006

Microwave-Irradiated Ring-Opening Polymerization of D,L-Lactide Under Atmosphere
S. Jing, W. Peng, Z. Tong, and Z. Baoxiu **2244**
Published online 17 February 2006

Composite Anion Exchange Membrane for Alkaline Direct Methanol Fuel Cell: Structural And Electrochemical Characterization
A. Huang, C. Xia, C. Xiao, and L. Zhuang
Published online 17 February 2006 **2248**

Synthesis and Characterization of Negative-Type Polyamic Acid Ester with 1-Methacryloyloxy-2-Propanoate Group
S. M. Choi, S.-H. Kwon, and M. H. Yi **2252**
Published online 17 February 2006

Postspinning Draw of Polymeric Fibers: Multiscale Micromechanical Model for a Solid Polymer under Finite Deformation and Strain-Induced Crystallization
A. Makradi, C. L. Cox, S. Ahzi, and S. Belouettar **2259**
Published online 17 February 2006

Film Formation from Pigmented Latex Systems: Drying Kinetics and Bulk Morphologies of Ground Calcium Carbonate/Functionalized Poly(*n*-butyl methacrylate-*co*-*n*-butyl acrylate) Blend Films
T. Ding, E. S. Daniels, M. S. El-Aasser, and A. Klein **2267**
Published online 17 February 2006

Determination of Sorption Kinetic Parameters Using the Relaxation-Dependent Solubility Model in the Methanol Vapor—Poly(methyl methacrylate) System
V. Dimos and M. Sanopoulou **2278**
Published online 17 February 2006

Loading Rate Effects on Mechanical Properties of Polymer Composites at Ultralow Temperatures
B. C. Ray **2289**
Published online 17 February 2006

The Effect of Different Metallic Catalysts on the Coreaction of Cyanate/Epoxy
Q. F. Li, K. Lu, Q. Yang, and R. Jin **2293**
Published online 17 February 2006

Study of Morphology Influence on Rheological Properties of Compatibilized TPU/SAN Blends
M. Ulcnik-Krump **2303**
Published online 17 February 2006

Ultraviolet Curable Dry Polymer Films from Emulsion Polymers
S. Y. Chee and S. N. Gan **2317**
Published online 17 February 2006

Effect of Reaction Parameters on the Particle Sizes of Crosslinked Spherical Phenolic Beads by Suspension Polymerization of Phenol and Formaldehyde
A. Singh and D. Lal **2323**
Published online 17 February 2006

Effects of Molecular Weights of Bioabsorbable Poly(*p*-dioxanone) on its Crystallization Behaviors
K.-K. Yang, X.-L. Wang, Y.-Z. Wang, and H.-X. Huang **2331**
Published online 17 February 2006

Synthesis and Characterization of Photo-Crosslinkable Polyfluorene with Acrylate Side-Chains
G. Wu, C. Yang, B. Fan, B. Zhang, X. Chen, and Y. Li **2336**
Published online 17 February 2006

Chemically Induced Graft Copolymerization of Vinyl Monomers onto Cotton Fibers
M. Pulat and C. Isakoca **2343**
Published online 17 February 2006

Viscoelastic Behavior of Thermosetting Epoxy Mixtures Modified with Syndiotactic Polystyrene During Network Formation
A. Tercjak, E. Serrano, P. M. Remiro, and I. Mondragon **2348**
Published online 17 February 2006

Poly (*N*-methylaniline)/Multi-Walled Carbon Nanotube Composites—Synthesis, Characterization, and Electrical Properties
X. Lu, J. Zheng, D. Chao, J. Chen, W. Zhang, and Y. Wei **2356**
Published online 17 February 2006

Immobilization of a Functionalized Poly(ethylene glycol) onto β-Cyclodextrin-coated Surfaces by Formation of Inclusion Complexes: Application to the Coupling of Proteins
M. Guerrouache, C. Karakasyan, C. Gaillet, M. Canva, and M. C. Millot **2362**
Published online 17 February 2006

Preparation and Properties of Biodegradable Thermoplastic Starch/Poly(hydroxy butyrate) Blends
S.-M. Lai, T.-M. Don, and Y.-C. Huang **2371**
Published online 17 February 2006

Synthesis and Properties of Styrene Copolymers. Preparation of Film-Modified Electrodes to Detect Pb^{2+} Ions
B. L. Rivas, S. A. Pooley, F. Brovelli, E. Pereira, L. Basaez, J. Puentes, J.-C. Moutet, and E. Saint-Aman **2380**
Published online 17 February 2006

Heat-Resistant Hydrophobic–Oleophobic Coatings
M. Uyanik, E. Arpaç, H. Schmidt, M. Akarsu, F. Sayilkan, and H. Sayilkan **2386**
Published online 17 February 2006

Thermal and Surface Characterization of Polyurethane–Urea Clay Nanocomposite Coatings
B. Sreedhar, D. K. Chattopadhyay, and V. Swapna **2393**
Published online 17 February 2006

Preparation and Characterization of Polyvinyl Alcohol Based Biomaterials: Water Sorption and *In Vitro* Blood Compatibility Study
S. Mishra, R. Bajpai, R. Katare, and A. K. Bajpai **2402**
Published online 17 February 2006

Preparation of Polystyrene/Poly(vinyl acetate) Nanocomposites with a Core–Shell Structure via Emulsifier-Free Emulsion Polymerization
M. Soltan-Dehghan, N. Sharifi-Sanjani, and N. Naderi **2409**
Published online 17 February 2006

Solution and Solid-State Blend Compatibility of Poly(vinyl alcohol) and Poly(methyl methacrylate)
S. G. Adoor, L. S. Manjeshwar, K. S. V. Krishna Rao, B. V. K. Naidu, and T. M. Aminabhavi **2415**
Published online 17 February 2006

Viscosity Behavior of Hydroxylated and Acetoacetylated Polyesters
R. Narayan, D. K. Chattopadhyay, K. V. S. N. Raju, N. N. Mallikarjuna, S. S. Jawalkar, and T. M. Aminabhavi **2422**
Published online 17 February 2006

Preparation of Novel Fluorinated Block Copolyimide Membranes for Gas Separation
M. Niwa, S. Nagaoka, and H. Kawakami **2436**
Published online 17 February 2006

Effect of Rubber Reactivity on the Morphology of Polybenzoxazine Blends Investigated by Atomic Force Microscopy and Dynamic Mechanical Analysis
Y.-H. Lee, D. J. Allen, and H. Ishida **2443**
Published online 17 February 2006

Synthesis of Copolymers of *tert*-Butyl Vinyl Ether with Maleic and Citraconic Anhydrides
B. K. Denizli, H. K. Can, Z. M. O. Rzaev, and A. Güner **2455**
Published online 17 February 2006

Supramolecular Magnetorheological Polymer Gels
B. Hu, A. Fuchs, S. Huseyin, F. Gordaninejad, and C. Evrensel **2464**
Published online 17 February 2006

Synthesis and Characterization of Graft Copolymer (Guar Gum–*g*–*N*-vinyl-2-pyrrolidone) and Investigation of Metal Ion Sorption and Swelling Behavior
A. Srivastava and K. Behari **2480**
Published online 17 February 2006

A Water-Soluble Acrylate/Sulfonate Copolymer. I. Its Synthesis and Dispersing Ability on Cement
Y.-S. Ye, H.-L. Huang, and K.-C. Hsu **2490**
Published online 17 February 2006

Preparation of Nanometer-Sized Poly(methacrylic acid) Particles in Water-in-Oil Microemulsions
Q. Zhang, X. Bao, M. Lin, and D. J. Hourston **2497**
Published online 17 February 2006

Production of Agrochemical from Waste Polyesters
A. S. Goje, P. H. Shinde, and S. Mishra **2504**
Published online 17 February 2006

Hydrosilylation Reaction of Methylhydridesiloxane to Phenylacetylene
O. Mukbaniani, T. Tatrishvili, G. Titvinidze, N. Mukbaniani, L. Lezhava, and N. Gogesashvili **2511**
Published online 17 February 2006

The Characterization of Alginate Wound Dressings with Different Fiber and Textile Structures
Y. Qin **2516**
Published online 17 February 2006

Environmental Durability of Banana-Fiber-Reinforced Phenol Formaldehyde Composites
S. Joseph, Z. Oommen, and S. Thomas **2521**
Published online 17 February 2006

Optimizing Multiple Qualities in As-Spun Polypropylene Yarn by Neural Networks and Genetic Algorithms
C.-C. Huang and T.-T. Tang **2532**
Published online 17 February 2006

Improving the Physical and Chemical Functionality of Starch-Derived Films with Biopolymers
W. Ban, Jianguosong, D. S. Argyropoulos, and L. A. Lucia **2542**
Published online 17 February 2006

Structure and Adhesion Properties of Linear Low-Density Polyethylene Powders Grafted with Acrylic Acid via Ultraviolet Light
J. Lei, J. Gao, and L. Jiang **2549**
Published online 17 February 2006

Properties of Starch-Based Blend Films Using Citric Acid as Additive. II
S.-D. Yoon, S.-H. Chough, and H.-R. Park **2554**
Published online 17 February 2006

Studies in the Utilization of Agricultural Waste Products as Filler in Natural Rubber Compounds
F. E. Okieimen and J. E. Imanah **2561**
Published online 17 February 2006

ISSUE NUMBER 4 / MAY 15, 2006

Rheological Behavior of CPE/NR Blends Filled with Precipitated Silica
N. Phewthongin, P. Saeoui, and C. Sirisinha **2565**
Published online 2 February 2006

New Emulsion Polymerization Tubular Reactor with Internal Angular Baffles: Reaction Temperature Effect
F. L. M. Marín, L. M. F. Lona, M. R. W. Maciel, and R. M. Filho **2572**
Published online 2 February 2006

In Situ Visualization of Drop Deformation, Erosion, and Breakup in High Viscosity Ratio Polymeric Systems under High Shearing Stress Conditions
F. Mighri and M. A. Huneault **2582**
Published online 2 February 2006

Crystallization of 2-Methyl-1,3-propanediol Substituted Poly(ethylene terephthalate). I. Thermal Behavior and Isothermal Crystallization
C. L. Lewis and J. E. Spruiell **2592**
Published online 2 February 2006

A Novel Fiber-Coated Strong Base-Type Anion Exchanger with Superfast Kinetics. Removal and Recovery of Silver Thiosulfate from Aqueous Solutions
M. Chanda, S. A. P. A. Sarkar, and J. M. Modak **2604**
Published online 2 February 2006

Efficiency of the Stabilization Process of a Poly(arylate-arylenesulfoxide) Melt: The Fractal Approach
G. Kozlov and G. Zaikov **2614**
Published online 3 February 2006

Grafting of Poly(methyl methacrylate) or Polyacrylonitrile onto Polystyrene Using ATRP Technique
S. Tizpar, M. Abbasian, F. A. Taromi, and A. A. Entezami **2619**
Published online 9 February 2006

Effect of Structural Relaxation at Physiological Temperature on the Mechanical Property of Poly(L-lactic acid) Studied by Microhardness Measurements
Y. Wang and J. F. Mano **2628**
Published online 9 February 2006

Kinetic Analysis of Curing Behavior of Diglycidyl Ether of Bisphenol A with Imidazoles Using Differential Scanning Calorimetry Techniques
M. Ghaemy and S. Sadjady **2634**
Published online 9 February 2006

Sorption Studies of Propylene in Polypropylene. Diffusivity in Polymer Particles Formed by Different Polymerization Processes
M. Patzlaff, A. Wittebrock, and K.-H. Reichert **2642**
Published online 9 February 2006

Alkylated Phenolic Resins as Antioxidants for Rubber
V. C. Malshe, S. Elango, and S. Rane **2649**
Published online 9 February 2006

Role of Mixing Parameters in the Preparation of Poly(ethylene vinyl acetate) Nanocomposites by Melt Blending
M. Tillekeratne, M. Jollands, F. Cser, and S. N. Bhattacharya **2652**
Published online 9 February 2006

Evaluation of Fiber Wettability Based on an Immerging Force Measurement
H. Xiao, W. Yu, and M. Shi **2659**
Published online 9 February 2006

Synthesis and Characterization of *N*-Acryloylcarbazole/Methyl Methacrylate Copolymers
P. K. Singh and A. S. Brar **2667**
Published online 9 February 2006

Synthesis and Hydrophilicity of Poly(butylene 2,6-naphthalate)/Poly(ethylene glycol) Copolymers
J. S. Son and D. S. Ji **2677**
Published online 9 February 2006

Preparation by Melt Mixing and Characterization of Isotactic Polypropylene/SiO_2 Nanocomposites Containing Untreated and Surface-Treated Nanoparticles
D. N. Bikiaris, G. Z. Papageorgiou, E. Pavlidou, N. Vouroutzis, P. Palatzoglou, and G. P. Karayannidis **2684**
Published online 9 February 2006

Improving Easy Care Nonformaldehyde Finishing Performance Using Polycarboxylic Acids via Precationization of Cotton Fabric
A. Hebeish, M. Hashem, A. Abdel-Rahman, and Z. H. El-Hilw **2697**
Published online 9 February 2006

Synthesis and Adsorption Properties of Metal Ions of Novel Azacrown Ether Crosslinked Chitosan
X. Zhang, S. Ding, Y. Wang, X. Feng, Q. Peng, and S. Ma **2705**
Published online 9 February 2006

Interaction of Polydiallyldimethylammonium Salts with Iodine
J. Bendoraitiene, E. Mazoniene, R. J. Zemaitaitiene, and A. Zemaitaitis **2710**
Published online 9 February 2006

Preparation and Characterization of Low-Density Polyethylene/Banana Starch Films Containing Compatibilizer and Photosensitizer
U. Ratanakamnuan and D. Aht-Ong **2717**
Published online 9 February 2006

Photobiodegradation of Low-Density Polyethylene/Banana Starch Films
U. Ratanakamnuan and D. Aht-Ong **2725**
Published online 9 February 2006

Fabrication of Arrays of Silver Nanoparticle Aggregates by Microcontact Printing and Block Copolymer Nanoreactors
Y. Cong, J. Fu, Z. Zhang, Z. Cheng, R. Xing, J. Li, and Y. Han **2737**
Published online 9 February 2006

Kinetics and Simulation of the Imidization of Poly(styrene-*co*-maleic anhydride) with Amines
H.-Y. Liu, K. Cao, Y. Huang, Z. Yao, B.-G. Li, and G.-H. Hu **2744**
Published online 9 February 2006

Preparation and Properties of New Polyurethane Gels with a Stress-Distributing Function for Medical Applications
G. C. Cha, S. Lee, J. S. Song, J. K. Kim, K. H. Kim, M. S. Mun, H. S. Youn, D. G. Pyun, and Y. S. Choi **2750**
Published online 9 February 2006

Poly(acrylamide-*co*-maleic acid) Hydrogels for Removal of Cr(VI) from Aqueous Solutions, Part 1: Synthesis and Swelling Characterization
S. K. Bajpai and S. Johnson **2759**
Published online 9 February 2006

Characterization of Electron Beam Irradiated Polypropylene: Influence of Irradiation Temperature on Molecular and Rheological Properties
B. Krause, D. Voigt, L. Häußler, D. Auhl, and H. Münstedt **2770**
Published online 9 February 2006

Physicomechanical, Optical, Barrier, and Wide Angle X-ray Scattering Studies of Filled Low Density Polyethylene Films
Siddaramaiah, K. H. Guruprasad, R. T. Nagaralli, H. Somashekarappa, T. N. Guru Row, and R. Somashekar **2781**
Published online 9 February 2006

TGA Analysis of γ-Irradiated Linear Low-Density Polyethylene
A. Tidjani and C. A. Wilkie **2790**
Published online 9 February 2006

Synthesis and Elastomer Behavior of a Novel Polymer Electrolyte of Acrylic Ester–Salt Copolymer
J. Tang, D. Wang, Y. Wang, H. Liu, and X. Wang **2796**
Published online 9 February 2006

The Effect of the Architecture and Concentration of Styrene–Butadiene Compatibilizers on the Morphology of Polystyrene/Low-Density Polyethylene Blends
I. Fortelný, M. Šlouf, A. Sikora, D. Hlavatá, V. Hašová, J. Mikešová, and C. Jacob **2803**
Published online 9 February 2006

Influence of Feedback in the Structure of Carbon Plastics on their Properties
G. V. Kozlov, A. I. Burya, and G. E. Zaikov **2817**
Published online 9 February 2006

Anisotropy of a Fiber Structure and the Frictional Wear of Composites on the Basis of Polyarylate
G. V. Kozlov, A. I. Burya, and G. E. Zaikov **2821**
Published online 9 February 2006

A Study on the Solution Behavior of IPBC-Hydrophobically-Modified Hydroxyethyl Cellulose
S. Dai, L. Ye, and R. Huang **2824**
Published online 9 February 2006

Novel Crosslinked Nonlinear Optical Materials Based on Cellulose Diacetate
L. Zhou, Q. Xu, and D. Wang **2832**
Published online 9 February 2006

Kinetic and Molecular Weight Control for Methyl Methacrylate Semi-Batch Polymerization. I. Modelling
J.-Y. Wu and G.-R. Shan **2838**
Published online 9 February 2006

Identification of Nucleation Loci in Emulsion Polymerization Processes. I. New Information from Spectroscopy Studies
V. Shastry and L. H. Garcia-Rubio **2847**
Published online 9 February 2006

Identification of Nucleation Loci in Emulsion Polymerization Processes. II. A Systematic Study of Liquid–Liquid Emulsions
V. Shastry and L. H. Garcia-Rubio **2858**
Published online 9 February 2006

Factorial Experimental Design for Graft Copolymerization of Styrene and Methyl Methacrylate onto Styrene–Butadiene Rubber
W. Arayapranee, P. Prasassarakich, and G. L. Rempel **2867**
Published online 9 February 2006

Preparation and Properties of Polypropylene Filled with Organo-Montmorillonite Nanocomposites
W. Wenyi, Z. Xiaofei, W. Guoquan, and C. Jianfeng **2875**
Published online 9 February 2006

Effect of Spinning Conditions on the Structure and Properties of PAN Fibers Containing Nano-Hydroxyapatite
T. Mikołajczyk, M. Boguń, M. Błażewicz, and I. Piekarczyk **2881**
Published online 9 February 2006

Synergistic Effect of Halide Ions on the Corrosion Inhibition of Aluminum in Acidic Medium by Some Polymers
E. E. Ebenso, U. J. Ekpe, S. A. Umoren, E. Jackson, O. K. Abiola, and N. C. Oforka **2889**
Published online 9 February 2006

Observation of Polymer Film Drawing by Use of Thermography. An Introductory Investigation on the Thermodynamics
T. Yamauchi **2895**
Published online 9 February 2006

Study of Different Effect on Foaming Process of Biodegradable Bionolle in Supercritical Carbon Dioxide
Q. Xu, Q. Peng, W. Ni, Z. Hou, J. Li, and L. Yu **2901**
Published online 9 February 2006

Effect of Ultrasound on the Viscoelasticity and Rheology of Polystyrene Extruded Through a Slit Die
Y. Chen and H. Li **2907**
Published online 27 February 2006

Failure Properties of Thermoplastic Elastomers from Polyethylene/Nitrile Rubber Blends: Effect of Blend Ratio, Dynamic Vulcanization, and Filler Incorporation
J. George, N. R. Neelakantan, K. T. Varughese, and S. Thomas **2912**
Published online 27 February 2006

Dual Electroluminescence from a Single-Component Light-Emitting Electrochemical Cell, Based on Water-Soluble Conjugated Polymer
Z. Gu, Q.-D. Shen, J. Zhang, C.-Z. Yang, and Y.-J. Bao **2930**
Published online 27 February 2006

Investigation of Oxygen Diffusion into Contact Lenses Using Electron Spin Resonance Spectroscopy
E. Aydin, E. E. Özgür, T. Özbey, M. İrkeç, B. Bozkurt, and H. Y. Kaptan **2937**
Published online 27 February 2006

Investigation of Liquid Diffusion into Contact Lenses Using an Electron Spin Resonance Technique
E. E. Özgür, E. Aydin, T. Özbey, M. İrkeç, B. Bozkurt, and H. Y. Kaptan **2942**
Published online 27 February 2006

Simultaneous Interpenetrating Polymer Networks Based on Bromoacrylated Castor Oil Polyurethane
T. Eren, S. Çolak, and S. H. Küsefoglu **2947**
Published online 27 February 2006

Synthesis and Solution Properties of Novel Nonionic Functional Polyurethane Surfactants
Y. Dong, Y. Jin, and D. Q. Wei **2956**
Published online 27 February 2006

The Physical Properties of Aqueous Cationic–Nonionic Polyurethane with Poly(ethylene glycol methyl ether) Side Chain and Its Blend with Aqueous Cationic Polyurethane
M.-S. Yen, H.-C. Tsai, and P.-D. Hong **2963**
Published online 27 February 2006

Flow Through Diffusion Cell Method: A Novel Approach to Study *In Vitro* Enzymatic Degradation of a Starch-Based Ternary Semi-Interpenetrating Network for Gastrointestinal Drug Delivery
S. K. Bajpai and S. Saxena **2975**
Published online 27 February 2006

Oxygen Barrier Materials from Renewable Sources: Material Properties of Softwood Hemicellulose-Based Films
J. Hartman, A.-C. Albertsson, M. S. Lindblad, and J. Sjöberg **2985**
Published online 27 February 2006

Investigations on the Formation of Composites by Injection Molding of PA6 and Different Grafted Polypropylenes and Their Blends
J. Nagel, D. Scheidler, B. Hupfer, M. Bräuer, D. Pleul, C. Vogel, D. Lehmann, and S. Amesöder **2992**
Published online 27 February 2006

Linear and Networked Blends and Copolymers of Polyimide
J. Xia, J. Wang, and M. P. Srinivasan **3000**
Published online 27 February 2006

Thermal Degradation and Biodegradability of Poly (lactic acid)/Corn Starch Biocomposites
T. Ohkita and S.-H. Lee **3009**
Published online 27 February 2006

Preparation and Adsorption Behavior for Metal Ions of Cyclic Polyamine Derivative of Chitosan
Z. Yang, J. Shu, L. Zhang, and Y. Wang **3018**
Published online 27 February 2006

Relationship Between the Thermal Degradation Chemistry and Flammability of Commercial Flexible Polyurethane Foams
C. Denecker, J. J. Liggat, and C. E. Snape **3024**
Published online 27 February 2006

Oxidation of Hydroquinone to *p*-Benzoquinone Catalyzed by Cu(II) Supported on Chitosan Flakes
E. Guibal, T. Vincent, E. Touraud, S. Colombo, and A. Ferguson **3034**
Published online 27 February 2006

Effect of Exfoliation and Dispersion on the Yield Behavior of Melt-Compounded Polyethylene–Montmorillonite Nanocomposites
R. W. Truss and T. K. Yeow **3044**
Published online 27 February 2006

Polyaniline Hollow Microspheres Constructed with Their Own Self-Assembled Nanofibers
K. Huang, X.-H. Meng, and M. Wan **3050**
Published online 27 February 2006

Fourier Transform Infrared and Wide-Angle X-Ray Diffraction Studies of the Thermal Cyclization Reactions of High-Molar-Mass Poly(acrylonitrile-*co*-itaconic acid)
R. Devasia, C. P. R. Nair, R Sadhana, N. S. Babu, and K. N. Ninan **3055**
Published online 27 February 2006

Modification of Ethylene Acrylic Acid Film for Antimicrobial Activity
R. S. Matche, G. Kulkarni, and B. Raj **3063**
Published online 27 February 2006

Modification of the Polarity and Adhesive Properties of Polyolefins Through Blending with Maleic Anhydride Grafted Fischer–Tropsch Paraffin Wax
I. Novák, I. Krupa, and A. S. Luyt **3069**
Published online 27 February 2006

Ester Acceleration Mechanisms in Phenol–Formaldehyde Resin Adhesives
H. Lei, A. Pizzi, A. Despres, H. Pasch, and G. Du **3075**
Published online 27 February 2006

Studies on Miscibility of Dehydrated Castor Oil Epoxy Blend with Poly(methyl methacrylate)
S. M. Ashraf, S. Ahmad, U. Riaz, and H. O. Sharma **3094**
Published online 27 February 2006

Dynamic Modeling and Experimental Evaluation of Olefin Copolymerization with Vanadium-Based Catalysts
M. R. Pourhossaini, E. Vasheghani-Farahani, M. Gholamian, and M. Gholamian **3101**
Published online 27 February 2006

Fluorescence Quantum Yield of Poly(3-octylthiophene) upon Electrochemical Doping
T. Danno, K. Kobayashi, and A. Tanioka **3111**
Published online 27 February 2006

Structure and Thermal Behaviour of Nylon 6 Nanocomposites
X.-Y. Zhao and M.-Z. Wang **3116**
Published online 27 February 2006

Polymer/Carbon Nanotube Composite Emulsion Prepared Through Ultrasonically Assisted In Situ Emulsion Polymerization
H. Xia, G. Qiu, and Q. Wang **3123**
Published online 27 February 2006

Effect of Weathering Cycle and Manufacturing Method on Performance of Wood Flour and High-Density Polyethylene Composites
N. M. Stark **3131**
Published online 27 February 2006

Determination of Impurities in Industrial Caprolactam Produced from Toluene by SPME and GC–MS
N. Li and J. Zou **3141**
Published online 27 February 2006

Calorimetric Analysis of the Multiple Melting Behavior of Poly(L-lactic acid)
M. L. Di Lorenzo **3145**
Published online 27 February 2006

Effect of Porosigen and Hydrophobic Monomer on the Fast Swelling–Deswelling Behaviors for the Porous Thermoreversible Copolymeric Hydrogels
W.-F. Lee and Y.-C. Yeh **3152**
Published online 27 February 2006

Effect of Fillers on the Relaxation Behavior of Chlorobutyl Vulcanizates
V. Sridhar, R. N. P. Chaudhary, and D. K. Tripathy **3161**
Published online 27 February 2006

Synthesis, Characterization, and Dilute Solution Properties of pH-Responsive Polyacyloylethylpiperazinium Polymers
S. Mylswamy, V. Ramamurthi, and S. Balasubramanian **3174**
Published online 27 February 2006

Reactive Blending of Modified Polypropylene and Polyamide 12: Effects of Compatibilizer Content on Crystallization and Blend Morphology
Y. Wu, Y. Yang, B. Li, and Y. Han **3187**
Published online 27 February 2006

Biodegradation Potential of Some Barrier-Coated Boards in Different Soil Environments
M. Nazhad, W. Sridach, E. Retulainen, J. Kuusipalo, and P. Parkpian **3193**
Published online 27 February 2006

Thermally Stable and Organosoluble Cardo Binaphthylene Based Poly(amide imide)s and Poly(ester imide)s
H. Behniafar and A. Jafari **3203**
Published online 27 February 2006

Processing Robustness for a Phenylethynyl-Terminated Polyimide Composite
T. H. Hou **3212**
Published online 27 February 2006

Synthesis and Characterization of Aromatic Copolyesters Containing Siloxane Linkages in the Polymer Backbone
P. B. Waghmare, S. B. Idage, S. K. Menon, and B. B. Idage **3222**
Published online 27 February 2006

Synthesis and Characterization of Biodegradable Polyethylene by Graft Copolymerization of Starch Using Glucose–Ce(IV) Redox System
T. Maharana and B. C. Singh **3229**
Published online 27 February 2006

A Modified Model and Algorithm for Flow-Enhanced Crystallization—Application to Fiber Spinning
P. Shrikhande, W. H. Kohler, and A. J. McHugh **3240**
Published online 27 February 2006

Linear Viscoelastic Properties of HFPE-II-52 Polyimide
J. N. Antonakakis, P. Bhargava, K. C. Chuang, and A. T. Zehnder **3255**
Published online 27 February 2006

Thermal and Wide Angle X-ray Analysis of Chemically and Radiation-Crosslinked Low and High Density Polyethylenes
H. A. Khonakdar, S. H. Jafari, M. Taheri, U. Wagenknecht, D. Jehnichen, and L. Häussler **3264**
Published online 27 February 2006

Determination of the α, β, and γ Crystalline Phases of Poly(vinylidene fluoride) Films Prepared at Different Conditions
R. Gregorio **3272**
Published online 27 February 2006

Conductive Polymer Composites: Electrical, Thermal, and Rheological Study of Injected Isotactic Poly(propylene)/Long Stainless-Steel Fibers for Electromagnetic Interferences Shielding
J. F. Feller, S. Roth, and A. Bourmaud **3280**
Published online 27 February 2006

Acetylation of Cellulose Using Recyclable Polymeric Catalysts
J. Luo and Y. Sun **3288**
Published online 27 February 2006

Calorimetric Study of the System Clorhydrate of Chitosan/Glutaraldehyde(1,5-pentanedial)
F. Fraga, J. Blanco, A. Luzardo, L. Leira, E. Rodríguez-Núñez, J. M. Martínez-Ageitos, and C. Castro-Díaz **3297**
Published online 27 February 2006

Dyeing Properties of PECH-Amine Cationized Cotton with Acid Dyes
L. Rong and G. Feng **3302**
Published online 27 February 2006

Damping Properties of Chlorinated Polyethylene-Based Hybrids: Effect of Organic Additives
C. Zhang, P. Wang, C.-a. Ma, and M. Sumita **3307**
Published online 27 February 2006

Synthesis of New Anionic HTPB-Based Polyurethane Elastomers: Aqueous Dispersion and Physical Properties
L. Poussard, F. Burel, J.-P. Couvercelle, C. Loutelier-Bourhis, and C. Bunel **3314**
Published online 27 February 2006

Effects of Spinning Conditions on Structure and Properties of Multifunctional Fibers of Polyimidoamide Nanocomposites
T. Mikołajczyk and M. Olejnik **3325**
Published online 27 February 2006

Aging and Moisture Effects on the Tensile Properties of Starch/Poly(hydroxyester ether) Composites
J. W. Lawton, W. M. Doane, and J. L. Willett **3334**
Published online 27 February 2006

Nano-Scaled Ordering of Hyperbranched and Star-Hyperbranched Polymers
K. Ishizu, K. Ochi, and T. Furukawa **3342**
Published online 27 February 2006

Study of Rheological Behavior of Hydrophobically Modified Hydroxyethyl Cellulose
Q. Li, L. Ye, Y. Cai, and R. Huang **3348**
Published online 27 February 2006

Water-Absorptive Blend Fibers of Copoly(acrylic acid–acrylamide) and Poly(vinyl alcohol)
Y. Ding, C. Xiao, S. An, and G. Jia **3355**
Published online 27 February 2006

Thermal Degradation Study of Poly(1-oxotrimethylene) in Aqueous Composite Metal Salt Solutions
T. Morita and J. Kato **3360**
Published online 27 February 2006

Morphology–Toughness Correlation of Polypropylene/Ethylene–Propylene Rubber Blends
I. Kotter, W. Grellmann, T. Koch, and S. Seidler **3366**
Published online 27 February 2006

High-Molecular-Weight Polyacrylonitrile by Atom Transfer Radical Polymerization
C. Hou, R. Qu, J. Liu, L. Ying, and C. Wang **3374**
Published online 27 February 2006

Stability of Acrylonitrile/Methyl Vinyl Ketone Copolymer Solutions
C. Hou and L. Ying **3379**
Published online 27 February 2006

Mechanical Properties and Transparency of Injection-Molded Polyacetal with Branched and Linear Structure: Influence of Crystalline Morphology
K. Kawaguchi **3384**
Published online 27 February 2006

Application of Factorial Experimental Design to the Study of the Suspension Polymerization of β-Cyclodextrin and Epichlorohydrin
A. Romo, F. J. Peñas, X. Sevillano, and J. R. Isasi **3395**
Published online 27 February 2006

Improvement of Bond Strength of BPDA-PDA-Type Polyimide Film by Corona Discharge Treatment
T. Ogawa, S. Baba, and Y. Fujii **3405**
Published online 27 February 2006

Mechanical and Structural Characterization of POSS-Modified Polyamide 6
F. Baldi, F. Bignotti, L. Ricco, O. Monticelli, and T. Riccò **3411**
Published online 27 February 2006

ISSUE NUMBER 5 / JUNE 5, 2006

Carrier-Bound Methotrexate. II. Water-Soluble Polyaspartamide Methotrexate Conjugates with Amide Links in Polymer–Drug Spacer
G. Caldwell, M. G. Meirim, D. D. N'Da, and E. W. Neuse **3415**
Published online 20 March 2006

Synthesis, Characterization, and Antitumor Activity of Poly(maleic anhydride-*co*-vinyl acetate-*co*-acrylic acid)
H. Kaplan Can, A. Lale Doğan, Z. M. O. Rzaev, A. Hasegeli Uner, and A. Güner **3425**
Published online 20 March 2006

Core/Shell SiO_x@PAM Nanospheres from UV-Assisted Surface-Initiated Free Radical Polymerization
P. Liu, L. Zhang, and Z. Su **3433**
Published online 20 March 2006

Preparation and Characterization of Ceria Nanoparticles Supported on Poly(4-vinyl pyridine-co-divinyl benzene)
K. Samba Sivudu and D. Shailaja **3439**
Published online 20 March 2006

Calorimetric Studies of PP/Mater-Bi Blends Aged in Soil
A. Cadenato, X. Ramis, J. M. Salla, J. M. Morancho, L. Contat-Rodrigo, A. Vallés-Lluch, and A. Ribes-Greus **3446**
Published online 20 March 2006

Evolutions of Microstructure and Dielectric Behavior of Epoxy Based Insulator-Insulator Composites over Long Periods of Time
L. Vouyovitch, L. Flandin, J.-L. Bessede, and N. D. Alberola **3454**
Published online 20 March 2006

The Effect of Shear Forces on the Microstructure and Mechanical Properties of Epoxy–Clay Nanocomposites
T.-k. Oh, M. Hassan, C. Beatty, and H. El-Shall **3465**
Published online 20 March 2006

Proton Conducting Blends Based on Polysulfones and Elastomers
A. Linares, J. L. Acosta, and S. Rodríguez **3474**
Published online 20 March 2006

Novel Nitrogen-Containing Epoxy Resin. II. Cure Kinetics by Differential Scanning Calorimetry
X. Hong Zhang, Y. Qin Min, H. Zhao, H. Mei Wan, and G. Rong Qi **3483**
Published online 20 March 2006

Interactions of Active Carbon with Low- and High-Molecular Weight Polyethylene Glycol and Polyethylene Oxide
S. Bar-Chaput and C. Carrot **3490**
Published online 20 March 2006

Synchronous Toughening and Reinforcing of Polypropylene with Ultrahigh-Molecular-Weight Polyethylene via Melt Blending: Mechanical Properties, Morphology, and Rheology
X. Wang, H. Li, and R. Jin **3498**
Published online 20 March 2006

Surface Modification on Nanoscale Titanium Dioxide by Radiation: Preparation and Characterization
B. Jiang, X. Zu, F. Tang, Z. Wu, J. Lu, Q. Wei, and X. Zhang **3510**
Published online 20 March 2006

Microstructural and Mold Resistant Properties of Environment-Friendly Oil-Modified Polyurethane Based Wood-Finish Products Containing Polymerized Whey Proteins
N. C. Wright, J. Li, and M. Guo **3519**
Published online 20 March 2006

Some Monomer Reactivity Ratios of Styrene and (Meth)Acrylates in the Presence of TEMPO
H. Jianying, C. Jiayan, Z. Jiaming, C. Yihong, D. Lizong, and Z. Yousi **3531**
Published online 20 March 2006

Epoxy-*tert*-butyl Poly(cyanoarylene ether) Blends: Phase Morphology, Fracture Toughness, and Mechanical Properties
A. Saxena, B. Francis, V. L. Rao, and K. N. Ninan **3536**
Published online 20 March 2006

Mechanical Properties, Stress-Relaxation, and Orientation of Double Bubble Biaxially Oriented Polyethylene Films
A. L. Bobovitch, R. Tkach, A. Ajji, S. Elkoun, Y. Nir, Y. Unigovski, and E. M. Gutman **3545**
Published online 20 March 2006

Possibilities of Collagen Adsorption on Some Polymeric Matrices Based on Styrene Copolymers
L. E. Nita, A. P. Chiriac, and C. Vasile **3554**
Published online 20 March 2006

Oxidative Copolymerization between Toluidine and Vinyl Acetate
X.-G. Li, Z.-Q. Dong, M.-R. Huang, H.-L. Shao, and X.-C. Hu **3562**
Published online 20 March 2006

Thermal Stability of Polypropylene/Carbon Nanofiber Composite
A. Chatterjee and B. L. Deopura **3574**
Published online 20 March 2006

Fluorinated-Plasma Modification Of Polyetherimide Films
M. Kaba, A. Essamri, A. Mas, F. Schue, G. A. George, F. Cardona, L. Rintoul, and B. J. Wood **3579**
Published online 20 March 2006

Synthesis and Characterization of Radiation Grafted Copolymer for Removal of Nonionic Organic Contaminants
H. H. Sokker, A. M. Abdel Ghaffar, and A. M. A. Nada **3589**
Published online 20 March 2006

The Influence of Alkali Pretreatments in Lyocell Resin Finishing—Resin Distribution and Mechanical Properties
A. P. Manian, M. A. Rous, K. C. Schuster, and T. Bechtold **3596**
Published online 20 March 2006

Preparation and Characterization of Novel Cationic Copolymer Hydrogels with pH Sensitivity and Thermosensitivity
J. T. Guo, L. Li, X. Y. Li, and J. L. Zhu **3602**
Published online 20 March 2006

Microstructure and Wear Properties of Plasma-Sprayed Aluminum–Silicon–Polyester Coatings
M. Öksüz, H. Yıldırım, and S. Erturan **3609**
Published online 20 March 2006

Synthesis and Characterization of *p*-Perfluoro{1-[2-(2-fluorosulfonyl-ethoxy)propoxy]}ethylated poly(α-methyl styrene)
H.-B. Ni, J.-C. Yang, and C.-X. Zhao **3615**
Published online 20 March 2006

Effect of Water Absorption, Freezing and Thawing, and Photo-Aging on Flexural Properties of Extruded HDPE/Rice Husk Composites
S. Panthapulakkal, S. Law, and M. Sain **3619**
Published online 20 March 2006

Preparation of Copolymer of L-Aspartic Acid and L-Glutamic Acid
Z. Rui and T. Tianwei **3626**
Published online 20 March 2006

Electrochemistry of Methanofullerene Films: Simultaneous Cyclic Voltammetry and Electrochemical Quartz Crystal Microbalance Studies
H. Zhang, X. Huang, L. Z. Fan, B. Nin, Y. Q. Wu, L. P. Zheng, and Y. Cao **3634**
Published online 20 March 2006

Mechanical Properties of Composites from Sawdust and Recycled Plastics
S. K. Najafi, E. Hamidinia, and M. Tajvidi **3641**
Published online 20 March 2006

Rheological Properties of High Melt Strength Poly(ethylene terephthalate) Formed by Reactive Extrusion
J. S. Forsythe, K. Cheah, D. R. Nisbet, R. K. Gupta, A. Lau, A. R. Donovan, M. S. O'Shea, and G. Moad **3646**
Published online 20 March 2006

Preparation and Properties of Nanocomposite Hydrogels Containing Silver Nanoparticles by Ex Situ Polymerization
W.-F. Lee and K.-T. Tsao **3653**
Published online 20 March 2006

Graft Copolymers and High-Molecular-Weight Star-Like Polymers by Atom Transfer Radical Polymerization
B. Masař, M. Janata, P. Látalová, M. Netopilík, P. Vlček, and L. Toman **3662**
Published online 20 March 2006

The Morphology and Property of Ultra-Fine Full-Vulcanized Acrylonitrile Butadiene Rubber Particles/EPDM Blends
L. Zhang, T. Li, Y. Lu, Y. Tang, J. Qiao, and M. Tian **3673**
Published online 20 March 2006

Alternatives for Multiobjective Optimization of a Polymerization Process
S. Curteanu, F. Leon, and D. Gâlea **3680**
Published online 20 March 2006

Compatibility of HDPE/Postconsumer HDPE Blends Using Compatibilizing Agents
E. Ramírez-Vargas, Z. Sandoval-Arellano, J. S. Hernández-Valdez, J. G. Martínez-Colunga, and S. Sánchez-Valdés **3696**
Published online 20 March 2006

Effect of Modified Carbon Black on the Filler–Elastomer Interaction and Dynamic Mechanical Properties of SBR Vulcanizates
J. Han, X. Zhang, W. Guo, and C. Wu **3707**
Published online 20 March 2006

Multicarboxylic Aromatic Acid Core Initiator for the Synthesis of Star-Shaped Poly(ε-caprolactone) with Carboxyl End Groups
Z. Jia and J. Huang **3713**
Published online 20 March 2006

Emulsifier-Free Synthesis and Self-Assembly of an Amphiphilic Poly(styrene-*co*-acrylic acid) Copolymer
L. Yan, G. Zhang, G. Liu, J. Ji, and W. Li **3718**
Published online 20 March 2006

Studies of the Mechanical and Thermal Properties of Cross-linked Poly(methylmethacrylate-acrylic acid-allylmethacrylate)-Modified Bone Cement
Y.-H. Nien and J. Chen **3727**
Published online 20 March 2006

Effects of Additives with Different Functional Groups on the Physical Properties of Starch/PVA Blend Film
S.-D. Yoon, S.-H. Chough, and H.-R. Park **3733**
Published online 20 March 2006

Single-Pack, Self-Curable, Aqueous-Based Polyurethane Dispersion Containing a Disperse Dye
C.-T. Huang and K.-N. Chen **3741**
Published online 20 March 2006

Polyesters from Renewable Resources: Preparation and Characterization
I. O. Bakare, C. Pavithran, F. E. Okieimen, and C. K. S. Pillai **3748**
Published online 20 March 2006

The Measurement of Thermal Diffusivity in Poly(methyl acrylate) by Photoacoustic Technique
M. A. Jothi Rajan, T. Mathavan, T. S. Vivekanandam, and S. Umapathy **3756**
Published online 20 March 2006

A Theoretical Description of the Oxidation Kinetics of Polymer Melt in Fractal Mediums
G. V. Kozlov, I. V. Dolbin, and G. E. Zaikov **3761**
Published online 20 March 2006

A Structural Model of an Accessibility of Polycarbonate Melt to Thermooxidative Degradation Processes
G. V. Kozlov, I. V. Dolbin, and G. E. Zaikov **3765**
Published online 20 March 2006

Preparation and Properties of Some Thermosets Derived from Allyl-Functional Naphthoxazines
T. Agag **3769**
Published online 20 March 2006

Effects of Activation Temperature on the Properties and Structure of PAN-Based Activated Carbon Hollow Fiber
J. Sun and Q. Wang **3778**
Published online 20 March 2006

Photoluminescent Carbon Nanocapsule/Polycyanate Composites with Hydrogen Bond Interactions
F.-K. Su, J.-L. Hong, G.-F. Liao, L.-L. Lin, and G.-L. Hwang, T.-C. Day **3784**
Published online 20 March 2006

Study of Poly(vinyl chloride) Interfaces Using Slow Positron Beams
N. Mostafa **3789**
Published online 20 March 2006

Crystallization Behavior of Carbon Nanotubes-Filled Polyamide 1010
B. Wang, G. Sun, J. Liu, X. He, and J. Li **3794**
Published online 20 March 2006

Synthesis of Monodisperse Nickel-Coated Polymer Particles by Electroless Plating Method Utilizing Functional Polymeric Ligands
J.-B. Jun, M.-S. Seo, S.-H. Cho, J.-G. Park, J.-H. Ryu, and K. DoSuh **3801**
Published online 20 March 2006

Thermooxidative Degradation of Natural Rubber/Clay Composite
M. Chen, N.-J. Ao, Y.-Y. Liao, Y. Chen, and H.-L. Zhou **3809**
Published online 20 March 2006

Spinline Tension Control in Melt Spinning by Discrete Adaptive Sliding-Mode Controllers
C.-C. Huang and T.-T. Tang **3816**
Published online 20 March 2006

Reactivity Ratios of Acrylamide–Vinyl Pyrrolidone Copolymerization System Obtained by Sequential Sampling
A. Akyüz, A. Paril, and A. Giz **3822**
Published online 20 March 2006

Fractal Model of the Heat Conductivity for Carbon Fiber-Reinforced Aromatic Polyamide
G. V. Kozlov, A. I. Burya, I. V. Dolbin, and G. E. Zaikov **3828**
Published online 20 March 2006

Nanostructure Development in Wet Amorphous Amylopectin as Revealed by In Situ X-Ray Scattering Methods
R. K. Bayer and F. J. Baltá-Calleja **3832**
Published online 20 March 2006

Miscibility and Transesterification in Ternary Blends of Poly(ethylene naphthalate)/Poly(pentamethylene terephthalate)/Poly(ether imide)
C. C. Su and C. K. Shih **3840**
Published online 20 March 2006

Synthesis of Solid Epoxy Resins Base on BPC II and Bisphenol A Using Conventional Heating Equipment and Microwave
Z. K. Brzozowski, S. K. Staszczak, L. K. Hadam, S. Rupinski, D. Bogdal, and J. Gorczyk **3850**
Published online 20 March 2006

Biodegradability of Diethylene Glycol Terephthalate and Poly(ethylene terephthalate) Fiber by Crude Enzymes Extracted from Activated Sludge
J. Zhang, J. Gong, G. Shao, J. Qin, and Z. Gu **3855**
Published online 27 March 2006

Effect of Screw Axial Vibration on Polymer Melting Process in Single-Screw Extruders
J. Qu, G. Zeng, Y. Feng, G. Jin, H. He, and X. Cao **3860**
Published online 27 March 2006

Influence of Premade and In Situ Compatibilizers in Polypropylene/Ethylene–Propylene–Diene Terpolymer Thermoplastic Elastomeric Olefins and Thermoplastic Vulcanizates
K. Naskar and J. W. M. Noordermeer **3877**
Published online 27 March 2006

Preparation and XPS Surface Chemical Analysis of PS/PU Nanocomposites
Y. Zhu, L.-M. Zhang, H. Zheng, and D.-X. Sun **3889**
Published online 27 March 2006

Relationship Between the Network Morphology and Properties of Commercial Vinyl Ester Resins
E. Rodriguez, M. Larrañaga, I. Mondragón, and A. Vázquez **3895**
Published online 27 March 2006

Ternary Blends of Acrylic Rubber, Poly(butylene terephthalate), and Liquid Crystalline Polymer: Influence of Interactions on Thermal and Dynamic Mechanical Properties
E. S. Kumar, S. B. Yadaw, K. N. Pandey, and C. K. Das **3904**
Published online 27 March 2006

Preparation of Nano- and Microparticles through Self-Assembly of Azobenzene-Pendent Ionomers
T. Mori, K. Yuyama, K. Narita, K. Minagawa, M. Haraguchi, and M. Tanaka **3913**
Published online 27 March 2006

Studies of the Curing Kinetics and Thermal Stability of Epoxy Resins Using a Mixture of Amines and Anhydrides
R. Jain, P. Kukreja, A. K. Narula, and V. Chaudhary **3919**
Published online 27 March 2006

Thermal Properties of Poly(maleic anhydride-*alt*-acrylic acid) in the Presence of Certain Metal Chlorides
S. Kavlak, H. Kaplan Can, Z. M. O. Rzaev, and A. Güner **3926**
Published online 27 March 2006

High Density Polyethylene/Ultra High Molecular Weight Polyethylene Blend. II. Effect of Hydroxyapatite on Processing, Thermal, and Mechanical Properties
K. L. K. Lim, Z. A. Mohd Ishak, U. S. Ishiaku, A. M. Y. Fuad, A. H. Yusof, T. Czigany, B. Pukanzsky, and D. S. Ogunniyi **3931**
Published online 27 March 2006

Bond Strength and Durabilty Behavior of Polyurethane-Based Desmodur-VTKA Adhesives Used for Building Materials After Being Exposed to Water-Resistance Test
B. Uysal and A. Özçifçi **3943**
Published online 27 March 2006

Oil Resistance and Physical Properties of In Situ Epoxidized Natural Rubber from High Ammonia Concentrated Latex
S. Chuayjuljit, C. Yaowsang, N. Na-Ranong, and P. Potiyaraj **3948**
Published online 27 March 2006

Thermal and Viscoelastic Properties of Sequentially Polymerized Networks Composed of Benzoxazine, Epoxy, and Phenalkamine Curing Agents
B. S. Rao and S. K. Pathak **3956**
Published online 27 March 2006

Treatment of Polluted Water Resources Using Reactive Polymeric Hydrogel
H. A. Shawky, M. H. El-Sayed, A. El-Hag Ali, and M. S. Abdel Mottaleb **3966**
Published online 27 March 2006

Siloxane Surfactant-Modified Clay and Its Effect in Reinforcing the Laminate of Polymethylsilsesquioxane
B.-Y. Li, J. Ma, H.-Y. Liu, X.-L. Guo, X.-L. Zhang, and J. Xu **3974**
Published online 27 March 2006

Naturally Occurring Amino Acid: Novel Curatives for Chloroprene Rubber
A. Das, N. Naskar, R. N. Datta, P. P. Bose, and S. C. Debnath **3981**
Published online 27 March 2006

Superparamagnetic Thermoresponsive Composite Latex via W/O Miniemulsion Polymerization
C.-L. Lin, W.-Y. Chiu, and T.-M. Don **3987**
Published online 27 March 2006

Photocatalytic Degradation of Poly(ethylene oxide) and Polyacrylamide
S. P. Vijayalakshmi and Giridhar Madras **3997**
Published online 27 March 2006

Study on Morphology, Crystallization Behaviors of Highly Filled Maleated Polyethylene-Layered Silicate Nanocomposites
Y. Xie, D. Yu, J. Kong, X. Fan, and W. Qiao **4004**
Published online 27 March 2006

Morphology and Fracture Properties of Modified Bisphenol A and Novolac Type Vinyl Ester Resins
J. Karger-Kocsis and O. Gryshchuk **4012**
Published online 27 March 2006

Electrochemical Behaviors of Polyaniline–Poly(styrene-sulfonic acid) Complexes and Related Films
D.-S. Lin, C.-T. Chou, Y.-W. Chen, K.-T. Kuo, and S.-M. Yang **4023**
Published online 27 March 2006

Toughening of Thermosets by the Creation of Residual Compressive Stresses
H. S. Kim and N. H. Kim **4045**
Published online 27 March 2006

Cellulose Acetate Reverse Osmosis Membranes: Optimization of the Composition
A. P. Duarte, M. T. Cidade, and J. C. Bordado **4052**
Published online 27 March 2006

Conductive Epoxy/Amine System Containing Polyaniline Doped with Dodecylbenzenesulfonic Acid
V. X. Moreira, F. G. Garcia, and B. G. Soares **4059**
Published online 27 March 2006

Polyesterimide Resins with Built-In Polycyclic Compounds
E. Wardzińska and P. Penczek **4066**
Published online 27 March 2006

Mica Reinforced Nylon-6: Effect of Coupling Agents on Mechanical, Thermal, and Dielectric Properties
S. Bose, H. Raghu, and P. A. Mahanwar **4074**
Published online 27 March 2006

In Vivo Aging of Gutta-Percha Dental Cone
J. B. A. Silva Jr., R. C. M. de Paula, J. P. A. Feitosa, E. Diogo Gurgel-Filho, C. Maniglia-Ferreira, and F. J. de Souza Filho **4082**
Published online 27 March 2006

pH- and Temperature-Sensitive Microfiltration Membranes from Blends of Poly(vinylidene fluoride)-*graft*-Poly(4-vinylpyridine) and Poly(*N*-isopropylacrylamide)
G. Zhai **4089**
Published online 27 March 2006

Thermodynamic and Sorption Behavior of U(VI) and Th(IV) on Unsaturated Polyester–Styrene Polymeric Beads
B. El-Gammal, G. Ibrahim, and H. El-Nahas **4098**
Published online 27 March 2006

Fourier Transform Infrared Study of Polypyrrole–Poly(vinyl alcohol) Conducting Polymer Composite Films: Evidence of Film Formation and Characterization
H. N. M. Ekramul Mahmud, A. Kassim, Z. Zainal, and W. M. M. Yunus **4107**
Published online 27 March 2006

Study on Effective Storage Time of Raw Natural Rubber
B.-L. Zhang, W.-Y. Deng, H.-X. Lu, M. Chen, and H.-L. Qian **4114**
Published online 27 March 2006

Thermogelation Hydrogels of Methylcellulose and Glycerol–Methylcellulose Systems
Q. Kuang, G. Cheng, J. Zhao, and Y. Li **4120**
Published online 27 March 2006

Dynamic Viscoelasticity of Low-Density Polyethylene/In-Situ-Grafted Carbon Black Composite
G. Wu, Q. Zheng, M. Zhang, and Y. Hou **4127**
Published online 27 March 2006

Magnetic Composites Obtainment Based on Styrene Polymers
L. E. Nita, A. P. Chiriac, I. Neamtu, and C. Vasile **4133**
Published online 27 March 2006

Effect of γ-Aminopropyl Trimethoxy Silane on the Performance of Jute–Polycarbonate Composites
M. A. Khan and M. M. Hassan **4142**
Published online 27 March 2006

Surface Modification of Natural Substrates by Atom Transfer Radical Polymerization
J. Lindqvist and E. Malmström **4155**
Published online 27 March 2006

Synthesis and Thermally Responsive Properties of Novel Pluronic F87/Polycaprolactone (PCL) Block Copolymers with Short PCL Blocks
X. Yuan Xiong, K. Chiu Tam, and L. Huat Gan **4163**
Published online 27 March 2006

Thermal and Mechanical Properties of Polypropylene–Wood Powder Composites
M. G. Salemane and A. S. Luyt **4173**
Published online 27 March 2006

Finite Difference Solution for a Transient Temperature Distribution in an Advanced Polymer Fiber
P. Sadooghi and C. Aghanajafi **4181**
Published online 27 March 2006

Effect of Nanosize $CaSO_4$ and $Ca_3(PO_4)_2$ Particles on the Rheological Behavior of Polypropylene and Its Simulation with a Mathematical Model
S. Mishra, S. Sonawane, A. Mukherji, and H. C. Mruthyunjaya **4190**
Published online 27 March 2006

Dyeing Mechanism and Model of Nylon 6 Fiber Dyeing in Low-Temperature Hydrogen Peroxide–Glyoxal Redox System
H.-H. Wang and C.-C. Wang **4197**
Published online 27 March 2006

Physical Chemistry of Topological Disorder in Polymers: Some Remarks on Polymer Memory
Y. A. Shlyapnikov and N. N. Kolesnikova **4208**
Published online 27 March 2006

The Study on the Prediction Technique of the Wear Amount of Polyoxymethylene
M. Kada and M. Ishikawa **4212**
Published online 27 March 2006

Hydrogenation of Synthetic *cis*-1,4-Polyisoprene and Natural Rubber Catalyzed by $[Ir(COD)py(PCy_3)]PF_6$
N. Hinchiranan, K. Charmondusit, P. Prasassarakich, and G. L. Rempel **4219**
Published online 27 March 2006

Synthesis and Mesomorphic Properties of a New Side-Chain, Chiral Smectic, Liquid-Crystalline Elastomer
J.-S. Hu, B.-Y. Zhang, A.-J. Zhou, B.-G. Du, and L.-Q. Yang **4234**
Published online 27 March 2006

A Novel Positive-Type Photosensitive Polyimide Based on Soluble Block Copolyimide Showing Low Dielectric Constant with a Low-Temperature Curing Process
X. Jin and H. Ishii **4240**
Published online 27 March 2006

Graft Copolymerization of Styrene onto Casein Initiated by Potassium Diperiodatonickelate (IV) in Alkaline Medium
Y. Liu, W. Zhou, L. Bai, N. Zhao, and Y. Liu ***4247***
Published online 27 March 2006

Catalytic Potential of a Poly(AAc-*co*-HPMA-*cl* MBAm)-Matrix-Immobilized Lipase from a Thermotolerant *Pseudomonas Aeruginosa* MTCC-4713
S. S. Kanwar, H. K. Verma, R. K. Kaushal, R. Gupta, Y. Kumar, S. S. Chimni, and G. S. Chauhan ***4252***
Published online 27 March 2006

Preparation and Characterization of *Bombyx mori* Silk Fibroin and Wool Keratin
Y. Iridag and M. Kazanci ***4260***
Published online 27 March 2006

Fe(2-EHA)$_3$/Al(*i*-Bu)$_3$/Hydrogen Phosphite Catalyst for Preparing Syndiotactic 1,2-Polybutadiene
J. Lu, Y. Hu, X. Zhang, J. Bi, W. Dong, L. Jiang, and B. Huang ***4265***
Published online 27 March 2006

Errata

Polymers, Composites, and Characterization of Conducting Polyfuran and Poly (2-bromoaniline)
A. Gök, B. Sari, and M. Talu ***4270***
Published online 27 March 2006

Study on the Spin Probe-Added Polymeric Dense Membranes by ^{13}C Solid-State Nuclear Magnetic Resonance Spectroscopy
D. Rana, T. Matsuura, K. C. Khulbe, and C. Feng ***4271***
Published online 27 March 2006

ISSUE NUMBER 6 / JUNE 15, 2006

Organic–Inorganic Hybrid Materials. II. Preparation and Properties of Higher Silica Containing Polycarbonate–Silica Hybrid Materials
M. Arakawa, K. Sukata, M. Shimada, and Y. Agari ***4273***
Published online 8 March 2006

Different Factors in the Supercritical CO_2-Assisted Grafting of Poly(acrylic acid) to Polypropylene
Z. Hou, Q. Xu, Q. Peng, J. Li, H. Fan, and S. Zheng ***4280***
Published online 8 March 2006

New Method for the Synthesis of Clay/Epoxy Nanocomposites
H. Wang, S. V. Hoa, and P. M. Wood-Adams ***4286***
Published online 8 March 2006

Influence of the Temperature Profile in the Interface on the Bond Strength of Polyamide–Polyurethane Two-Component Tensile Bars
G. Pompe, M. Bräuer, D. Schweikle, J. Nagel, B. Hupfer, and D. Lehmann ***4297***
Published online 8 March 2006

Functional Finishing of Nonwoven Fabrics. I. Accessibility of Surface Modified PET Spunbond by Atmospheric Pressure He/O_2 Plasma Treatment
Y. Shin, K. Son, D. I. Yoo, S. Hudson, M. McCord, S. Matthews, and Y.-J. Whang ***4306***
Published online 8 March 2006

Anti-Ultraviolet and Physical Properties of Woolen Fabrics Cured with Citric Acid and TiO_2/Chitosan
S.-H. Hsieh, F.-R. Zhang, and H.-S. Li **4311**
Published online 8 March 2006

Formation of Inorganic (TaC, TaN) Fibers by Thermal Decomposition of Cellulose Acetate–Tantalum Alkoxide Precursor Gel Fibers
K. Nakane, N. Ogata, and Y. Kurokawa **4320**
Published online 8 March 2006

Intrinsic Viscosity–Molecular Weight Relationship and Hydrodynamic Volume for Pullulan
M. R. Kasaai **4325**
Published online 8 March 2006

Synthesis and Properties of Nanosilica-Reinforced Polyurethane for Grouting
X. J. Xiang, J. W. Qian, W. Y. Yang, M. H. Fang, and X. Q. Qian **4333**
Published online 8 March 2006

Effect of Starch Addition on Compression-Molded Poly(3-hydroxybutyrate)/Starch Blends
R. M. S. M. Thiré, T. A. A. Ribeiro, and C. T. Andrade **4338**
Published online 8 March 2006

Properties of Hydrophobically Modified Polyacrylamide with Low Molecular Weight and Interaction with Surfactant in Aqueous Solution
S. Wu, R. A. Shanks, and G. Bryant **4348**
Published online 8 March 2006

Role of Pretreatment with Potassium Permanganate and Urea on Mechanical and Degradable Properties of Photocured Coir (*Cocos nucifera*) Fiber with 1,6-Hexanediol Diacrylate
M. A. Khan, M. M. Hassan, R. Taslima, and A. I. Mustafa **4361**
Published online 8 March 2006

Synthesis, Characterization, and Kinetic Investigation of Acrylic Monomers Derived from Acetaminophen and *p*-Cresol as Model Drug Molecules
M. Vezvaie, S. M. Taghizadeh, and M. R. Gholami **4369**
Published online 8 March 2006

Interfacial Reaction and Its Influence on Phase Morphology and Impact Properties of Modified-Polyacetal/Thermoplastic Polyurethane Blends
K. Kawaguchi and Y. Tajima **4375**
Published online 8 March 2006

Chemical Silver Plating on Polyester/Cotton Blended Fabric
S. Q. Jiang, E. Newton, C. W. M. Yuen, and C. W. Kan **4383**
Published online 8 March 2006

Dyeing Properties of Net-Modified Cotton Fabric with Triazine Derivative Containing the Multireactive and Multicationic Groups
K. Xie, Y. Sun, and A. Hou **4388**
Published online 8 March 2006

Graft Copolymerization of Acrylate Monomers onto Sulfonated Jute–Cotton Blended Fabric
M. I. H. Mondal, F. I. Farouqui, and M. A. Salam **4393**
Published online 8 March 2006

Kinetic and Molecular Weight Control for Methyl Methacrylate Semibatch Polymerization. II. Open Control
J.-Y. Wu and G.-R. Shan **4399**
Published online 8 March 2006

Effects of Short Chain Alcohols on the Styrene Emulsion Polymerization
C.-S. Chern, T.-C. Yu, and L.-L. Hu **4406**
Published online 8 March 2006

Synthesis and Characterization of Phenolic Novolacs Modified by Chestnut and Mimosa Tannin Extracts
C. Peña, M. Larrañaga, N. Gabilondo, A. Tejado, J. M. Echeverria, and I. Mondragon **4412**
Published online 8 March 2006

Photooxidation of Benzil Groups in the Presence of Hindered Amine Stabilizers in the Polystyrene Film
C. Kósa, J. Mosnáček, I. Lukáč, P. Hrdlovič, Š. Chmela, and W. D. Habicher **4420**
Published online 8 March 2006

Synthesis and Evaluation of a Composite Crosslinked Copolymer as a Particulate Fluid Diversion Agent
H. Lu, Z. Huang, P. Li, Y. Ma, and Y. Feng **4429**
Published online 8 March 2006

Rheology and Dispersion Behavior of High-Impact Polystyrene/Ethylene–Vinyl Acetate Copolymer/TiO_2 Nanocomposites
Z. Wang, G. Xie, X. Wang, and Z. Zhang **4434**
Published online 8 March 2006

Preparation of Alginate/Poly(*N*-isopropylacrylamide) Semi-Interpenetrating and Fully Interpenetrating Polymer Network Hydrogels with γ-Ray Irradiation and Their Swelling Behaviors
S. B. Lee, E. K. Park, Y. M. Lim, S. K. Cho, S. Y. Kim, Y. M. Lee, and Y. C. Nho **4439**
Published online 8 March 2006

Diffusion Coefficient of DMSO in Polyacrylonitrile Fiber Formation
L. Ying, C. Hou, and W. Fei **4447**
Published online 8 March 2006

Automatic Measurement of the Absolute CTE of Thin Polymer Samples. II. Effect of Chain Orientation on Thermal Expansion of Drawn Polymer Films
M. M. El-Tonsy, M. S. Meikhail, and R. M. Felfel **4452**
Published online 8 March 2006

Effect of Particle Size on Flame Retardancy of $Mg(OH)_2$-Filled Ethylene Vinyl Acetate Copolymer Composites
H. Huang, M. Tian, L. Liu, W. Liang, and L. Zhang **4461**
Published online 8 March 2006

Interaction of Toughening Mechanisms in a Hybrid Epoxy System
N. H. Kim and H. S. Kim **4470**
Published online 8 March 2006

Radiation-Induced Crosslinking of Acetylene-Impregnated Polyesters. II. Effects of Preirradiation Crystallinity, Molecular Structure, and Postirradiation Crosslinking on Mechanical Properties
W. Punyodom, R. A. Jones, I. M. Ward, and A. F. Johnson **4476**
Published online 8 March 2006

The Use of Gamma Irradiation to Prepare Ureaformaldehyde/Acrylic Acid Copolymer Gypsum Composites for Use in Construction Applications
H. H. El-Nahas, S. E. Abdel Aal, N. H. Taher, Y. H. Gad, and A. M. Dessouki **4491**
Published online 9 March 2006

Hydrogenation of Natural Rubber in the Presence of $OsHCl(CO)(O_2)(PCy_3)_2$: Kinetics and Mechanism
N. Hinchiranan, P. Prasassarakich, and G. L. Rempel **4499**
Published online 29 March 2006

Rheological and Isothermal Crystallization Characteristics of Neat and Calcium Carbonate-Filled Syndiotactic Polypropylene
P. Supaphol and W. Harnsiri **4515**
Published online 29 March 2006

Correlation Between the Morphology and Dynamic Mechanical Properties of Ethylene Vinyl Acetate/Linear Low-Density Polyethylene Blends: Effects of the Blend Ratio and Compatibilization
K. A. Moly, S. S. Bhagawan, G. Groeninckx, and S. Thomas **4526**
Published online 29 March 2006

PMMA-Modified Divinylester/Styrene Resins: Phase Diagrams and Morphologies
W. F. Schroeder, M. J. Yáñez, M. I. Aranguren, and J. Borrajo **4539**
Published online 29 March 2006

Film Formation from Pigmented Latex Systems: Mechanical and Surface Properties of Ground Calcium Carbonate/Functionalized Poly(*n*-butyl methacrylate-*co*-*n*-butyl acrylate) Latex Blend Films
T. Ding, E. S. Daniels, M. S. El-Aasser, and A. Klein **4550**
Published online 29 March 2006

A Novel Perfluorooctylated Triazine Pyridine Quaternary Ammonium Salt: Synthesis and Its Application on Cotton Fabrics Finishing
W.-C. Jiang, W.-D Meng, and F.-L. Qing **4561**
Published online 29 March 2006

Effect of Crosslinkers on the Preparation and Properties of ETFE-Based Radiation-Grafted Polymer Electrolyte Membranes
J. Chen, M. Asano, T. Yamaki, and M. Yoshida **4565**
Published online 29 March 2006

Supercritical Carbon Dioxide Assisted Preparation of Conductive Polypyrrole/Cellulose Diacetate Composites
G. Li, X. Sun, X. Liao, J. Yu, J. Zhang, and J. He **4575**
Published online 29 March 2006

Synthesis and Characterization of Polystyrene-Supported Glucosamine Resin and Its Adsorption Behavior for Au(III)
C. Sun, R. Qu, Q. Wang, C. Ji, C. Wang, Q. Xu, X. Fang, and G. Cheng **4581**
Published online 29 March 2006

Miscibility of Dextran and Poly(ethylene glycol) in Dilute Aqueous Solutions. II. Effect of Temperature and Composition
M. Barsbay and A. Güner **4587**
Published online 29 March 2006

Synthesis and Characterization of 3,3′-Disulfonated-4,4′-dichlorodiphenyl Sulfone (SDCDPS) Monomer for Proton Exchange Membranes (PEM) in Fuel Cell Applications
M. Sankir, V. A. Bhanu, W. L. Harrison, H. Ghassemi, K. B. Wiles, T. E. Glass, A. E. Brink, M. H. Brink, and J. E. McGrath **4595**
Published online 29 March 2006

Influence of Ionic Groups on the Crystallization and Melting Behavior of Segmented Polyurethane Ionomers
Y. Zhu, J. L. Hu, K. W. Yeung, Y. Q. Liu, and H. M. Liem **4603**
Published online 29 March 2006

Polyelectrolyte Complex Beads Composed of Water-Soluble Chitosan/Alginate: Characterization and Their Protein Release Behavior
X. Shi, Y. Du, L. Sun, B. Zhang, and A. Dou **4614**
Published online 29 March 2006

High Performance Polymer Composites on PEEK Reinforced with Aluminum Oxide
R. K. Goyal, Y. S. Negi, and A. N. Tiwari **4623**
Published online 29 March 2006

Suppression of Metallocene Catalyst Leaching by the Removal of Free Trimethylaluminum from Methylaluminoxane
J. P. J. Turunen and T. T. Pakkanen **4632**
Published online 29 March 2006

Characteristics of Poly(AAc_5-*co*-$HPMA_3$-*cl*-$EGDMA_{15}$) Hydrogel-Immobilized Lipase of *Pseudomonas aeruginosa* MTCC-4713
S. S. Kanwar, S. Pathak, H. K. Verma, S. Kumar, R. Gupta, S. S. Chimni, and G. S. Chauhan **4636**
Published online 29 March 2006

Monomer Reactivity Ratios for Acrylonitrile/Ammonium Itaconate during Aqueous-Deposited Copolymerization Initiated by Ammonium Persulfate
C. Chuansheng, W. Chengguo, and Z. Yaqi **4645**
Published online 29 March 2006

Degradation kinetics of Acrylonitrile/Ammonium Acrylate Copolymers
L. Ying, C. Hou, and W. Fei **4649**
Published online 29 March 2006

PPO–PC Block-Copolymers Used as Compatibilizers in PS/PC Blends
L. Sartore, M. Penco, S. D. Sciucca, R. Mendichi, L. D. Landro, and S. D'Antone **4654**
Published online 29 March 2006

Effect of Fluorinated Hydrophobic Monomer on the Drug Release Behavior for the Thermosensitive Hydrogels
W.-F. Lee and T.-M. Liu **4661**
Published online 29 March 2006

Determination of the Degradation Apparent Activation Energy of Acrylonitrile/Acrylic Acid Copolymers
C. Hou, J. Liu, C. Ji, and C. Wang **4668**
Published online 29 March 2006

Structural Effects of Pendant Groups on Thermal and Electrical Properties of Polyimides
L. Wang, P. Chang, and C.-L. Cheng **4672**
Published online 29 March 2006

Kinetic Study of Copolymerization of Acrylonitrile with Ammonium Acrylate
C. Hou, J. Liu, and L. Ying **4679**
Published online 29 March 2006

Sulfonation Degree Determination of Polystyrene Ionomers by Using Adiabatic Bomb Calorimeter
C. Alkan, A. G. Dumanlı, and L. Aras **4684**
Published online 29 March 2006

Effect of Degree of Substitution and Molecular Weight of Carboxymethyl Chitosan Nanoparticles on Doxorubicin Delivery
X. Shi, Y. Du, J. Yang, B. Zhang, and L. Sun ***4689***
Published online 29 March 2006

Preparation and Mechanical Properties of Natural Rubber Powder Modified by Carbon Nanotubes
J. D. Wang, Y. F. Zhu, X. W. Zhou, G. Sui, and J. Liang ***4697***
Published online 29 March 2006

Development of Biodegradable Composites with Treated and Compatibilized Lignocellulosic Fibers
V. Tserki, P. Matzinos, N. E. Zafeiropoulos, and C. Panayiotou ***4703***
Published online 29 March 2006

Enhancement of Hydrostatic Pressure for Water Repellent Treated Fabrics
P.-Y. Huang, Y.-C. Chao, and Y.-T. Liao ***4711***
Published online 29 March 2006

Swelling Behavior of Hydroxyapatite-Filled Chitosan–Poly(acrylic acid) Polyelectrolyte Complexes
G. S. Sailaja, P. Ramesh, and H. K. Varma ***4716***
Published online 29 March 2006

Shearing of Drag-Reducing Polymers with Ultrasonic Methods in Fuel-Oil Pipelines: A Feasibility Study
F. Rabecki, M. Henrist, D. Wildéria, and F. G. Cuenca ***4723***
Published online 29 March 2006

Thermoplastic Vulcanizates Based on Epoxidized Natural Rubber/Polypropylene Blends: Effect of Compatibilizers and Reactive Blending
C. Nakason, P. Wannavilai, and A. Kaesaman ***4729***
Published online 29 March 2006

Preparation of Nanocomposites of Thermosetting Resin from Benzoxazine and Bisoxazoline with Montmorillonite
Q. Chen, R. Xu, and D. Yu ***4741***
Published online 29 March 2006

Effect of Some Compatibilizing Agents on Clay Dispersion of Polypropylene-Clay Nanocomposites
M. L. López-Quintanilla, S. Sánchez-Valdés, L. F. Ramos de Valle, and F. J. Medellín-Rodríguez ***4748***
Published online 29 March 2006

Soybean Oil Based Resin: A New Tool for Improved Immobilization of α-Amylase
M. V. Kahraman, N. Kayaman-Apohan, A. Ogan, and A. Güngör ***4757***
Published online 29 March 2006

Structure–Property Relationships for Sulfonated Poly(butylene terephthalate)
B. J. Chisholm, W. D. Richards, T. E. Banach, S. Soloveichik, J. F. Kelley, G. R. Bradtke, and S. Dhawan ***4762***
Published online 29 March 2006

Wound Dressings Containing bFGF-Impregnated Microspheres: Preparation, Characterization, *In Vitro* and *In Vivo* Studies
S. Huang, Y. Jin, TianzhengDeng. and H. Wu ***4772***
Published online 29 March 2006

Crystal Structures and Their Effects on the Properties of Polyamide 12/Clay and Polyamide 6–Polyamide 66/Clay Nanocomposites
Y. Zhang, J. H. Yang, T. S. Ellis, and J. Shi ***4782***
Published online 29 March 2006

Preparation of Polysulfone Hollow Fiber Affinity Membrane Modified with Mercapto and Its Recovery Properties. II. Preparation of PSF-SH Hollow Fiber Affinity Membrane for Recovery of Hg^{2+}
B. Wang, B. Cheng, and Y. Cui **4795**
Published online 29 March 2006

Structure and Properties of Polypropylene Alloy In Situ Blends
N. Cui, Y. Ke, Z. Lu, C. Wu, and Y. Hu **4804**
Published online 29 March 2006

Syntheses and Optical Properties of Hybrid Materials Containing Azobenzene Groups via Sol–Gel Process for Reversible Optical Storage
M.-R. Kim, Y.-I. Choi, S.-W. Park, J.-W. Lee, and J.-K. Lee **4811**
Published online 29 March 2006

Graft Copolymerization of 2-Acrylamido-2-methyl-1-propanesulfonic acid onto Carboxymethylcellulose (Sodium Salt) by H_2O_2/Fe^{+2} Redox Pair
K. Behari and P. K. Pandey **4819**
Published online 29 March 2006

Structural Modification of Expandable Polystyrene. III. Copolymerization with Siloxane-Based Macroinitiator
I. Taşkıran **4826**
Published online 29 March 2006

Quantification of Response Time in Poly(Vinyl Alcohol)–Metal Complex Thermochromic Polymeric Systems
J. Srivastava, J. N. Srivastava, S. Alam, and G. N. Mathur **4832**
Published online 29 March 2006

In Situ Fourier Transform Infrared Spectroscopic Study of the Conformational Changes of High-Density Poly(ethylene) during the Melting and Crystallization Processes
Y. Xiao, L. Yan, P. Zhang, N. Zhu, L. Chen, P. He, Y. Wang, X. Shen, X. Zhu, and D. Yan **4835**
Published online 29 March 2006

Variation of MUF and PMUF Resins Mass Fractions during Preparation
H. Lei, A. Pizzi, G. Du, and A. Despres **4842**
Published online 29 March 2006

Shear Strength of Calabrian Pine (*Pinus brutia* Ten.) Bonded with Polyurethane and Polyvinyl Acetate Adhesives
E. Burdurlu, Y. Kiliç, G. C. Eli'bol, and M. Kiliç **4856**
Published online 29 March 2006

Effects of Substituted Aromatic Heterocyclic Phosphate Salts on Properties, Crystallization, and Melting Behaviors of Isotactic Polypropylene
Y.-f. Zhang and Z. Xin **4868**
Published online 29 March 2006

Preparation and Barrier Property of Poly(ethylene terephthalate)/Clay Nanocomposite Using Clay-Supported Catalyst
W. J. Choi, H.-J. Kim, K. H. Yoon, O. H. Kwon, and C. I. Hwang **4875**
Published online 29 March 2006

Development of an Epoxy System Characterized by Low Water Absorption and High Thermomechanical Performances
I. Blanco, G. Cicala, M. Costa, and A. Recca **4880**
Published online 29 March 2006

Effects of the pH, Concentration, and Solvents on the Ultrasonic Degradation of Poly(vinyl alcohol)
S. P. Vijayalakshmi and G. Madras **4888**
Published online 29 March 2006

Micromechanical Properties of Injection-Molded Starch–Wood Particle Composites
A. Ueberschaer, M. E. Cagiao, R K. Bayer, S. Henning, and F. J. B. Calleja **4893**
Published online 29 March 2006

Blends of Polypropylene with Poly(*cis*-butadiene) Rubber. III. Study on the Phase Structure and Morphology of Incompatible Blends of Polypropylene with Poly(*cis*-butadiene) Rubber
G.-Q. Ma, Y.-H. Zhao, L.-T. Yan, Y.-Y. Li, and J. Sheng **4900**
Published online 29 March 2006

Crystallite Size and Shape in Twaron Fibers Heat Treated at Different Temperatures Using WAXS
A. Jain, S. Abhishek, Sangappa, S. S. Mahesh, and R. Somashekar **4910**
Published online 29 March 2006

Reactions of Trithiocyanuric Acid with Oxiranes. IV. Analysis of the Initial Stages of the Synthesis of Polyetherols
E. Chmiel-Szukiewicz and J. Lubczak **4917**
Published online 29 March 2006

Possibility for the Light Stabilization of Polycaproamide for Fiber Production
N. Simeonov and S. Todorova **4921**
Published online 29 March 2006

Synthesis of Fe_3O_4/PMMA Composite Latex Particles: Kinetic Modeling
P.-C. Wang, W.-Y. Chiu, and T.-H. Young **4925**
Published online 29 March 2006

Superparamagnetic Flexible Substrates Based on Submicron Electrospun Estane® Fibers Containing MnZnFe–Ni Nanoparticles
P. Gupta, R. Asmatulu, R. Claus, and G. Wilkes **4935**
Published online 29 March 2006

BIMS/Filler Interactions. I. Effects of Filler Structure
M. F. Tse **4943**
Published online 29 March 2006

Synthesis and Characterization of sPS/Montmorillonite Nanocomposites
L. Torre, G. Lelli, and J. M. Kenny **4957**
Published online 29 March 2006

A Nanofoaming Process and Dielectric Properties of Polymethylphenylsilsesquioxane-Based Nanofoams
S. M. Hong and S. S. Hwang **4964**
Published online 29 March 2006

Mechanical and Thermal Properties of Waste Silk Fiber-Reinforced Poly(butylene succinate) Biocomposites
S. O. Han, S. M. Lee, W. H. Park, and D. Cho, **4972**
Published online 29 March 2006

Synthesis, Formulation, and Characterization of Siloxane-Modified Epoxy-Based Anticorrosive Paints
S. Ahmad, S. M. Ashraf, E. Sharmin, A. Mohomad, and M. Alam **4981**
Published online 29 March 2006

Molecular Characteristics of Room-Temperature Soluble Fractions of Low-Density Polyethylene Film Resins
Y. Yu, C. C. Tso, and P. J. DesLauriers **4992**
Published online 29 March 2006

Radiation Effect on the Thermal Conductivity and Diffusivity of Ramie Fibers in a Range of Low Temperatures by γ Rays
A. Yamanaka, Y. Izumi, T. Terada, K. Ema, M. Tsutsumi, M. Nakamura, T. Oohazama, T. Kitagawa, H. Fujishiro, S. Abe, and S. Nishijima **5007**
Published online 29 March 2006

Influence of Branch Content, Comonomer Type, and Crosshead Speed on the Mechanical Properties of Metallocene Linear Low-Density Polyethylenes
A. Islam and I. A. Hussein **5019**
Published online 29 March 2006

Preparation and Adsorption Selectivity for Hg(II) and Ag(I) of Chelating Resin Immobilizing Benzothiazolyl Group on Crosslinked Polystyrene via Hydrophilic Sulfur-Containing PEG Spacer
C. Ji, R. Qu, C. Sun, C. Wang, Y. Sun, N. Zhao, and H. Xie **5034**
Published online 29 March 2006

Comparison of Physical and Mechanical Properties of NR/Carbon Black/Reclaimed Rubber Blends Vulcanized by Conventional Thermal and Microwave Irradiation Methods
N. Sombatsompop and C. Kumnuantip **5039**
Published online 29 March 2006

Optimization of the Hot Alkali Treatment of Polyester/Cotton Fabric with Sodium Hydrosulfite
M. Montazer and A. Sadighi **5049**
Published online 29 March 2006

Porous Dye Affinity Beads for Nickel Adsorption from Aqueous Solutions: A Kinetic Study
S. Akgöl, E. Kuşvuran, A. Kara, S. Şenel, and A. Denizli **5056**
Published online 29 March 2006

Analysis of the Epoxy Polymerization Process with Piperidine as the Initiator
E. A. Aitken **5066**
Published online 29 March 2006

Relaxation Time, Activation Energy, and Reaction Pathway Determination of the Poly(ethylene glycol dimethacrylate)–Dopant (I_2) Interaction with the Nuclear Magnetic Resonance Technique
U. S. Ramelow, S. N. Braganza, G. J. Ramelow, and R. W. Darbeau **5087**
Published online 29 March 2006

Fourier Transform Rheometry on Carbon Black Filled Polybutadiene Compounds
J. L. Leblanc **5102**
Published online 29 March 2006

Development of Bond Strength Model for FRP Plates Using Back-propagation Algorithm
D. Y. Park, H. Jang, and N. Ahn **5119**
Published online 29 March 2006